

Wrist and Hand injuries














uetral, pisiform




Metacarpals

















es volar aspect

collateral (TTIP

• Volar plate (thickened r

6







n & opposition of

- Onginate outside the hand

• Actions include flexic

Thenar & hypothenar eminence







Bones most often injured


cal spuffbox)




Wrist Injuries





Colle's Fracture






Mechanism of Injury






Complications








Wrist Sprain



Wrist Sprain







Wrist Sprain Rehabilitation Exercises



Wrist range of motion




Wrist extension stretch



Forearm pronation and supination












Wrist flexion stretch















Wrist Tendonitis

ans sports with



insor tendons

Splint
Strengthening and P

Ganglion Cyst


and forced

dorsum of

Ganglion cyst

ard aon of write

Ganglion Cyst




Ganglion cyst



Ganglion cyst



Ganglion cyst



zation followed

rally COMe CK


• Surgical removal

WITH A P

Hand injuries

fracture

Dislocation of Lunate




agers into flexion

Or median nerve


deformity


Lunate dislocation



@ ELSEVIER, INC. - NETTERIMAGES.COM

Lunate Dislocation






Scaphoid Fracture

rextended

e between the


bones



Scaphoid fracture



Scaphoid fracture



• If not recognized as fracture union then surgery is

weeks


J

Hamate Fracture


orts implement



Hamate fracture




Hamate fracture







Hook of hamate fracture





Metacarpal (Boxer's) Fracture

punching both



• Direct impact to hand

Boxer's fracture



Boxer's fracture



Lation

ightarrow

• Pain with movement

Sth


Boxer's fracture




Boxer's fracture



Metacarpal fractures





Finger Injuries

Sprain Subungual hemator


Mallet Finger

aon at the

B




Mallet finger




Avused bone may be palpabl


11X

Mallet finger





Mallet finger



Mallet finger-stack splint



Stack splint





rofundus tendon

Jersey finger



• Swennig

• discoloration

tsion

• May have weakness with gliding motion of ter

COACT


Boutonniere Deformity

echanism at the


Boutonniere deformity



Boutonniere deformity




Boutonniere deformity




• Deformity of PIP in flevier extension

ath flexion of


Gamekeeper's Thumb



Gamekeepers thumb



Gamekeepers thumb



• Instability of joint

• Unable to grip

rule out avulsion



•

Interphalangeal Dislocation

oone, pinch olar r























PIP dislocation






Finger fracture








Fracture




Finger fracture




POT + compression/per/



Finger Sprain




Sprain



Sprain

Jammed Finger







ior x-rays

Subungual Hematoma

e pressure under it the nail







Ring injury

of body part

eding, cover oper to ER

Ring injury

