


**• Finding the Whole Group When a Fraction Is Known**

**Example:**  $\frac{3}{8}$  of the town voted. If 120 of the people voted, how many people lived in the town?

1. Draw a diagram divided into the same number of parts as the denominator. (For  $\frac{3}{8}$ , draw 8 parts.)

2. Bracket the same number of parts as the numerator. (For  $\frac{3}{8}$ , bracket 3 parts.) Then bracket the remaining parts.




3. Divide the given whole number by the numerator.

$$120 \div 3 = 40$$

4. Write that answer in each part.

5. Add all the parts to find the whole group. There were 320 people in the town.



**Practice:**

1. Kareem said that four fifths of his age is 16 years.

How old is Kareem? \_\_\_\_\_

2. Two fifths of the audience are senior citizens. If 60 people in the audience are seniors, how many people are in the audience in all? \_\_\_\_\_

3. Charlie bought a book for \$25. This was  $\frac{5}{6}$  of the regular price.

What was the regular price of the book? \_\_\_\_\_

Name \_\_\_\_\_

### • Implied Ratios

There are two ways to solve ratio problems: *multiplying by a rate* and *completing a proportion*.

**Example:** If 12 books weigh 20 pounds, how much would 30 books weigh?

1. Solve by *multiplying by a rate*:

$$30 \text{ books} \times \frac{20 \text{ pounds}}{12 \text{ books}} = 50 \text{ pounds}$$

2. Solve by *completing a proportion*:

Make and complete a ratio box.

	Case 1	Case 2
Books	12	30
Pounds	20	$P$

Use the numbers in the ratio box to write a proportion.

$$\frac{\text{books}}{\text{pounds}} = \frac{12}{20} = \frac{30}{P} \quad 12 \cdot P = 20 \cdot 30$$

$$12P = 600$$

$$P = \frac{600}{12}$$

$$P = 50 \text{ pounds}$$

### Practice:

- If Jim feeds his dog 7 pounds of dog food in 14 days, how much does he feed his dog in 30 days? \_\_\_\_\_
- In 35 minutes, 49 customers entered the store. At this rate, how many customers will enter the store in 2 hours? \_\_\_\_\_
- Vincent drove 75 miles in 90 minutes. How far could he drive at that rate in 1 hour? \_\_\_\_\_

## • Multiplying and Dividing Positive and Negative Numbers

- To multiply and divide two signed numbers:

- Multiply or divide as with whole numbers.
- Place a sign on the answer.

If the signs are the *same*, the answer is *positive*.

If the signs are *different*, the answer is *negative*.

<b>Examples:</b>	Multiplication	Division
	$(+6)(+2) = +12$	$\frac{+6}{+2} = +3$
	$(-6)(-2) = +12$	$\frac{-6}{-2} = +3$
	$(-6)(+2) = -12$	$\frac{-6}{+2} = -3$
	$(+6)(-2) = -12$	$\frac{+6}{-2} = -3$

### **Practice:**

Simplify 1–9.

1.  $-7(-6)$

\_\_\_\_\_

2.  $-4(+6)$

\_\_\_\_\_

3.  $\frac{-5}{-15}$

\_\_\_\_\_

4.  $\frac{7.5}{-1.5}$

\_\_\_\_\_

5.  $\frac{1}{4}\left(\frac{-8}{10}\right)$

\_\_\_\_\_

6.  $\frac{-4.8}{-8}$

\_\_\_\_\_

7.  $\frac{900}{-3}$

\_\_\_\_\_

8.  $12(-10)$

\_\_\_\_\_

9.  $\left(\frac{-2}{5}\right)\left(\frac{-15}{30}\right)$

\_\_\_\_\_

Name \_\_\_\_\_

• **Fractional Part of a Number, Part 2**

- To find a fractional part of a number:
  1. Translate the question into an equation.  
 Replace “is” with =.  
 Replace “of” with ×.

2. Solve.

**Example:** What fraction of 56 is 42?      question

$$\begin{array}{ccccccc} \downarrow & \downarrow & \downarrow & \downarrow & \downarrow & & \\ W_F & \times & 56 & = & 42 & & \text{equation} \\ \frac{W_F}{56} & \times & \frac{56}{56} & = & \frac{42}{56} & & \text{divided by 56} \\ & & & & W_F & = & \frac{3}{4} \quad \text{simplified} \end{array}$$

**Example:** Seventy-five is what decimal part of 20?      question

$$\begin{array}{ccccccc} \downarrow & \downarrow & \downarrow & & \downarrow & \downarrow & \\ 75 & = & W_D & & \times & 20 & \text{equation} \\ \frac{75}{20} & = & \frac{W_D \times 20}{20} & & & & \text{divided by 20} \\ & & W_D & = & 3.75 & & \text{simplified} \end{array}$$

**Example:** Three fourths of what number is 60?      question

$$\begin{array}{ccccccc} \downarrow & & \downarrow & & \downarrow & & \downarrow \\ \frac{3}{4} & \times & W_N & = & 60 & & \text{equation} \\ & & \frac{4}{3} \times \frac{3}{4} \times W_N & = & 60 \times \frac{4}{3} & & \text{multiplied by } \frac{4}{3} \\ & & W_N & = & 80 & & \text{simplified} \end{array}$$

**Practice:**



Write and solve an equation for each problem.

1. Sixty-four is four tenths of what number? \_\_\_\_\_
2. One fifth of what number is 345? \_\_\_\_\_
3. Three hundred is  $\frac{3}{4}$  of what number? \_\_\_\_\_

- **Area of a Complex Figure**
- **Area of a Trapezoid**

- To find the area of a **complex figure**, divide it into rectangles and triangles.
  1. Draw lines to divide the figure into rectangles and triangles.
  2. Find the area of each part and add them together.

**Example:** Find the area of this figure. Corners that look square are square. Measurements are in millimeters.




$$\begin{array}{r}
 \text{Area of rectangle} = 7 \times 10 = 70 \text{ mm}^2 \\
 + \text{Area of triangle} = \frac{6 \times 9}{2} = 27 \text{ mm}^2 \\
 \hline
 \text{Total area} = 97 \text{ mm}^2
 \end{array}$$

- There are two ways to find the area of a **trapezoid**:

1. Draw a *diagonal* line segment to divide the trapezoid into triangles. Then find the area of each triangle and add them together.


**Example:** Find the area of this trapezoid. Measurements are in centimeters.



$$\begin{array}{r}
 \text{Area of triangle A} = \frac{10 \times 6}{2} = 30 \text{ cm}^2 \\
 + \text{Area of triangle B} = \frac{7 \times 6}{2} = 21 \text{ cm}^2 \\
 \hline
 \text{Total area} = 51 \text{ cm}^2
 \end{array}$$




2. Use the formula  $A = \frac{1}{2}(b_1 + b_2)h$

$$\begin{aligned}
 A &= \frac{1}{2}(10 + 7)(6) \\
 &= \frac{17}{2}(6) \\
 &= 51 \text{ cm}^2
 \end{aligned}$$



**Practice:**

Find the area of each figure. Dimensions are in meters.



\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Name \_\_\_\_\_

• **Complex Fractions**

- A complex fraction is a fraction that contains a fraction.
- The fraction bar means “*divide by.*”

**Example:** Simplify  $\frac{15}{7\frac{1}{3}}$ .

1. Write the numerator and denominator as *fractions*.

$$\frac{15}{7\frac{1}{3}} \rightarrow \frac{\frac{15}{1}}{\frac{22}{3}}$$

2. Rewrite as a division problem.

$$\frac{15}{1} \div \frac{22}{3}$$

3. Multiply by the reciprocal of the second fraction.

$$\frac{15}{1} \times \frac{3}{22} = \frac{45}{22} = 2\frac{1}{22}$$

- Changing a percent to a fraction uses the same process. A percent is a fraction with a denominator of 100.

**Example:** Change  $83\frac{1}{3}\%$  to a fraction.

1. Write the percent as a fraction with a denominator of 100.

$$\frac{83\frac{1}{3}}{100} \rightarrow \frac{\frac{250}{3}}{\frac{100}{1}}$$

2. Rewrite as a division problem.

$$\frac{\frac{250}{3}}{\frac{100}{1}} \rightarrow \frac{250}{3} \div \frac{100}{1}$$

3. Multiply by the reciprocal of the divisor.

$$\frac{250}{3} \times \frac{1}{100} = \frac{250}{300} = \frac{5}{6}$$

**Practice:**

Simplify 1–3.

1.  $\frac{8\frac{1}{3}}{2\frac{1}{2}}$  \_\_\_\_\_

2.  $\frac{12\frac{1}{2}}{100}$  \_\_\_\_\_

3.  $\frac{26}{3\frac{1}{4}}$  \_\_\_\_\_

Write 4–6 as a fraction.

4.  $3\frac{1}{3}\%$  \_\_\_\_\_

5.  $16\frac{2}{3}\%$  \_\_\_\_\_

6.  $91\frac{2}{3}\%$  \_\_\_\_\_

## • Percent of a Number, Part 2

### • To find a percent of a number:

1. Translate the question into an equation.
2. Solve.

**Example:** What percent of 40 is 25? question

$$\begin{array}{ccccccc} & \downarrow & \downarrow & \downarrow & \downarrow & \downarrow & \\ & W_p & \times & 40 & = & 25 & \\ & \text{equation} & & & & & \end{array}$$

$$\frac{W_p \times 40}{40} = \frac{25}{40} \quad \text{divided by 40}$$

$$W_p = \frac{5}{8} \quad \text{simplified}$$

$$\frac{5}{8} \times 100\% = 62\frac{1}{2}\% \quad \text{converted to a percent}$$

Shortcut: Use the set-up  $\frac{\text{is}}{\text{of}} = \frac{\text{percent}}{100}$  and substitute.

1. Write 100 on the lower right side.
2. Write the known numbers in the places of *is*, *of*, or *percent*.
3. Write a “?” in the place of the unknown that you are solving for.
4. Make a loop. Multiply. Divide by the number outside the loop.

**Example:** Fifty is what percent of 40?

$$\frac{\text{is}}{\text{of}} = \frac{50}{40} = \frac{?}{100} \longrightarrow (100 \times 50) \div 40 = 125 \longrightarrow 50 \text{ is } 125\% \text{ of } 40.$$

**Example:** 75% of what number is 600?

$$\frac{\text{is}}{\text{of}} = \frac{600}{?} = \frac{75}{100} \longrightarrow (100 \times 600) \div 75 = 800 \longrightarrow 75\% \text{ of } 800 \text{ is } 600.$$

When the problem says “translate” or “write an equation,” use the equation method. At other times the shortcut method may be used to solve a percent problem.

### **Practice:**

1. What percent of 75 is 25? \_\_\_\_\_
2. Write an equation to solve this problem: Fifty-six is what percent of 200?  
\_\_\_\_\_
3. Thirty percent of what number is 90? \_\_\_\_\_
4. Twenty-four is 40% of what number? \_\_\_\_\_

## • Graphing Inequalities

- To graph an inequality on a number line:

- Use a dot or an empty circle to represent the given number.

Draw a dot if the number is included in the graph.

Draw an empty circle if the number is not included in the graph.

- Draw a shaded line to represent other numbers included in the graph.
- Draw an arrowhead to show that there are more numbers included that cannot be seen on the given number line.

**Example:** Graph  $x \leq 4$  on a number line.

The comparison  $x \leq 4$  means “ $x$  is *less than or equal to* 4.”

On a number line:

- Start at the answer “*equal to* 4.” Draw a dot at 4 to show that 4 is included.
- Draw a line on all the numbers *less than* 4.
- Draw an arrowhead to show that there are more numbers less than 4.



**Example:** Graph  $x > 4$  on a number line.

The comparison  $x > 4$  means “ $x$  is *greater than* (but does not include) 4.”

On a number line:

- Start at the given number 4. Draw an empty circle at 4 to show that 4 is not included ( $x$  is not equal to 4).
- Draw a line on all the numbers *greater than* 4.
- Draw an arrow to show that there are more numbers greater than 4.



### Practice:

1. Graph  $x > 4$ .

2. Graph  $y \leq 3$ .


3. Graph  $x \geq -2$ .



• **Estimating Areas**

- Area is measured in square units.
- To estimate the area of an irregular shape, use a grid and count the squares contained inside the shape.

**Example:** Estimate the area of the shape on the grid. Each square represents 1 square inch.







1. Count the number of whole or nearly whole squares.
2. Mark each “half square” with a dot.
3. Find the total.

17 whole squares + 6 “half squares” = 20 squares  
 The area of the shape is about 20 square inches.

**Practice:**


Estimate the area of each shape on the grid. Each square represents 1 cm<sup>2</sup>.




• **Transformations**

These **transformations** allow a figure to change position without changing size or shape.


- **Flip:** A figure can flip like a coin. This is called **reflection** and makes a mirror image of the figure.
  - If a figure reflects (flips) in the  $y$ -axis, the reflection appears on the opposite side of the  $y$ -axis the same distance from the  $y$ -axis.  $\triangle A'B'C'$  is a reflection in the  $y$ -axis of  $\triangle ABC$ .
  - If a figure reflects (flips) in the  $x$ -axis, the reflection appears on the opposite side of the  $x$ -axis the same distance from the  $x$ -axis.  $\triangle A''B''C''$  is a reflection in the  $x$ -axis of  $\triangle A'B'C'$ .



- **Slide:** A figure can move or slide to a new position without a flip or turn. This is called **translation** and moves a figure right, left, up, or down. Quadrilateral  $J'K'L'M'$  is a translation of quadrilateral  $JKLM$  6 units to the right and 2 units down.



- **Turn:** A figure can turn or rotate about a specified point. This is called **rotation** and turns a figure around its *center of rotation*. The origin is the center of rotation for  $\triangle ABC$  and its image  $\triangle A'B'C'$ .



**Practice:**

Identify the transformation of  $\triangle ABC$  that each figure represents.

1. Figure 1 \_\_\_\_\_
2. Figure 2 \_\_\_\_\_
3. Figure 3 \_\_\_\_\_

