For problems, 1-4 a card is drawn from a deck and a) replaced before the second card is drawn and b) not replaced before the next card is drawn.

- 1. What is the probability that both cards pulled are face cards?
- 2. What is the probability that the first card drawn is a club and the second card is a red?
- 3. What is the probability that the first card drawn is a face card and the second card is not a face card?
- 4. Find the probability that the first card drawn is a face card and the second card is an even number.

Suppose you draw one card from a shuffled standard deck of cards. (Remember there are 52 cards in a deck. 13 hearts. 13 diamonds. 13 spades. 13 clubs. 4 of each face card)

1. P(card is a King)

4. P(card is king or card is a club)

2. P(card is a club)

- 5. P(card is a king | card is a club)
- 3. P(card is a king and card is a club)
- 6. P(card is a club | card is a king)

Are the events of drawing a king and drawing a club independent events? Support your answer.

Consider the table below, which shows how many juniors and seniors at a small high school have a driver's license.

	Juniors	Seniors	Total
Has Driver's	60	55	115
License			
Do not have	20	15	35
License			
Total	80	70	150

Suppose you pick a student at random. Find the following:

7. P(senior)

10. P(has driver's license | senior)

8. P(has a driver's license)

- 11. P(senior and has driver's license)
- 9. P(senior | has driver's license)
- 12. P(senior or has driver's license)
- 13. Are the events of selecting a senior and having a driver's license independent events? Explain your answer.
- 14. Are the events of selecting a senior and having a driver's license mutually exclusive? Explain your answer.