

Steven S. Zumdahl Susan A. Zumdahl Donald J. DeCoste



Nomenclature

Gretchen M. Adams • University of Illinois at Urbana-Champaign






## **Objectives**


- 1. To learn to name binary compounds of a metal and a nonmetal
- 2. To learn to name binary compounds containing only nonmetals
- 3. To summarize the naming of all types of binary compounds

Section 4.1

## Naming Binary Compounds







#### © Section 4.1 o Table 4.1 Maming Binary Compounds



TABLE 4.1

r i

g h t ©

b

У

Η

o u

g h

t

o n

Μ

i f

## **Common Simple Cations and Anions**

Cation	Name	Anion	Name*
H <sup>+</sup>	hydrogen	Н_	hydride
Li <sup>+</sup>	lithium	F <sup>-</sup>	<b>fluor</b> ide
Na <sup>+</sup>	sodium	CI <sup>-</sup>	<b>chlorid</b> e
$K^+$	potassium	$Br^-$	<b>brom</b> ide
Cs <sup>+</sup>	cesium	I_	iodide
Be <sup>2+</sup>	beryllium	0 <sup>2-</sup>	oxide
Mg <sup>2+</sup>	magnesium	S <sup>2-</sup>	sulfide
Ca <sup>2+</sup>	calcium		
Ba <sup>2+</sup>	barium		
$AI^{3+}$	aluminum		
$Ag^+$	silver		

\*The root is given in color.

#### CSection 4.1 O Table 4.2 plaming Binary Compounds



r i g h t © b y H

> o u

g h

t o n

Μ

L

TABLE 4.	2		
Common	Туре	II C	ations

lon	Systematic Name	Older Name
Fe <sup>3+</sup>	iron(III)	ferric
Fe <sup>2+</sup>	iron(II)	ferrous
Cu <sup>2+</sup>	copper(II)	cupric
Cu <sup>+</sup>	copper(l)	cuprous
Co <sup>3+</sup>	cobalt(III)	cobaltic
Co <sup>2+</sup>	cobalt(II)	cobaltous
Sn <sup>4+</sup>	tin(IV)	stannic
Sn <sup>2+</sup>	tin(II)	stannous
Pb <sup>4+</sup>	lead(IV)	plumbic
Pb <sup>2+</sup>	lead(II)	plumbous
Hg <sup>2+</sup>	mercury(II)	mercuric
$Hg_{2}^{2+*}$	mercury(l)	mercurous

\*Mercury(I) ions always occur bound together in pairs to form  $Hg_2^{2+}$ .

## A. Naming Compounds That Contain a Metal and a Nonmetal

- Binary ionic compounds contain positive cations and negative anions.
  - Type I compounds
    - Metal present forms only one cation
  - Type II compounds
    - Metal present can form
      2 or more cations with
      different charges

Type I	Type II
$Na \rightarrow Na^+$	$Cr \rightarrow Cr^{2+}$
$Cs \rightarrow Cs^+$	$\rightarrow$ Cr <sup>3+</sup>
$Ca \rightarrow Ca^{2+}$	$Cu \rightarrow Cu^+$
$Al \rightarrow Al^{3+}$	$> Cu^{2+}$


## Naming Binary Compounds



SA

**Naming Binary Compounds** 





Section 4.1

#### Naming Binary Compounds











## A. Naming Compounds That Contain a Metal and a Nonmetal

Table 4.1 C	Common Simple	Cations and	Anions
-------------	---------------	-------------	--------

Cation	Name	Anion	Name*
H+	hydrogen	H-	hydride
Li <sup>+</sup>	lithium	F-	fluoride
Na <sup>+</sup>	sodium	Cl-	chloride
K+	potassium	Br-	bromide
Cs <sup>+</sup>	cesium	I-	iodide
Be <sup>2+</sup>	beryllium	O <sup>2–</sup>	oxide
Mg <sup>2+</sup>	magnesium	S <sup>2–</sup>	sulfide
Ca <sup>2+</sup>	calcium		
Ba <sup>2+</sup>	barium		
Al <sup>3+</sup>	aluminum		
Ag <sup>+</sup>	silver		

\*The root is given in color.



## A. Naming Compounds That Contain a Metal and a Nonmetal

## **Type I Binary Ionic compounds**

## **Rules for Naming Type I Ionic Compounds**

- **1.** The cation is always named first and the anion second.
- **2.** A simple cation (obtained from a single atom) takes its name from the name of the element. For example,  $Na^+$  is called sodium in the names of compounds containing this ion.
- **3.** A simple anion (obtained from a single atom) is named by taking the first part of the element name (the root) and adding *-ide*. Thus the Cl<sup>-</sup> ion is called chloride.
- **4.** Write the name for the compound by combining the names of the ions.



## A. Naming Compounds That Contain a Metal and a Nonmetal

• For compounds containing both a metal and a nonmetal, the metal is always named first. The nonmetal is named from the root element name.



Naming Binary Compounds





## Name the following compounds.


KCI potassium chlorideMgBr<sub>2</sub> magnesium bromideBaO barium oxide



## A. Naming Compounds That Contain a Metal and a Nonmetal

## **Type II Binary Ionic compounds**

Since the metal ion can have more than one charge, a Roman numeral is used to specify the charge.





## A. Naming Compounds That Contain a Metal and a Nonmetal


## **Type II Binary Ionic compounds**

#### Table 4.2 Common Type II Cations

lon	Systematic Name	Older Name	Ion	Systematic Name	Older Name
Fe <sup>3+</sup>	iron(III)	ferric	Sn <sup>4+</sup>	tin(IV)	stannic
Fe <sup>2+</sup>	iron(II)	ferrous	Sn <sup>2+</sup>	tin(II)	stannous
Cu <sup>2+</sup>	copper(II)	cupric	Pb <sup>4+</sup>	lead(IV)	plumbic
Cu+	copper(I)	cuprous	Pb <sup>2+</sup>	lead(II)	plumbous
Co <sup>3+</sup>	cobalt(III)	cobaltic	Hg <sup>2+</sup>	mercury(II)	mercuric
Co <sup>2+</sup>	cobalt(II)	cobaltous	Hg <sub>2</sub> <sup>2+</sup> *	mercury(I)	mercurous


\*Mercury(I) ions always occur bound together in pairs to form  $Hg_2^{2+}$ .






So the charge on Fe = 2+.






So the charge on Pb = 4+.



Naming Binary Compounds




# Charge Charge Net charge on copper on Cl<sup>-</sup> (must be zero) 10n



Naming Binary Compounds



# 2(3+) + 3(2-) = 0 $\uparrow \qquad \uparrow \qquad \uparrow$ $Fe^{3+} \qquad O^{2-} \quad \text{Net charge}$



Naming Binary Compounds





## Name the following compounds.

CuBrcopper(I) bromideFeSiron(II) sulfidePbO2lead(IV) oxide



Naming Binai









## B. Naming Binary Compounds That Contain Only Nonmetals

## **Type III Compounds**

## **Rules for Naming Type III Binary Compounds**

- **1.** The first element in the formula is named first, and the full element name is used.
- 2. The second element is named as though it were an anion.
- **3.** Prefixes are used to denote the numbers of atoms present. These prefixes are given in **Table 4.3**.
- **4.** The prefix *mono-* is never used for naming the first element. For example, CO is called carbon monoxide, *not* monocarbon monoxide.



## B. Naming Binary Compounds That Contain Only Nonmetals Table 4.3 Prefixes U

## **Type III Compounds**

Table 4.3Prefixes Usedto Indicate Numbers inChemical Names

Prefix	Number Indicated
топо-	1
di-	2
tri-	3
tetra-	4
penta-	5
hexa-	6
hepta-	7
octa-	8

Naming Binary Compounds






## Name the following compounds.


CO2carbon dioxideSF6sulfur hexafluorideN2O4dinitrogen tetroxide




## **C. Naming Binary Compounds: A Review**












strontium oxide.


Naming Binary Compounds






## The name of $B_2O_3$ is diboron trioxide.










potassium sulfide.

Naming Binary Compounds






# The name of $OF_2$ is oxygen difluoride.

Naming Binary Compounds





### The name of NH<sub>3</sub> is ammonia. The systematic name is never used.

Naming Binary Compounds





# Which of the following compounds is named incorrectly?

- a) K<sub>3</sub>Npotassium nitride
- b) TiO<sub>2</sub>titanium(II) oxide
- c) SnBr<sub>4</sub>tin(IV) bromide
- d) PBr<sub>5</sub>phosphorus pentabromide
- e) CaScalcium sulfide

Naming and Writing Formulas for More Complex Compounds



#### **Objectives**

- 1. To learn the names of common polyatomic ions
- 2. To learn to name compounds containing polyatomic ions
- 3. To learn how the anion composition determines an acid's name
- 4. To learn the names for common acids
- 5. To learn to write the formula for a compound, given its name



#### **A. Naming Compounds That Contain Polyatomic Ions**

- Polyatomic ions are charged entities composed of several atoms bound together.
- They have special names and must be memorized.


Table 4.4	Names of Common	Polyatomic lons
-----------	-----------------	-----------------


lon	Name	lon	Name
NH4 <sup>+</sup>	ammonium	ClO-	hypochlorite
NO <sub>2</sub> <sup>-</sup>	nitrite	ClO <sub>2</sub> -	chlorite
NO <sub>3</sub> -	nitrate	ClO <sub>3</sub> -	chlorate
SO3 <sup>2-</sup>	sulfite	ClO <sub>4</sub> <sup>-</sup>	perchlorate
SO4 <sup>2-</sup>	sulfate	CO3 <sup>2-</sup>	carbonate
HSO <sub>4</sub> -	hydrogen sulfate (bisulfate is a widely used common name)	HCO <sub>3</sub> -	hydrogen carbonate (bicarbonate is a widely used common name)
OH-	hydroxide	$C_2H_3O_2^-$	acetate
CN-	cyanide	$MnO_4^-$	permanganate
PO4 <sup>3-</sup>	phosphate	$Cr_{2}O_{7}^{2-}$	dichromate
HPO <sub>4</sub> <sup>2-</sup>	hydrogen phosphate	CrO <sub>4</sub> <sup>2–</sup>	chromate
H <sub>2</sub> PO <sub>4</sub> <sup>-</sup>	dihydrogen phosphate	O <sub>2</sub> <sup>2-</sup>	peroxide



#### **A. Naming Compounds That Contain Polyatomic Ions**

- Naming ionic compounds containing polyatomic ions follows rules similar to those for binary compounds.
  - Example: ammonium acetate





Naming and Writing Formulas for More Complex Compounds





#### Name the following compounds.

K2CO3potassium carbonateMg(OH)2magnesium hydroxide(NH4)3PO4ammonium phosphate



#### **B. Naming Acids**

 An acid is a molecule with one or more H<sup>+</sup> ions attached to an anion.

#### **Rules for Naming Acids**

If the *anion does not contain oxygen*, the acid is named with the prefix *hydro-* and the suffix *-ic* attached to the root name for the element.
 For example, when gaseous HCl, HCN, and H<sub>2</sub>S are dissolved in water, they form the following acids:

Acid	Anion	Name
HCl	Cl <sup>-</sup>	hydrochloric acid
HCN	$CN^{-}$	hydrocyanic acid
$H_2S$	S <sup>2-</sup>	hydrosulfuric acid



**B. Naming Acids** 

Table 4.5Names of AcidsThat Do Not Contain Oxygen

Acid	Name
HF	hydrofluoric acid
HCl	hydrochloric acid
HBr	hydrobromic acid
HI	hydroiodic acid
HCN	hydrocyanic acid
$H_2S$	hydrosulfuric acid



#### **B. Naming Acids**

2. When the *anion contains oxygen*, the acid name is formed from the root name of the central element of the anion or the anion name with a suffix of *-ic* or *-ous*. When the anion name ends in *-ate*, the suffix *-ic* is used. For example,

Acid	Anion	Name
$H_2SO_4$	$SO_4^{2-}$ (sulfate)	sulfuric acid
$H_3PO_4$	PO <sub>4</sub> <sup>3-</sup> (phosphate)	phosphoric acid
$HC_2H_3O_2$	$C_2H_3O_2^-$ (acetate)	acetic acid
When the anio	on name ends in <i>-ite</i>	the suffix <i>-ous</i> is

When the anion name ends in *-ite*, the suffix *-ous* is used in the acid name. For example,

Acid	Anion	Name
$H_2SO_3$	$SO_3^{2-}$ (sulfite)	sulfurous acid
HNO <sub>2</sub>	NO <sub>2</sub> <sup>-</sup> (nitrite)	nitrous acid

Naming and Writing Formulas for More Complex Compounds




<b>B. Naming Acids</b>
------------------------

Table 4.6Names of SomeOxygen-Containing Acids

Acid	Name
HNO <sub>3</sub>	nitric acid
HNO <sub>2</sub>	nitrous acid
$H_2SO_4$	sulfuric acid
$H_2SO_3$	sulfurous acid
H <sub>3</sub> PO <sub>4</sub>	phosphoric acid
$\mathrm{HC}_{2}\mathrm{H}_{3}\mathrm{O}_{2}$	acetic acid

Naming and Writing Formulas for More Complex Compounds

### B. Naming Acids





Naming and Writing Formulas for More Complex Compounds





#### Name the following acids.

HNO <sub>3</sub>	nitric acid
HBr	hydrobromic acid
$H_3PO_4$	phosphoric acid

Naming and Writing Formulas for More Complex Compounds

#### **C. Writing Formulas from Names**

- Sodium hydroxide
  - NaOH
- Potassium carbonate
  - K<sub>2</sub>CO<sub>3</sub>
- Sulfuric acid
  - H<sub>2</sub>SO<sub>4</sub>
- Dinitrogen pentoxide
  - N<sub>2</sub>O<sub>5</sub>
- Cobalt(III) nitrate
  - Co(NO<sub>3</sub>)<sub>3</sub>



Naming and Writing Formulas for More Complex Compounds





# What is the formula for each of the following compounds?

barium chlorideBaCl2copper(I) nitrateCuNO3iron(III) sulfateFe2(SO4)3phosphorus pentabronide