



Type III School Bus Training





Disclaimer

While every effort has been made to assure the information provided here is complete and accurate; it is not intended to take the place of published rules, statutes or regulations concerning school bus operations in Minnesota. The contents may not be relied upon as a substitute for the most current official text or information.

The Minnesota State Patrol and publisher cannot assume any responsibility for omissions, errors, misprinting, or ambiguity contained within this publication and shall not be held liable in any degree for any loss or injury caused by such omissions, errors, misprinting, or ambiguity presented in this publication.

This publication is designed to provide reasonably accurate and authoritative information in regard to the subject matter covered. This power point presentation is current to the date of release. It is given with the understanding that the Minnesota State Patrol is not engaged in rendering legal or other professional service. If legal advice or other expert assistance is required, the services of a competent professional person should be sought.

Your individual school district or bus contractor's policies <u>may be more restrictive</u> than the minimum requirements set forth by the State of Minnesota and must be followed as directed.

This cannot be allowed to happen, again!





May 17, 2007 at 4:05 pm this Type III school bus (van) slams into the rear of a stopped school bus dropping off at a student stop. The Type III driver and the 14 year female student are killed in the crash...

Definition of a Type III School Bus (MS 169.011 subd. 71)

A "type III vehicle" is restricted to passenger vehicles and buses having a maximum manufacturer's rated seating capacity of ten or fewer people, including the driver, and a gross vehicle weight rating of 10,000 pounds or less. A "type III vehicle" must not be outwardly equipped and identified as a type A, B, C, or D school bus or type A, B, C, or D Head Start bus. A van or bus converted to a seating capacity of ten or fewer and placed in service on or after August 1, 1999, must have been originally manufactured to comply with the passenger safety standards.



Annual Requirements (MS 171.02)

- Training on proper operation of a Type III school bus.
- Behind the wheel evaluation
- Pre-trip evaluation
- School bus driver evaluator certification
- Annual Driver License Status Verification

Type III School Bus Legislation

(MS 171.02 sub. 2b)

At a *minimum* a Type III school bus driver must receive training and instruction in the;

- 1. Safe operation of a Type III vehicle
- 2. Understanding student behavior, including issues relating to students with disabilities
- 3. Encouraging orderly conduct of students on the bus and handling incidents of misconduct appropriately
- 4. Knowing and understanding relevant laws, rules of the road, and local school bus safety policies
- 5. Handling emergency situations
- 6. Proper use of seat belts and child safety restraints;
- 7. Performance of pre trip vehicle inspections; and
- 8. Safe loading and unloading of students.

Safe operation of a Type III vehicle -Continued-

- Ensure you are well rested before driving
- Always practice defensive driving skills
- Follow all state and federal laws governing vehicle operations
- Do not speed
- Maintain a safe following distance based on traffic and road conditions
- When passing adhere to pavement markings, signage and applicable laws
- Yield right of way to pedestrians as required by law (MS 169.21)
- Never use an unsafe vehicle and all safety equipment is present (pre-trip violations, etc.)
- Know how to operate all equipment on the vehicle and consult the vehicles owners manual for specifics for the vehicle.
- Students *cannot* be in the vehicle while it is being fueled
- All students must be in the vehicle before backing up

1. Safe operation of a Type III vehicle

The Smith System of Defensive Driving is a series of driving techniques that reduce the likelihood of being involved in a crash. Five keys to space cushion driving:

- 1. Aim high in steering.
- Look further ahead to identify changing traffic conditions.
- 2. Get the big picture.
- Traffic conditions continually change, look around and be prepared.
- 3. Keep your eyes moving.
- Scan traffic and mirrors, don't focus or concentrate on just what's ahead.
- 4. Leave yourself an out.
- Maintain a safe following distance and adjust your driving as traffic conditions change. Be aware of the space cushions around your vehicle in case you have to take evasive action.
- 5. Make sure they see you.
- Turn lights on for safety and maintain good lane position.

2. Understanding student behavior, including issues relating to students with disabilities

- There are different types of disabilities you will need to be aware of based on the student(s) being transported. Your employer must provide you this training.
- Special needs students may not fully understand all the safety rules necessary for their safe ride which presents challenges to you as a driver.
- If the regular transportation routine is changed some special needs students will not understand and may act out.
- Many questions you have regarding a particular students special needs may best be answered by their parent, guardian, caregiver or teacher.
- Seat assignments may be needed in some cases.
- Always make sure special equipment is properly secured e.g. crutches, oxygen, adaptive walkers, wheelchairs, etc.

3. Encouraging orderly conduct of students on the bus and handling incidents of misconduct appropriately.

Control behavior by clearly communicating the rules:

- Always put student safety first
- Stay seated
- Stay buckled up
- Face forward
- Do not distract the driver while driving
- Deal with misconduct.
 - You may need to pullover in a safe location to address the behavior.
- Do not allow bad behavior to go unchecked as it will only get worse if allowed to continue.
- Know your district/company discipline policy and ask for help when necessary.
- All breaches of student discipline must be reported per the districts policies.



4. Knowing and understanding relevant laws, rules of the road and local school bus safety policies;

- There are many laws that govern operations of Type III school buses; basic traffic law, distracted driving, cell phone use, seat belt use, obeying speed limits and other laws.
- Many other rules, regulations and laws governing Type III vehicles are located within different sections of Minnesota State Statute, Rules and the Minnesota Driver License Manual.
- Please consult with your district or private contractor for additional information.

Physical Examination of Driver (Medical or Health Card)

- Type III school bus drivers <u>hired solely</u> to operate a Type III school bus must submit to a physical examination as required by section 171.321, subdivision 2b (e).
- <u>If</u> you are required to submit to a physical exam, you <u>must</u> carry physical examination card with you while operating a Type III school bus as this will be the only proof of your physical qualification.

Violation Disclosure Requirements (MS 171.02 Subd. 2b)

- Employee notification requirements to be given to your employer of;
 - DWI
 - Disqualifying offenses
 - Moving violations
- The employee is required to disclose in writing within ten (10) days of conviction any of the above violations to the employer.

		ichool Bus Driver tion to Employer Of	
		Violation	
<u>Aj</u> Disez	alifying Offense () Moving Violatic	ense (Minnesola Statute 189A) Minnesola Statute 171.3215 sub 1) ni (Minnesola Statute 169) Statute 171.02 sub 2b	
An operator who sustains a col employed by the entity that owns the employer(s) in writing within	s, leases, or o	scribe in 171.02 sub 2b paragraph ontracts for the school bus shall rep th conviction.	(h), (i) or (j) whil ort the conviction t
DRIVER NAME (First Name, MI, Last Na	STATE		
DRIVER'S LICENSE NUMBER		DID THE VIOLATION HAPPEN IN A CMV	2
DATE OF CONVICTION			
LOCATION OF OFFENSE	CITY	STATE	
DETAILS ABOUT THE OFFENSE, INCL OR CANCELLATION OF DRIVING PRIV		ULTING SUSPENSION, REVOCATION	DATE
SIGNATURE OF DRIVER			

Disqualification Moving violations example (MS 171.02 Subd. 2b)

A person who sustains a conviction for a moving offense in violation of chapter 169 within three years of the first of three other moving offenses is precluded from operating a Type III school bus for one year from the date of the last conviction.

Example: 02-10-2014Speed 11-21-2014Speed 12-31-2015Speed 03-10-2016Disobey sign (triggering conviction)

Loss of Type III driving privileges for one (1) year from the last conviction (03-11-2017), eligible for reinstatement

Loss of Driving Privileges Driving While Intoxicated (DWI)

- Driver's of Type III school buses are subject to the same set of standards adopted for regular school bus driver's holding a commercial driver license (CDL) with regards to DWI convictions.
- Convictions of <u>any</u> DWI laws, including those occurring in a personal vehicle, will automatically result in a five (5) year disqualification of your Type III school bus driving privilege.

Criminal Background Investigations

(MS 171.02 Subd. 2b)

All Type III school bus operators are subject to an initial background check or background investigation of the operator that meets the requirements under section 122A.18, subdivision 8 or 123B.03 for school district employees; section 144.057 or chapter 245C for day care employees; or section 171.321, subdivision 3, for all other persons operating a Type A or Type III school bus under this subdivision.

Controlled Substance and Alcohol Testing (MS 171.02 Subd. 2b)

- MS 181.951 Authorized Drug and Alcohol Testing
- Drivers operating a Type III school bus may be subject to controlled substance / alcohol testing by your employer if the operator's employer has adopted and implemented a policy that provides for mandatory drug and alcohol testing of applicants for operator positions and current operators, in accordance with section 181.951;
- Subd. 2.Job applicant testing
- Subd. 4.Random testing
- Subd. 5.Reasonable suspicion testing

Personal Cellular Phone Call Prohibited (MS 169.443 sub 9)

A school bus driver <u>may not</u> operate a school bus or Type III school bus while communicating over, or otherwise operating, a cellular phone <u>for personal reasons</u>, whether hand-held or hands free, when in motion or part of traffic. <u>This includes text messaging</u>.



School Bus Annual Inspection Decal

Ensure the Type III school bus has a current inspection decal. The annual inspection is valid for one year from the month it was inspected in.

An example, if the annual inspection was completed January 2019, it will remain valid through January 2020 before expiring.



5. Handling emergency situations

Emergency Equipment every Type III Vehicle must have

- First Aid Kit synthetic vinyl gloves (No Latex)
- Body Fluid Clean up/Spill Kit
- Fire Extinguisher, charged and in the green zone on the indicator
- Ensure that if you use any safety equipment *you* replace it or notify a supervisor to have it replaced.

***If emergency equipment is not located in the driver area <u>a label shall be</u> located in the driver compartment indicating the location of the emergency equipment.

Other

- Seat Belt Cutter shall be located within the reach of the driver.

When to Evacuate

- In case of fire, broken down in an unsafe location or other life threatening situation.

Type III school bus emergency equipment must be properly secured in the vehicle to prevent movement.

In this picture the equipment is mounted to the floor. It may also be secured in a bag or container.



Emergency Preparedness

- Plan your route before you leave
- Plan evacuations for your Type III school bus
- Make sure the students know all the exits and how to use them
- Make sure all students are dressed for the weather conditions
- Make sure that all safety equipment is available and ready for use.
- Keep a list of contact names and phone numbers in case of a mechanical problem

6. Proper use of seat belts and child safety restraints

Seat Belt Requirements- MS169.686

- State law requires seatbelt usage of <u>all</u> passengers in the vehicle.
- Check with your district or private carrier concerning any additional seat belt usage policies.
- Air bag technology has improved over the years, however air bags can still present a significant danger to students in the front seat.
- It is recommended students avoid riding in the front passenger seat of a Type III school bus until they are <u>twelve years of age and/or adult size</u>.
- Always consult the vehicle owners manual for important safety information for the vehicle being operated.

Booster Seat Requirements (MS 169.685 Subd. 5(a))

Every motor vehicle operator, when transporting a child who is *both* under the <u>age eight</u> and <u>shorter than four feet nine inches</u> on the streets and highways of this state in a motor vehicle equipped with factory-installed seat belts, shall equip and install for use in the motor vehicle, according to the manufacturer's instructions, a child passenger restraint system meeting federal motor vehicle safety standards.


#7 Performance of pre trip vehicle inspections

- A daily pre trip inspection of the vehicle must be completed by the driver or the designated person.
- A copy of the pre trip must be kept with the vehicle for the current date.
- Not completing a pre-trip form will result in a citation being issued by law enforcement to the <u>driver</u> of the Type III school bus.

	Startine 3		Date		
Driver Name / Driver D		tileage_	Ending Mileage		
	esignee				_
		CKED Defect		CHECKED Ok Defec	
ECHANICAL CHECK: "Hood MUST be opened"		Derect		1	
Coolant level Oil level Transmission Build Transmission Build Yendenskei washer Build Alternator Water partin Power steering pump Check for Analy Power Steering pump Check for Analy Check for Analy Robert Zeales, parting Explanat cruss, readows, Inteng. Explanat cruss, readows, Inteng. Exal gauge devel		000000000000000000000000000000000000000	INTERNAL INSPECTION: Impain anning parking trained only Amendment and the second of the second anning parking parking The second of the second of the second Working Instantial Working Instantial Working Instantial Working Instantial Working Instantial Working Instantial Working Instantial Working Instantial Working Instantial Stateget and the second Basis second		0000000000
aphis: signal, stop, headligh cense plate light loors and minors. Wandow glass well tanks senses:		00000	Child restaints / cor seots WHEELCHAIR – NIA Andhor points, belts, sinaps, IR impedion, markock safety system functional		

Pre-trip form must be filled out and signed

- While completing your pre-trip inspection ensure all items are checked using your pre-trip inspection report form. If you discover a missing required inspection return to that item and check it.
- Contact your supervisor if you don't find pre-trip forms in the school bus or are having difficulty completing it.
- Not completing a pre-trip form will result in a citation being issued by law enforcement to the <u>driver</u> of the Type III school bus.



Conduct an external inspection

- Mechanical checks under hood
 - Check the oil, coolant, transmission fluid and washer fluid.
 - Belts and hose
 - Battery connections and securement
 - Look for fluid leaks
- Walk around inspection
 - All lights
 - Tires (visually inspect for proper inflation also)
 - Mirrors
 - Windows
 - Windshield wipers
 - Gas cap
 - Vehicle damage



Conduct Interior Inspection

- Check gauges and or lights
 - Turn signal indicators
 - ABS light
 - Headlamp indicator (high beam)
 - Horn
 - Windshield wiper operation including the washer fluid
 - Low tire pressure monitoring system is so equipped (TPMS)
 - Dashboard and interior lights
 - Fuel
- Adjust all mirrors to give you a clear view
- Adjust the driver seat position for your comfort and vehicle control
- Ensure ALL seat belts are available for use and functional
- Emergency equipment

What if I find something wrong during the pre-trip inspection?

Good Question

If you discover a mechanical problem during the pre-trip inspection contact a supervisor or maintenance shop personnel to ensure repairs are made *prior to operating* the Type III school bus.

8. Safe loading and unloading of students. (MS 171.02 sub. 2b, 8 (i))

The driver of a Type III school bus *shall* place the transmission in *park* while loading or unloading of students is occurring.

Safe loading and unloading of students, including, but not limited to:

- 1. The curb, on the non traffic side of the road
- 2. Off street area's
- 3. Driveways
- 4. Yards
- 5. Parking lots
- 6. Refraining from loading and unloading students in the vehicular traffic lane, the shoulder, a designated turn lane or a lane adjacent to a designated turn lane.

Loading and Unloading of Students MS 171.02 sub. 2b, 8 (iii)

Avoiding a loading or unloading location that would require a student to cross a road.

If the student must cross the road, they must be escorted across the road by the driver or aide.

Remember to secure the vehicle by removing the keys and taking them with you if you escort the child across the road.

 At the end of each trip check for students that may have fallen asleep. Check for items left behind and cleanliness of vehicle.



Zero Tolerance Alcohol 169A.31 Alcohol – Related School Bus - Driving

Subdivision 1.Crime described.

It is a crime for any person to drive, operate, or be in physical control of any class of school bus (includes a Type III vehicle) or Head Start bus within this state when there is physical evidence present in the person's body of the consumption of <u>any</u> alcohol...

...a person who violates subdivision 1 is guilty of misdemeanor

Zero Tolerance Alcohol 169A.31 Alcohol – Related School Bus - Driving

- Subd. 2.Gross misdemeanor alcohol-related school bus driving.
- A person who violates subdivision 1 is guilty of gross misdemeanor alcohol-related school bus (includes a Type III vehicle) or Head Start bus driving if:

(1) the violation occurs while a child under the age of 16 is in the vehicle, if the child is more than 36 months younger than the violator; or

(2) the violation occurs within ten years of a qualified prior impaired driving incident.

Type III Vehicle Post Crash Inspection Requirement MS 169.4511

- A peace officer responding to an accident involving a school bus (Type III) or Head Start bus must immediately notify the State Patrol if the accident results in;
- a fatality;
- bodily injury to a person who, as a result of the injury, immediately receives medical treatment away from the scene of the accident; or
- one or more motor vehicles incurring disabling damage as a result of the accident, requiring the motor vehicles to be transported away from the scene by tow truck or other motor vehicle.

Resources

For a complete list Minnesota Department of Education Transportation Division website at: <u>http://education.state.mn.us/MDE/SchSup/SchFin/Trans/index.html</u>

Department of Education Home page: http://education.state.mn.us/MDE/index.html

Department of Public Safety Type III School Bus Information: https://dps.mn.gov/divisions/msp/commercial-vehicles/pages/school-bus-safety.aspx Remember, the students in your Type III vehicle are relying on you to transport them safely...



Thank you...