

Problem of the Week Problem C Filtering Up

In the following grid, a number in any square above the bottom row is obtained by adding the numbers connected to it from the row below. For example, the 5 in the second last row is obtained by adding the numbers connected to it in the row below, 2 and 3. The numbers filter up until reaching the final square containing 2x. That is, the number in the top square is two times the unknown number in the bottom row.

Determine the value of x.



STRANDS NUMBER SENSE AND NUMERATION, PATTERNING AND ALGEBRA







Problem of the Week Problem C and Solution Filtering Up

Problem

In the grid above, a number in any square located above the bottom row is obtained by adding the numbers connected to it from the row below. For example, the 5 in the second last row is obtained by adding the numbers connected to it in the row below, 2 and 3. The numbers filter up until reaching the final square containing 2x. That is, the number in the top square is two times the unknown number in the bottom row. Determine the value of x.

Solution

Solution 1

In the first solution a trial and error type solution will be presented. We will pick a value for x and then complete the grid.

Let x = 0. We would expect 2x = 2(0) = 0. However, after completing the grid, $2x = 12 \neq 0$. Therefore, $x \neq 0$.

Let x = 5. We would expect 2x = 2(5) = 10. After completing the grid, $2x = 27 \neq 10$. Therefore, $x \neq 5$. For our next trial we should choose a number lower than x = 0.

Let x = -5. We would expect 2x = 2(-5) = -10. However, after completing the grid, $2x = -3 \neq -10$. Therefore, $x \neq -5$.

Let x = -12. We would expect 2x = 2(-12) = -24. After completing the grid, 2x = -24, the expected value. Therefore, x = -12.









This solution is valid but not efficient. To reach the solution could take many, many trials. In the second solution, we will look at an algebraic approach.





Solution 2

For easy reference, label all of the empty, unshaded squares in the grid as shown.



We can complete the second row using the addition rule for the grid, a = 3 + xand b = x + 1.

Moving to the third row, c = 5 + a = 5 + 3 + x = 8 + x and d = a + b = 3 + x + x + 1 = 4 + 2x.

Finally, in the fourth row, 2x = c + d = 8 + x + 4 + 2x = 3x + 12.

We can now solve the equation.

2x	=	3x + 12	
2x - 2x	=	3x - 2x + 12	Subtracting $2x$ from both sides
0	=	x + 12	Simplifying
0 - 12	=	x + 12 - 12	Subtracting 12 from both sides
x	=	-12	

Therefore, x = -12.

An algebraic solution to this problem is much more efficient. Some students may not quite have the necessary background to complete this solution on their own at this point.

