UNIT Geometric Structure

Focal Point

Represent mathematical situations and express generalizations about geometric relationships. Use geometric thinking to understand mathematical concepts and the relationships among them.

CHAPTER 1

Tools of Geometry

BIG Idea) Understand the structure of, and relationships within, an axiomatic system.

(**BIG Idea**) Analyze geometric relationships in order to make and verify conjectures.

CHAPTER 2

Reasoning and Proof

(**BIG Idea**) Apply logical reasoning to justify and prove mathematical statements.

CHAPTER 3 Parallel and Perpendicular Lines

(BIG Idea) Analyze angle relationships with parallel lines and a transversal to make and verify conjectures.

BIG Idea) Use coordinate systems to represent geometric figures.

Cross-Curricular Project

Geometry and Earth Science

How's the Weather? Did you know that the record temperatures in Texas have a range of 143°F? In 1899, the lowest temperature ever recorded in Texas was -23°F. In 1936, the highest temperature ever recorded was 120°F. In this project, you will explore how latitude, longitude, and *degree distance* relate to differences in temperature for pairs of U.S. cities.

Math Dige Log on to tx.geometryonline.com to begin.





Knowledge and Skills


- Geometric structure. The student understands the structure of, and relationships within, an axiomatic system. TEKS G.1
- Geometric structure. The student analyzes geometric relationships in order to make and verify conjectures. TEKS G.2

Key Vocabulary

line segment (p. 13) congruent (p. 15) segment bisector (p. 25) angle bisector (p. 35) perpendicular (p. 43)

Real-World Link

Kites A kite can model lines, angles, and planes.



Tools of Geometry

4 Chapter 1 Tools of Geometry Roy Morsch/CORBIS

GET READY for Chapter 1

Diagnose Readiness You have two options for checking Prerequisite Skills.

Option 2

Math When the Online Readiness Quiz at transmission and the American.

Option 1

Take the Quick Quiz below. Refer to the Quick Review for help.

QUICKQuiz

Graph and label each point in the coordinate plane. (Used in Lesson 1-1)


- **3.** C(-4, -4)**4.** D(-1, 2)
- 5. **GEOGRAPHY** Joaquin is making a map on a coordinate grid with his school at the center. His house is 4 blocks north and 2 blocks west of the school. The library is 6 blocks east of his house and 2 blocks south. Graph and label the house and library.

OUICKReview

EXAMPLE 1

Graph and label the point W(-4, -3) in the coordinate plane.

Start at the origin. Move 4 units left, since the *x*-coordinate is -4. Then move 3 units down, since the *y*-coordinate is -3. Draw a dot, and label it W.



Find each sum or difference. (Used in Lesson 1-2)

- **6.** $\frac{3}{4} + \frac{3}{8}$ **7.** $2\frac{5}{16} + 5\frac{1}{8}$ **8.** $\frac{7}{8} \frac{9}{16}$ **9.** $11\frac{1}{2} 9\frac{7}{16}$
- **10. BAKING** A recipe calls for $\frac{3}{4}$ cup flour plus $1\frac{1}{2}$ cups of flour. How much flour is needed?

EXAMPLE 2

Find the sum of
$$\frac{3}{7} + \frac{5}{6}$$
.
 $\frac{3}{7} + \frac{5}{6} = \frac{3}{7} \left(\frac{6}{6}\right) + \frac{5}{6} \left(\frac{7}{7}\right)$ Rename.
 $= \frac{18}{42} + \frac{35}{42}$ Multiply.
 $= \frac{53}{42}$ or $1\frac{11}{42}$ Simplify.

Evaluate each expression.

(Used in Lessons 1-3 through 1-5)

12. 23 - (-14)**11.** -4 - (-9)

- 14. $[-7 (-2)]^2$ **13.** $(18 + 20)^2$
- **15.** the sum of 13 and -8 squared

EXAMPLE 3

Evaluate the expression $[8 - (-2)^4]^2$. Follow the order of operations. [0, (2)] 412 [0, 1] (12) (2) 4 10

$$[8 - (-2)^{2}]^{2} = [8 - 16]^{2} \qquad (-2)^{2} = 16$$
$$= [-8]^{2} \qquad \text{Subtract.}$$
$$= 64 \qquad \text{Square } -8.$$

1-1

Points, Lines, and Planes

GET READY for the Lesson

Have you ever noticed that a four-legged chair sometimes wobbles, but a three-legged stool never wobbles? This is an example of points and how they lie in a plane. All geometric shapes are made of points. In this book, you will learn about those shapes and their characteristics.

Name Points, Lines, and Planes You are familiar with the terms *plane, line,* and *point* from algebra. You graph on a coordinate *plane,* and ordered pairs represent *points* on *lines*. In geometry, these terms have similar meanings.

Unlike objects in the real world that model these shapes, points, lines, and planes do not have any actual size. In geometry, *point, line*, and *plane* are considered **undefined terms** because they are only explained using examples and descriptions.

- A **point** is simply a location.
- A **line** is made up of points and has no thickness or width. Points on the same line are said to be **collinear**.
- A **plane** is a flat surface made up of points. Points that lie on the same plane are said to be **coplanar**. A plane has no depth and extends infinitely in all directions.

Points are often used to name lines and planes.

KEY CONCEPT		Poin	ts, Lines, and Planes
	Point	Line	Plane
Model	•P	A B n	•X •Y •Z T
Drawn	as a dot	with an arrowhead at each end	as a shaded, slanted 4-sided figure
Named by	a capital letter	the letters representing two points on the line or a lowercase script letter	a capital script letter or by the letters naming three noncollinear points
Facts	A point has neither shape nor size.	There is exactly one line through any two points.	There is exactly one plane through any three noncollinear points.
Words/ Symbols	point P	line <i>n</i> , line <u>AB</u> or \overleftrightarrow{AB} , line BA or \overleftrightarrow{BA}	plane \mathcal{T} , plane XYZ, plane XZY, plane YXZ, plane YZX, plane ZXY, plane ZYX

Main Ideas

- Identify and model points, lines, and planes.
- Identify collinear and coplanar points and intersecting lines and planes in space.



G.1 The student understands the structure of, and relationships within, an axiomatic system.
(A) Develop an awareness of the structure of a mathematical system, connecting definitions, postulates, logical reasoning, and theorems.

New Vocabulary

undefined term point line collinear plane coplanar space locus

Reading Math

Noncollinear and Noncoplanar


The word *noncollinear* means not collinear or not lying on the same line. Likewise, *noncoplanar* means not lying in the same plane.

EXAMPLE Name Lines and Planes

Use the figure to name each of the following.

a. a line containing point *A*

The line can be named as line ℓ . There are four points on the line. Any two of the points can be used to name the line. $\overrightarrow{AB} \quad \overrightarrow{BA} \quad \overrightarrow{AC} \quad \overrightarrow{CA} \quad \overrightarrow{AD} \quad \overrightarrow{DA} \quad \overrightarrow{BC}$



ĊΠ

D

B

DĆ

b. a plane containing point *C*

The plane can be named as plane \mathcal{N} . You can also use the letters of any three *noncollinear* points to name the plane.

plane *ABE* plane *ACE* plane *ADE* plane *BCE* plane *BDE* plane *CDE* The letters of each name can be reordered to create other names for this plane. For example, *ABE* can be written as *AEB*, *BEA*, *BAE*, *EBA*, and *EAB*.

₩

DB

 \overrightarrow{CB}

CHECK Your Progress

1. Use the figure to name a plane containing points *A* and *D*.

EXAMPLE Model Points, Lines, and Planes

2 Name the geometric shapes modeled by the picture.

The pencil point models point *A*.

The blue rule on the paper models line *BC*.


The edge of the paper models line *BD*.

The sheet of paper models plane *ADC*.

CHECK Your Progress

2. Name the geometric shape modeled by stripes on a sweater.

Two lines intersect in a point. In the figure at the right, point *P* represents the intersection of \overrightarrow{AB} and \overrightarrow{CD} . Lines can intersect planes, and planes can intersect each other.



0

х

EXAMPLE Draw Geometric Figures

- 1 Draw and label a figure for each relationship.
 - **a.** ALGEBRA Lines *GH* and *JK* intersect at *L* for G(-1, -3), H(2, 3), J(-3, 2), and K(2, -3) on a coordinate plane. Point *M* is coplanar with these points, but not collinear with \overrightarrow{GH} or \overrightarrow{JK} .

Graph each point and draw GH and JK'.

Label the intersection point as *L*.

An infinite number of points are coplanar with G, H, J, K, and L, but not collinear with \overrightarrow{GH} or \overrightarrow{JK} . In the graph, one such point is M(-4, 0).





Recall that points on the coordinate plane are named using *ordered pairs*. Point *G* can be named as G(-1, -3).

Study Tip

Naming Points

Study Tip

Dimension

A point has no

exists in one

a square is

dimension. A line

two-dimensional, and a cube is

three-dimensional.

dimension. However,

M

Study Tip

Three-Dimensional Drawings

Because it is impossible to show space or an entire plane in a figure, edged shapes with different shades of color are used to represent planes. If the lines are hidden from view, the lines or segments are shown as dashed lines or segments. **b.** \overrightarrow{TU} lies in plane *Q* and contains point *R*.

Draw a surface to represent plane Q and label it. Draw a line anywhere on the plane. Draw dots on the line for points T and U. Since \overrightarrow{TU} contains R, point R lies on \overrightarrow{TU} . Draw a dot on \overrightarrow{TU} and label it R.

CHECK Your Progress

3. Draw and label a figure in which points *A*, *B*, and *C* are coplanar and *B* and *C* are collinear.

Personal Tutor at tx.geometryonline.com

Points, Lines, and Planes in Space Space is a boundless, three-dimensional set of all points. Space contains lines and planes.

EXAMPLE Interpret Drawings

a. How many planes appear in this figure?

There are four planes: plane *P*, plane *ADB*, plane *BCD*, plane *ACD*.

- **b.** Name three points that are collinear. Points *D*, *B*, and *G* are collinear.
- **c.** Are points *G*, *A*, *B*, and *E* coplanar? Explain.

Points *A*, *B*, and *E* lie in plane \mathcal{P} , but point *G* does not lie in plane \mathcal{P} . Thus, they are not coplanar. Points *A*, *G*, and *B* lie in a plane, but point *E* does not lie in plane *AGB*.

d. At what point do \overleftarrow{EF} and \overleftarrow{AB} intersect?

 \overleftarrow{EF} and \overrightarrow{AB} do not intersect. \overleftarrow{AB} lies in plane \mathcal{P} , but only point *E* lies in \mathcal{P} .

CHECK Your Progress

Q

4. Name the intersection of plane *BCD* and plane *P*.

GEOMETRY LAB


Modeling Intersecting Planes


- Label one index card as Q and another as R.
- Hold the two index cards together and cut a slit halfway through both cards.
- Hold the cards so that the slits meet and insert one card into the slit of the other. Use tape to hold the cards together.
- Where the two cards meet models a line. Draw the line and label two points, *C* and *D*, on the line.

ANALYZE

- 1. Draw a point *F* on your model so that it lies in *Q* but not in *R*. Can *F* lie on *DC*?
- **2.** If point *H* lies in both *Q* and *R*, where would it lie? Draw point *H* on your model.
- **3.** Draw a sketch of your model on paper. Label all points, lines, and planes.

F F C B





CHECK Your Understanding

Example 1 (p. 7)	 Use the figure at the right to name each of the following. 1. a line containing point <i>B</i> 			
	2. a plane containing points <i>D</i> and <i>C</i> $E = B P R$			
Example 2	Name the geometric term modeled by each object.			
(p. 7)	3. the beam from a laser 4. a ceiling			
Example 3 (pp. 7–8)	 Draw and label a figure for each relationship. 5. A line in a coordinate plane contains <i>X</i>(3, −1), <i>Y</i>(−3, −4), and <i>Z</i>(−1, −3) and a point <i>W</i> that does not lie on XY. 			
	6. Plane <i>Q</i> contains lines <i>r</i> and <i>s</i> that intersect in <i>P</i> .			
Example 4 (p. 8)	For Exercises 7–9, refer to the figure.			
	7. How many planes are shown in the figure? $C = G = F$			
	8. Name three points that are collinear.			
	9. Are points A, C, D, and J coplanar? Explain. $D = E$			

Exercises

HOMEWORK HELP		
For Exercises	See Examples	
10–15	1	
16-22	2	
23–30	3	
31–34	4	


- Refer to the figure.
- **10.** Name a line that contains point *P*.
- **11.** Name the plane containing lines *n* and *m*.
- **12.** Name the intersection of lines *n* and *m*.
- **13.** Name a point not contained in lines ℓ , *m*, or *n*.
- **14.** What is another name for line *n*?
- **15.** Does line ℓ intersect line *m* or line *n*? Explain.

Name the geometric term(s) modeled by each object.



19. a tablecloth

X





- **20.** a partially-opened newspaper
- **21.** woven threads in a piece of cloth
- **22.** a knot in a string

Draw and label a figure for each relationship.

- **23.** Line *AB* intersects plane *Q* at *W*.
- **24.** Point *T* lies on \overrightarrow{WR} .
- **25.** Points Z(4, 2), R(-4, 2), and S are collinear, but points Q, Z, R, and S are not.
- **26.** The coordinates for points *C* and *R* are (-1, 4) and (6, 4), respectively. \overrightarrow{RS} and \overrightarrow{CD} intersect at *P*(3, 2).

Refer to the figure.


- **27.** How many planes are shown in the figure?
- **28.** How many planes contain points *B*, *C*, and *E*?
- **29.** Name three collinear points.
- **30.** Where could you add point *G* on plane *N* so that *A*, *B*, and *G* would be collinear?

MAPS For Exercises 31–34, refer to the map, and use the following information. A map represents a plane. Locations on this plane are named using a letter/ number combination.

- **31.** Name the letter/number combination where Austin is located.
- **32.** Name the letter/number combination where Oklahoma City is located.
- **33.** What city is located at (C, 1)?
- **34.** What city is located at (D, 5)?
- **ONE-POINT PERSPECTIVE** One-point perspective drawings use lines to convey depth in a picture. Lines representing horizontal lines in the real object can be extended to meet at a single point called the *vanishing point*.
- **35.** Trace the figure at the right. Draw all of the vertical lines. Three are already drawn for you.
- **36.** Draw and extend the horizontal lines to locate the vanishing point and label it.
- **37.** Draw a one-point perspective of your classroom or a room in your house.
- **38. RESEARCH** Use the Internet or other research resources to investigate one-point perspective drawings in which the vanishing point is in the center of the picture. How do they differ from the drawing for Exercises 35–37?

TWO-POINT PERSPECTIVE Two-point perspective drawings also use lines to convey depth, but two sets of lines can be drawn to meet at two vanishing points.


39. Trace the outline of the house. Draw all of the vertical lines.



- **40.** Draw and extend the lines on your sketch representing horizontal lines in the real house to identify the vanishing point on the right plane in this figure.
- **41.** Which type of lines seems to be unaffected by any type of perspective drawing?







D

•C





Real-World Career... Engineering Technician

Engineering technicians or drafters use perspective to create drawings used in construction, and manufacturing. Technicians must have knowledge of math, science, and engineering.



to tx.geometryonline.com.



H.O.T. Problems...

Another way to describe a group of points is called a locus. A locus is a set of points that satisfy a particular condition.

- **42.** Find five points that satisfy the equation 4 x = y. Graph them on a coordinate plane and describe the geometric figure they suggest.
- **43.** Find ten points that satisfy the inequality y > -2x + 1. Graph them on a coordinate plane and describe the geometric figure they suggest.
- **44. OPEN ENDED** Fold a sheet of paper. Open the paper and fold it again in a different way. Open the paper and label the geometric figures you observe. Describe the figures.
- **45. FIND THE ERROR** Raymond and Micha were looking for patterns to determine how many ways there are to name a plane given a certain number of points. Who is correct? Explain your reasoning.

Raymond If there are 4 points, then there are 4 • 3 • 2 ways to name the plane. Micha If there are 5 noncollinear points, then there are 5 • 4 • 3 ways to name the plane.

- **46. CHALLENGE** Describe a real-life example of three lines in space that do not intersect each other and no two of which lie in the same plane.
- **47.** *Writing in Math* Refer to the information about chairs on page 6. Explain how the chair legs relate to points in a plane. Include how many legs would create a chair that does not wobble.

PRACTICE


- **48.** Four lines are coplanar. What is the greatest number of intersection points that can exist?
 - **A** 4
 - **B** 5
 - **C** 6
 - **D** 7

49. ALGEBRA REVIEW What is the value of x if 2 + x = 2 - x?

F -1 **H** 1

G 0 J 2

50. GRADE 8 REVIEW Look at the graph.



What are the coordinates of the intersection of the two graphed lines?

- A (2, -4) C (4, -2)
- **B** (-2, 4) **D** (-4, 2)

 PREREQUISITE SKILL Replace each
 with >, <, or = to make a true statement.</th>

 51. $\frac{1}{2}$ in. $\frac{3}{8}$ in.
 52. $\frac{4}{16}$ in. $\frac{1}{4}$ in.
 53. $\frac{4}{5}$ in. $\frac{6}{10}$ in.

 54. 10 mm
 1 cm
 55. 2.5 cm
 28 mm
 56. 0.025 cm
 25 mm




READING MATH

Describing What You See

Figures play an important role in understanding geometric concepts. It is helpful to know what words and phrases can be used to describe figures. Likewise, it is important to know how to read a geometric description and be able to draw the figure it describes.

The figures and descriptions below help you visualize and write about points, lines, and planes.


Point *P* is on line *m*. Line *m* contains *P*. Line *m* passes through *P*.




Line *x* and point *R* are in \mathcal{N} . Point *R* lies in \mathcal{N} . Plane \mathcal{N} contains *R* and line *x*. Line *y* intersects \mathcal{N} at *R*. Point *R* is the intersection of line *y* with \mathcal{N} . Lines *y* and *x* do not intersect.

Reading to Learn


Write a description for each figure.



Lines ℓ and m intersect in T. Point T is the interesection of lines ℓ and m. Point T is on m. Point T is on ℓ .



 \overrightarrow{AB} is in \mathcal{P} and Q. Points A and B lie in both \mathcal{P} and Q. Planes \mathcal{P} and Q both contain \overrightarrow{AB} . Planes \mathcal{P} and Q intersect in \overrightarrow{AB} . \overrightarrow{AB} is the intersection of \mathcal{P} and Q.



4. Draw and label a figure for the statement *Planes A, B, and C do not intersect*.

)

1-2

Linear Measure and Precision

Main Ideas

- Measure segments and determine accuracy of measurement.
- Compute with measures.

TARGETED TEKS

G.1The student understands the structure of, and relationships within, an axiomatic system. (B) Recognize the historical development of geometric systems and know mathematics is developed for a variety of purposes. G.2 The student analyzes geometric relationships in order to make and verify conjectures. (A) Use constructions to explore attributes of geometric figures and to make conjectures about geometric relationships.

New Vocabulary

line segment precision betweenness of points between congruent construction absolute error relative error

GET READY for the Lesson

With the abundance of rulers, yardsticks, laser measuring devices, and other instruments for measurement, it is easy to take our system of measurement for granted. When the ancient Egyptians found a need for a measurement system, they used the human body as a guide. The cubit was the length of an arm from the elbow to the fingertips. Eventually the Egyptians standardized the length of a cubit.



Measure Line Segments Unlike a line, a **line segment**, or *segment*, can be measured because it has two endpoints. A segment with endpoints A and B can be named as \overline{AB} or \overline{BA} . The *measure* of \overline{AB} is written as AB. The length or measure of a segment always includes a unit of measure, such as meter or inch.

b.

EXAMPLE Length in Metric Units

Find the length of \overline{CD} using each ruler.

a.	С •——	 	-• D		
	 cm				
	CIII	2	3	4	

centimeters. Point *D* is closer

to the 3-centimeter mark than

The ruler is marked in

 C
 D

 Immunitient
 Immunitient

 mm
 1
 2
 3
 4

The long marks are centimeters, and the shorter marks are millimeters. There are 10 millimeters for each centimeter. Thus, *CD* is about 28 millimeters long.


Your Progress

to 2 centimeters.

Thus, \overline{CD} is about

3 centimeters long.

- **1A.** Measure the length of a dollar bill in centimeters.
- **1B.** Measure the length of a pencil in millimeters.
- **1C.** Find the length of \overline{AB} .



Lesson 1-2 Linear Measure and Precision


13

Study Tip


EXAMPLE Length in Customary Units



The zero point on a ruler may not be clearly marked. For some rulers, zero is the left edge of the ruler. On others, it may be a line farther in on the scale. If it is not clear where zero is, align one endpoint on 1 and subtract 1 from the measurement at the other endpoint.



Each inch is divided into fourths. Point *B* is closer to the $1\frac{2}{4}$ -inch mark. Thus, \overline{AB} is about $1\frac{2}{4}$ or $1\frac{1}{2}$ inches long.



Each inch is divided into sixteenths. Point *B* is closer to the $1\frac{8}{16}$ -inch mark. Thus, \overline{AB} is about $1\frac{8}{16}$ or $1\frac{1}{2}$ inches long.

WECK Your Progress

2A. Measure the length of a dollar bill in inches.

2B. Measure the length of a pencil in inches.

The **precision** of any measurement depends on the smallest unit available on the measuring tool. The measurement should be precise to within 0.5 unit of measure. For example, in part **a** of Example 1, 3 centimeters means that the actual length is no less than 2.5 centimeters, but no more than 3.5 centimeters.

Measurements of 28 centimeters and 28.0 centimeters indicate different precision in measurement. A measurement of 28 centimeters means that the ruler is divided into centimeters. However, a measurement of 28.0 centimeters indicates that the ruler is divided into millimeters.

The precision of a measurement in customary units is determined before reducing the fraction. For example, if you measure the length of an object to be $2\frac{2}{4}$ inches, then the measurement is precise to within $\frac{1}{8}$ inch. In this book, the given measurements are indicative of the precision of the measuring instrument.

EXAMPLE Precision

6 Find the precision for each measurement. Explain its meaning.

a. 5 millimeters

The measurement is precise to within 0.5 millimeter. So, a measurement of 5 millimeters could be 4.5 to 5.5 millimeters.

b. $8\frac{1}{2}$ inches

The measurement is precise to within $\frac{1}{2}\left(\frac{1}{2}\right)$ or $\frac{1}{4}$ inch. Therefore, the measurement could be between $8\frac{1}{4}$ inches and $8\frac{3}{4}$ inches.

WEAK Your Progress

- **3A.** Find the precision for the measure $10\frac{1}{4}$ inches. Explain its meaning.
- **3B.** Find the precision for the measure 12.2 centimeters. Explain its meaning.



Study Tip

Units of Measure

A measurement of 38.0 centimeters on a ruler with millimeter marks means a measurement of 380 millimeters. So the actual measurement is between 379.5 millimeters and 380.5 millimeters, not 37.5 centimeters and 38.5 centimeters. The range of error in the measurement is called the tolerance and can be expressed as ± 0.5 .



Study Tip

Comparing Measures

Because measures are real numbers, you can compare them. If X, Y, and Z are collinear in that order, then one of these statements is true. XY = YZ, XY > YZ, or XY < YZ.

Calculate Measures Measures are real numbers, so all arithmetic operations can be used with them. Recall that for any two real numbers *a* and *b*, there is a real number *n* between *a* and *b* such that a < n < b. This relationship also applies to points on a line and is called **betweenness of points**. Point *M* is **between** points *P* and *Q* if and only if *P*, *Q*, and *M* are collinear and PM + MQ = PQ.



3.3 cm

 $\begin{array}{c} E 2\frac{3}{4} \text{ in.} \\ 12 \text{ in.} \end{array}$

EXAMPLE Find Measurements

a. Find AC.

Point *B* is between *A* and *C*. *AC* can be found by adding *AB* and *BC*.

- AB + BC = ACBetweenness of points
- 3.3 + 3.3 = AC Substitution

6.6 = AC So, AC is 6.6 centimeters long.

b. Find DE.

DE + EF = DFBetweenness of points $DE + 2\frac{3}{4} = 12$ Substitution $DE + 2\frac{3}{4} - 2\frac{3}{4} = 12 - 2\frac{3}{4}$ Subtract $2\frac{3}{4}$ from each side. $DE = 9\frac{1}{4}$ So, DE is $9\frac{1}{4}$ inches long.

Ô

c. Find y and QP if P is between Q and R_{r} QP = 2y, QR = 3y + 1, and PR = 21.

Draw a figure to represent this information.

QR = QP + PRBetweenness of points 3y + 1 = 2y + 21Substitute known values. 3y + 1 - 1 = 2y + 21 - 1Subtract 1 from each side. 3y = 2y + 20Simplify. 3y - 2y = 2y + 20 - 2y Subtract 2y from each side. y = 20Simplify. Now find *OP*. $QP = 2\mathbf{y}$ Given $= 2(20) \quad y = 20$

Vour Progress **4.** Find x and BC if B is between A and C, AC = 4x - 12, AB = x, and BC = 2x + 3.

Look at the figure in part **a** of Example 4. Notice that \overline{AB} and \overline{BC} have the same measure. When segments have the same measure, they are said to be **congruent**.



= 40

Multiply.




KEY C	ONCEPT	Con	gruent Segment
Words	Two segments having the same measure are congruent.	Model $\overline{XY} \cong$	PQ
Symbol	 ≅ is read is congruent to. Red slashes on the figure also indicate that segments are congruent. 	X	P Q

Constructions are methods of creating geometric figures without the benefit of measuring tools. Generally, only a pencil, straightedge, and compass are used. You can construct a segment that is congruent to a given segment.


CONSTRUCTION

Copy a Segment


Step 1 Draw a segment XY. Elsewhere on your paper, draw a line and a point on the line. Label the point P.



Step 2 Place the compass at point X and adjust the compass setting so that the pencil is at point Y.



Step 3 Using that setting, place the compass point at *P* and draw an arc that intersects the line. Label the point of intersection *Q*. Because of identical compass settings, $\overline{PQ} \cong \overline{XY}$.




Real-World EXAMPLE

SWIM AREAS In the graph at the right, suppose a segment was drawn along the top of each bar. Which reservoirs would have segments that are congruent? Explain.


The segments on the bars for Sam Rayburn and Grapevine would be congruent because they both represent the same number of swim areas.


Congruent Segments




CHECK Your Progress

5. Suppose Lewsville added another swim area. The segment drawn along the bar representing Lewsville would be congruent to which other segment?






Find the measurement of each segment.



Find the value of the variable and *ST* if *S* is between *R* and *T*.

28. $RS = 7a$, $ST = 12a$, $RT = 76$	29. $RS = 12$, $ST = 2x$, $RT = 34$
30. $RS = 2x$, $ST = 3x$, $RT = 25$	31. $RS = 16$, $ST = 2x$, $RT = 5x + 10$
32. $RS = 3y + 1$, $ST = 2y$, $RT = 21$	33. $RS = 4y - 1$, $ST = 2y - 1$, $RT = 5y$

Use the figures to determine whether each pair of segments is congruent.



determine the full width of a music CD.

Study Tip

from Figures Segments that have the same measure are congruent. Congruence marks are used to indicate this.







than 3300 state parks, historic sites, and natural areas in the United States. Most of the parks are open to visitors year round.

Source: Parks Directory of the United States

42. JEWELRY Roxanna sells the jewelry that she makes. One necklace is made from a $14\frac{3}{4}$ -inch length of cord. What are the greatest and least possible lengths for the cords to make these necklaces? Assume the same measuring device is used to measure each cord. Explain.


PERIMETER For Exercises 43 and 44, use the following information.

The *perimeter* of a geometric figure is the sum of the lengths of its sides. Pablo used a ruler divided into centimeters and measured the sides of a triangle as 3 centimeters, 5 centimeters, and 6 centimeters. Use what you know about the precision of any measurement to answer each question.

- **43.** What is the least possible perimeter of the triangle? Explain.
- 44. What is the greatest possible perimeter of the triangle? Explain.

RECREATION For Exercises 45–47, refer to the graph that shows the states with the greatest number of visitors to state parks in a recent year.

- **45.** To what number can the precision of the data be measured?
- **46.** Find the precision for the California data.
- **47.** Can you be sure that 1.9 million more people visited Washington state parks than Illinois state parks? Explain.



Source: National Association of Park Directors

ERROR Accuracy is an indication of error. The absolute value of the difference between the actual measure of an object and the allowable measure is the **absolute error**. The **relative error** is the ratio of the absolute error to the actual measure. The relative error is expressed as a percent. For a length of 11 inches and an allowable error of 0.5 inch, the absolute error and relative error can be found as follows.

$$\frac{\text{absolute error}}{\text{measure}} = \frac{|11 \text{ in.} - 11.5 \text{ in.}|}{11 \text{ in.}} = \frac{0.5 \text{ in.}}{11 \text{ in.}} \approx 0.045 \text{ or } 4.5\%$$

Determine the relative error for each measurement.

48. 27 ft **49.** $14\frac{1}{2}$ in. **50.** 42.3 cm **51.** 63.7 km

CONSTRUCTION For Exercises 52 and 53, refer to the figure. A

- **52.** Construct a segment with a measure of 4(CD).
- **53.** Construct a segment that has length 3(AB) 2(CD).

H.O.T. Problems....

EXTRA PRACING See pages 800, 828. Math Self-Check Quiz at

tx.geometryonline.com

- **54. REASONING** Explain how to measure a segment with a ruler divided into eighths of an inch.
- **55. OPEN ENDED** Give two examples of some geometric figures that have congruent segments.

Л



CHALLENGE Significant digits represent the accuracy of a measurement.

- Nonzero digits are always significant.
- In whole numbers, zeros are significant if they fall between nonzero digits.
- In decimal numbers greater than or equal to 1, every digit is significant.
- In decimal numbers less than 1, the first nonzero digit and every digit to its right are significant.


For example, 600.070 has six significant digits, but 0.0210 has only three.How many significant digits are there in each measurement below?56. 83,000 miles57. 33,002 miles58. 450.0200 liters

59. *Writing in Math* Why is it important to have a standard of measure? Refer to the information on ancient Egyptian measurement on page 13. Include an advantage and disadvantage to the ancient Egyptian measurement system.

TEST PRACTICE

- **60.** A drawing of a kite is shown. Use a ruler to measure the length of each side to the nearest tenth of a centimeter. What is the perimeter of the drawing?
 - A 2.8 cm
 - **B** 5.0 cm
 - **C** 5.8 cm
 - **D** 6.0 cm


61. GRADE 8 REVIEW The pipe shown is divided into five equal sections. How many feet long is the pipe?



Spiral Review

Refer to the figure at the right. (Lesson 1-1)

- **62.** Name three collinear points.
- **63.** Name two planes that contain points *B* and *C*.
- **64.** Name another point in plane *DFA*.
- **65.** How many planes are shown?



TRAVEL The Hernandez family is driving from Portland, Oregon, to Seattle, Washington. They are using maps to navigate a route. Name the geometric term modeled by each object. (Lesson 1-1)



67. highway

68. city

CELL READY for the Next Lesson **PREREQUISITE SKILL** Evaluate each expression if a = 3, b = 8, and c = 2. (Page 780) **69.** 2a + 2b

69. $2a + 2b$	70. $ac + bc$
71. $\frac{a-c}{2}$	72. $\sqrt{(c-a)^2}$

1-3

Distance and Midpoints

Main Ideas

- Find the distance between two points.
- Find the midpoint of a segment.



G.7 The student understands that coordinate systems provide convenient and efficient ways of representing geometric figures and uses them accordingly. (A) Use **one- and two-dimensional coordinate systems to represent points, lines,** rays, line segments, and figures. (C) Derive and use **formulas involving length**, slope, **and midpoint**. *Also addresses TEKS G.2(A) and G.8(C).*

New Vocabulary

Study Tip

Alternative

CD = |1 - (-5)|


= 6 or 6

Method


midpoint segment bisector

GET READY for the Lesson

When you connect two points on a number line or on a plane, you have graphed a line segment. Distance on a number line is determined by counting the units between the two points. On a coordinate plane, you can use the Pythagorean Theorem to find the distance between two points. In the figure, to find the distance from *A* to *B*, use $(AC)^2 + (CB)^2 = (AB)^2$.




Distance Between Two Points The coordinates of the endpoints of a segment can be used to find the length of the segment. Because the distance from *A* to *B* is the same as the distance from *B* to *A*, the order in which you name the endpoints makes no difference.



CHECK Your Progress

Use the number line to find each measure.



EXAMPLE Find Distance on a Coordinate Plane


2 Find the distance between R(5, 1) and S(-3, -3).

Study Tip

Pythagorean Theorem

Recall that the Pythagorean Theorem is often expressed as $a^2 + b^2 = c^2$, where *a* and *b* are the measures of the shorter sides (legs) of a right triangle and *c* is the measure of the longest side (hypotenuse) of a right triangle.

Method 1 Pythagorean Theorem Use the gridlines to form a triangle. $(RS)^2 = (RT)^2 + (ST)^2$ Pythagorean Theorem $(RS)^2 = 4^2 + 8^2$ RT = 4 units, ST = 8 units $(RS)^2 = 80$ Simplify. $RS = \sqrt{80}$ Take the square root of each side.



Method 2 Distance Formula

 $d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$ Distance Formula $RS = \sqrt{(-3 - 5)^2 + (-3 - 1)^2}$ $(x_1, y_1) = (5, 1) \text{ and } (x_2, y_2) = (-3, -3)$ $RS = \sqrt{(-8)^2 + (-4)^2}$ Subtract. $RS = \sqrt{64 + 16} \text{ or } \sqrt{80}$ Simplify.

The distance from *R* to *S* is $\sqrt{80}$ units. Use a calculator to find that $\sqrt{80}$ is approximately 8.94.

CHECK Your Progress

2. Find the distance between D(-5, 6) and E(8, -4).

Midpoint of a Segment The **midpoint** of a segment is the point halfway between the endpoints of the segment. If *X* is the midpoint of \overline{AB} , then AX = XB. In the lab you will derive the Midpoint Formula.

GEOMETRY LAB

Midpoint of a Segment

MODEL

- Graph points A(5, 5) and B(-1, 5) on grid paper. Draw \overline{AB} .
- Hold the paper up to the light and fold the paper so that points *A* and *B* match exactly. Crease the paper slightly. Then open the paper.
- Put a point where the crease intersects AB. Label this midpoint as C.
- Repeat using endpoints X(-4, 3) and Y(2, 7). Label the midpoint Z.

MAKE A CONJECTURE

- **1.** What are the coordinates of point *C*? What are the measures of \overline{AC} and \overline{CB} ?
- **2.** What are the coordinates of point *Z*? What are the measures of \overline{XZ} and \overline{ZY} ?
- **3.** Study the coordinates of points *A*, *B*, and *C*. Write a rule that relates these coordinates. Then use points *X*, *Y*, and *Z* to verify your conjecture.





Words	The midpoint M of \overline{PO} is the point by	etween <i>P</i> and <i>Q</i> such that $PM = MQ$.
Symbols	Number Line	Coordinate Plane
-,	The coordinate of the midpoint of a segment with endpoints that have coordinates <i>a</i> and <i>b</i> is $\frac{a+b}{2}$.	The coordinates of the midpoint of a segment with endpoints that have coordinates (x_1, y_1) and (x_2, y_2) are $\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right)$.
Models	$\begin{array}{c c} P & M & Q \\ \hline a & a + b \\ \hline 2 \\ \hline \end{array} \\ b \\ \hline b \\ \hline b \\ \hline b \\ \hline c \\ c \\$	$P(x_{1}, y_{1}) = \begin{bmatrix} y \\ Q(x_{2}, y_{2}) \\ M(\frac{x_{1} + x_{2}}{2}, \frac{y_{1} + y_{2}}{2}) \end{bmatrix}$



Matthe Latitude and longitude form another coordinate system. The latitude, longitude, degree distance, and monthly high temperature can be used to create several different scatter plots. Visit tx.geometryonline. com to continue work on your project.

Cross-Curricular Project

Real-World EXAMPLE Find Coordinates of Midpoint

(1) TEMPERATURE Find the coordinate of the midpoint of \overline{PQ} .

The coordinates of *P* and *Q* are -20 and 40.

Let *M* be the midpoint of *PQ*.

$$M = \frac{-20 + 40}{2} \qquad a = -20, b = 40$$
$$= \frac{20}{2} \text{ or } 10 \qquad \text{Simplify.}$$

The midpoint is 10.



3. TEMPERATURE The temperature dropped from 25° to -8° . Find the midpoint of these temperatures.

EXAMPLE Find Coordinates of Midpoint

I Find the coordinates of M, the midpoint of \overline{JK} , for J(-1, 2) and K(6, 1).

Let *J* be (x_1, y_1) and *K* be (x_2, y_2) .

$$M\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right) = M\left(\frac{-1 + 6}{2}, \frac{2 + 1}{2}\right) \qquad (x_1, y_1) = (-1, 2), (x_2, y_2) = (6, 1)$$
$$= M\left(\frac{5}{2}, \frac{3}{2}\right) \text{ or } M\left(2\frac{1}{2}, 1\frac{1}{2}\right) \qquad \text{Simplify.}$$

4. Find the coordinates of the midpoint of \overline{AB} for A(5, 12) and B(-4, 8).



60

50

40

30

20

10

-20

-30



You can also find the coordinates of an endpoint of a segment if you know the coordinates of its other endpoint and its midpoint.

EXAMPLE Find Coordinates of Endpoint

I Find the coordinates of X if Y(-1, 6) is the midpoint of \overline{XZ} and Z has coordinates (2, 8).

Let *Z* be (x_2, y_2) in the Midpoint Formula.

$$Y(-1, 6) = Y\left(\frac{x_1+2}{2}, \frac{y_1+8}{2}\right) \quad (x_2, y_2) = (2, 8)$$

Write two equations to find the coordinates of *X*.

 $-1 = \frac{x_1 + 2}{2}$ $6 = \frac{y_1 + 8}{2}$ $-2 = x_1 + 2$ Multiply each side by 2. $12 = y_1 + 8$ Multiply each side by 2. $-4 = x_1$ Subtract 2 from each side. $4 = y_1$ Subtract 8 from each side.

The coordinates of *X* are (-4, 4).


HECK Your Progress

5. Find the coordinates of *G* if P(-5, 10) is the midpoint of \overline{EG} and *E* has coordinates (-8, 6).

EXAMPLE Use Algebra to Find Measures

() Find the measure of \overline{BC} if *B* is the midpoint of \overline{AC} .

You know that *B* is the midpoint of *AC*, and the figure gives algebraic measures for \overline{AB} and \overline{BC} . You are asked to find the measure of \overline{BC} .



Because *B* is the midpoint, you know that AB = BC. Use this equation and the algebraic measures to find a value for *x*.

AB = BCDefinition of midpoint 4x - 5 = 11 + 2x AB = 4x - 5, BC = 11 + 2x4x = 16 + 2x Add 5 to each side. 2x = 16Subtract 2x from each side. x = 8Divide each side by 2. BC = 11 + 2xOriginal measure = 11 + 2(8)*x* = 8 = 11 + 16 or 27 The measure of \overline{BC} is 27. CHECK Your Progress

Now substitute 8 for *x* in the expression for *BC*.

6. Find the measure of \overline{XY} if Y is the midpoint of \overline{XZ} , and XY = 2x + 3, and YZ = 6 - 4x.

TIME Personal Tutor at tx.geometryonline.com





Oncepts in MOtion **Interactive Lab** tx.geometryonline.com




Study Tip

Segment Bisectors

There can be an infinite number of bisectors and each must contain the midpoint of the segment. Any segment, line, or plane that intersects a segment at its midpoint is called a **segment bisector**. In the figure at the right, *M* is the midpoint of \overline{AB} . Plane $\mathcal{N}, \overline{MD}, \overline{RM}$, and point *M* are all bisectors of \overline{AB} . We say that they *bisect* \overline{AB} .


You can construct a line that bisects a segment without measuring to find the midpoint of the given segment.




CONSTRUCTION

Bisect a Segment


Step 1 Draw a segment and name it \overline{XY} . Place the compass at point *X*. Adjust the compass so that its width is greater than $\frac{1}{2}XY$. Draw arcs above and below \overline{XY} .



Step 2 Using the same compass setting, place the compass at point *Y* and draw arcs above and below \overline{XY} that intersect the two arcs previously drawn. Label the points of intersection as *P* and *Q*.



Step 3 Use a straightedge to draw \overrightarrow{PQ} . Label the point where it intersects \overrightarrow{XY} as M. Point M is the midpoint of \overrightarrow{XY} , and \overrightarrow{PQ} is a bisector of \overrightarrow{XY} . Also $XM = MY = \frac{1}{2}XY$.



Your Understanding Example 1 Use the number line to find each measure. B (p. 21) **1.** *AB* -4-3-2-1 0 1 2 3 4 5 6 7 8 9 1011 2. CD Example 2 **3.** Use the Pythagorean Theorem to find the distance between X(7, 11) and (p. 22) Y(-1, 5).**4.** Use the Distance Formula to find the distance between D(2, 0) and E(8, 6). Example 3 Use the number line to find the coordinate US(p. 23) of the midpoint of each segment. -12 -10 -8 -6 -4 -2 0 2 **5.** \overline{RS}

6. \overline{UV}

Example 4 (p. 23)	Find the coordinates of the midpoint of a segment having the given endpoints.		
	7. $X(-4,3), Y(-1,5)$	8. <i>A</i> (2, 8), <i>B</i> (-2, 2)	
Example 5 (p. 24)	9. Find the coordinates of <i>A</i> coordinates $(-3, 6)$.	if $B(0, 5.5)$ is the midpoint of	\overline{AC} and C has
Example 6 (p. 24)	10. Point <i>M</i> is the midpoint of of <i>x</i> in the figure?	f \overline{AB} . What is the value	<i>y</i> <i>B</i> (2 <i>x</i> , 2 <i>x</i>) <i>M</i> (7, 8) <i>A</i> (4, 6) <i>x</i>

Exercises


HOMEWORK HELP		
For Exercises	See Examples	
11-16	1	
17–28	2	
29-34	3	
35–42	4	
43–45	5	
46–49	6	


Use the number line to find each measure.

11. DE	12. <i>CF</i>
13. <i>AB</i>	14. <i>AC</i>
15. <i>AF</i>	16. <i>BE</i>

15. *AF***16.** *BE***Use the Pythagorean Theorem to find the distance between each pair**

of points. 17. A(0, 0), B(8, 6)






18. C(-10, 2), D(-7, 6)


 A
 B
 C
 D
 E
 F


 -5
 -4
 -3
 -2
 -1
 0
 1
 2
 3
 4
 5
 6
 7
 8
 9
 10

20. G(-2, -6), H(6, 9)



Use the Distance Formula to find the distance between each pair of points. **23.** J(0, 0), K(12, 9) **24.** L(3, 5), M(7, 9)






Use the number line to find the coordinate of the midpoint of each segment.

	A B C D -7-6-5-4-3-2-1 0 1 2 3 4	
29. <i>AC</i>	30. <i>DF</i>	31. <i>CE</i>
32. <i>BD</i>	33. <i>AF</i>	34. <i>BE</i>

Find the coordinates of the midpoint of a segment having the given endpoints.



Find the coordinates of the missing endpoint given that *S* is the midpoint of \overline{RT} .

43. T(-4, 3), S(-1, 5) **44.** T(2, 8), S(-2, 2)

-35°N-

30°l

105°W

El Paso

45.
$$R\left(\frac{2}{3}, -5\right), S\left(\frac{5}{3}, 3\right)$$

TEXAS

100°W

Geographic

95[°]W

Center Brady

GEOGRAPHY For Exercises 46–49, use the following information.

The geographic center of Texas is northeast of Brady at $(31.1^\circ, 99.3^\circ)$, which represent north latitude and west longitude. El Paso is near the western border at $(31.8^\circ, 106.4^\circ)$.

- **46.** If El Paso is one endpoint of a segment and the geographic center is its midpoint, find the latitude and longitude of the other endpoint.
- **47.** Use an atlas or the Internet to find a city near the location of the other endpoint.
- **48.** If El Paso is the midpoint of a segment with one endpoint at the geographic center, find the latitude and longitude of the other endpoint.
- **49.** Use an atlas or the Internet to find a city near the location of the other endpoint.



Distance on Earth

Study Tip

Actual distances on Earth are calculated along the curve of the Earth's surface. This uses spherical geometry. When points are close together, you can use plane geometry to approximate the distance.



50. ALGEBRA Find the measure of \overline{JK} if K is the midpoint of JL.

Study Tip


Spreadsheets

Spreadsheets often use special commands to perform operations. For example, $\sqrt{x_1 - x_2}$ would be written as = SQRT(A2 - C2). Use the ^ symbol to raise a number to a power. For example, x^2 is written as x^2.

SPREADSHEETS For Exercises 51–55, refer to the information at the left and below.

Spreadsheets can be used to perform calculations quickly. The spreadsheet below can be used to calculate the distance between two points. Values are used in formulas by using a specific cell name. The value of x_1 is used in a formula using its cell name, A2.

3x - 4 K 5x - 26






51. Write a formula for cell E2 that could be used to calculate the distance between (x_1, y_1) and (x_2, y_2) .

Find the distance between each pair of points to the nearest tenth.

52. (54, 120), (113, 215)	53. (68, 153), (175, 336)
54. (421, 454), (502, 798)	55. (837, 980), (612, 625)

- **56. REASONING** Explain three ways to find the midpoint of a segment.
- **57. OPEN ENDED** Draw a segment. Construct the bisector of the segment and use a millimeter ruler to check the accuracy of your construction.
- **58.** CHALLENGE In the figure, GE bisects BC, and GF bisects AB. GE is a horizontal segment, and GF is a vertical segment.
 - **a.** Find the coordinates of points *F* and *E*.
 - **b.** Name the coordinates of *G* and explain how you calculated them.
 - **c.** Describe what relationship, if any, exists between *DG* and *GB*. Explain.



- **59.** CHALLENGE WZ has endpoints W(-3, -8) and Z(5, 12). Point X lies between W and Z, such that $WX = \frac{1}{4}WZ$. Find the coordinates of X.
- **60.** *Writing in Math* Explain how you can find the distance between two points without a ruler. Include how to use the Pythagorean Theorem and the Distance Formula to find the distance between two points, and the length of *AB* from the figure on page 21.




H.O.T. Problems.

TEST PRACTICE

- **61.** A coordinate grid is placed over a map of Madison's town. Her family's house is located at (-5, 3), and the library is located at (6, 11). If the school is at the midpoint of the segment between the house and the library, which is closest to the distance in coordinate units from Madison's house to the school?
 - A 6.80 units
 - **B** 9.62 units
 - **C** 13.60 units
 - **D** 15.41 units

62. Find the distance between points at (6, 11) and (-2, -4).
F 16 units H 18 units
G 17 units J 19 units

63. ALGEBRA REVIEW Simplify $(3x^2 - 2)(2x + 4) - 2x^2 + 6x + 7.$ A $4x^2 + 14x - 1$ B $4x^2 - 14x + 15$ C $6x^3 + 12x^2 + 2x - 1$ D $6x^3 + 10x^2 + 2x - 1$



Draw and label a figure for each relationship. (Lesson 1-1)

- 66. four noncollinear points A, B, C, and D that are coplanar
- **67.** line *m* that intersects plane *A* and line *n* in plane *A*
- **68.** Lines *a*, *b*, and *c* are coplanar, but do not intersect.
- **69.** Lines *a*, *b*, and *c* are coplanar and meet at point *F*.
- **70.** Point *C* and line *r* lie in *M*. Line *r* intersects line *s* at *D*. Point *C*, line *r*, and line *s* are not coplanar.
- **71.** Planes *A* and *B* intersect in line *s*. Plane *C* intersects *A* and *B*, but does not contain *s*.

GET READY for the Next Lesson

PREREQUISITE SKILL Solve each equation. (Pages 781-782)

72. $2k = 5k - 30$	73. $14x - 31 = 12x + 8$
74. $180 - 8t = 90 + 2t$	75. $12m + 7 = 3m + 52$
76. $8x + 7 = 5x + 20$	77. $13n - 18 = 5n + 32$

Geometry Lab Modeling the Pythagorean Theorem




XTEND


TARGETED TEKS G.5 The student uses a variety of representations to describe geometric relationships and solve problems. (**D**) Identify and apply patterns from right triangles to solve meaningful problems, including special right triangles (45-45-90 and 30-60-90) and triangles whose sides are Pythagorean triples. **G.8** The student uses tools to determine measurements of geometric figures and extends measurement concepts to find perimeter, area, and volume in problem situations. (**C**) Derive, extend, and **use the Pythagorean Theorem**. In Chapter 8, you will prove the Pythagorean Theorem, but this activity will suggest that the Pythagorean Theorem holds for any right triangle.

ACTIVITY

• Draw right triangle *ABC* in the center of a piece of grid paper.

- On another piece of grid paper, draw a square that is 5 units on each side, a square that is 12 units on each side, and a square that is 13 units on each side. Use colored pencils to shade each of these squares. Cut out the squares. Label them as 5 × 5, 12 × 12, and 13 × 13, respectively.
- Place the squares so that a side of the square matches up with a side of the right triangle.





ANALYZE THE RESULTS

- 1. Determine the number of grid squares in each square you drew.
- 2. How do the numbers of grid squares relate?
- **3.** If *AB* = *c*, *BC* = *a*, and *AC* = *b*, write an expression to describe each of the squares.
- 4. Compare this expression with what you know about the Pythagorean Theorem.
- **5. MAKE A CONJECTURE** Repeat the activity for triangles with each of the side measures listed below. What do you find is true of the relationship of the squares on the sides of the triangle?

a. 3, 4, 5 **b.** 8, 15, 17 **c.** 6, 8, 10

6. Repeat the activity with a right triangle with shorter sides that are both 5 units long. How could you determine the number of grid squares in the larger square?



Angle Measure

Main Ideas

- Measure and classify angles.
- Identify and use congruent angles and the bisector of an angle.




G.3 The student applies logical reasoning to justify and prove mathematical statements. (B) Construct and justify statements about geometric figures and their properties. G.7 The student understands that coordinate systems provide convenient and efficient ways of representing geometric figures and uses them accordingly. (A) Use oneand two-dimensional coordinate systems to represent points, lines, rays, line segments, and figures. Also addresses TEKS G.2(A) and G.2(B).

New Vocabulary

degree ray opposite rays angle sides vertex interior exterior right angle acute angle obtuse angle angle bisector

GET READY for the Lesson

Astronomer Claudius Ptolemy based his observations of the solar system on a unit that resulted from dividing the circumference, or the distance around, a circle into 360 parts. This later became known as a **degree**. In this lesson, you will learn to measure angles in degrees.



Ε

F


G

Measure Angles A **ray** is part of a line. It has one endpoint and extends indefinitely in one direction. Rays are named stating the endpoint first and then any other point on the ray. The figure at the right shows ray *EF*, which can be symbolized as \overrightarrow{EF} . This ray could also be named as \overrightarrow{EG} , but not as \overrightarrow{FE} because *F* is not the endpoint of the ray.

If you choose a point on a line, that point determines exactly two rays called **opposite rays**. Line *m*, shown below, is separated into two opposite rays, \overrightarrow{PQ} and \overrightarrow{PR} . Point *P* is the common endpoint of those rays. \overrightarrow{PQ} and \overrightarrow{PR} are collinear rays.





An **angle** is formed by two *noncollinear* rays that have a common endpoint. The rays are called **sides** of the angle. The common endpoint is the **vertex**.




An angle divides a plane into three distinct parts.

- Points *A*, *D*, and *E* lie on the angle.
- Points *C* and *B* lie in the **interior** of the angle.
- Points *F* and *G* lie in the **exterior** of the angle.







Angles can be classified by their measures.

KEY CO	NCEPT		Classify Angles
Name	right angle	acute angle	obtuse angle
Measure	<i>m∠</i> A = 90	<i>m∠B</i> < 90	180 > <i>m∠C</i> > 90
Model	This symbol means a 90° angle.	B	C

EXAMPLE Measure and Classify Angles

Measure each angle and classify as right, acute, or obtuse.

a. $\angle PMQ$


Use a protractor to find that $m \angle PMQ = 30$. 30 < 90, so $\angle PMQ$ is an acute angle.

b. ∠*TMR*

 $\angle TMR$ is marked with a right angle symbol, so measuring is not necessary; $m \angle TMR = 90$.

A Your Progress

2. Measure $\angle QMT$ and classify it as *right*, *acute*, or *obtuse*.



Notior


COncepts

Reading Math Angles Opposite rays are also known as a straight angle. Its measure is 180°. Unless otherwise specified in this book, the term angle means a nonstraight angle.

Animation



Congruent Angles Just as segments that have the same measure are congruent, angles that have the same measure are congruent.




You can construct an angle congruent to a given angle without knowing the measure of the angle.

CONSTRUCTION

Copy an Angle


Step 1

Draw an angle like $\angle P$ on your paper. Use a straightedge to draw a ray on your paper. Label its endpoint *T*.




Step 2

Place the tip of the compass at point *P* and draw a large arc that intersects both sides of $\angle P$. Label the points of intersection *Q* and *R*.




Step 4

Place the point of your compass on *R* and adjust so that the pencil tip is on *Q*.





Without changing the setting, place the compass at *S* and draw an arc to intersect the larger arc you drew in Step 3. Label the point of intersection *U*.




Motion for MAC


Concepts in Motion Animation tx.geometryonline.com

Step 3

Using the same compass setting, put the compass at T and draw a large arc that intersects the ray. Label the point of intersection *S*.



Step 6 Use a straightedge to draw \overrightarrow{TU} .









EXAMPLE Use Algebra to Find Angle Measures

GARDENING A trellis is often used to provide a frame for vining plants. Some of the angles formed by the slats of the trellis are congruent angles. In the figure, $\angle ABC \cong \angle DBF$. If $m \angle ABC = 6x + 2$ and $m \angle DBF = 8x - 14$, find the actual measurements of $\angle ABC$ and $\angle DBF$.

 $\angle ABC \cong \angle DBF$ Given


$m \angle ABC = m \angle DBF$	Definition of congruent angles
6x + 2 = 8x - 14	Substitution
6x + 16 = 8x	Add 14 to each side.
16 = 2x	Subtract 6x from each side.
9	Divide and side by 2

 $\stackrel{=}{\text{nents}}$

Study Tip

Checking Solutions

Check that you have computed the value of x correctly by substituting the value into the expression for $\angle DBF$. If you don't get the same measure as $\angle ABC$, you have made an error.



= 6(8) + 2	<i>x</i> = 8
= 48 + 2 or 50	Simplify.

Since $m \angle ABC = m \angle DBF$, $m \angle DBF = 50$. Both $\angle ABC$ and $\angle DBF$ measure 50.

CHECK Your Progress

3. Suppose $\angle JKL \cong \angle MKN$. If $m \angle JKL = 5x + 4$ and $m \angle MKN = 3x + 12$, find the actual measurements of the two angles.

Personal Tutor at tx.geometryonline.com

GEOMETRY LAB

Bisect an Angle

MAKE A MODEL


- Draw any $\angle XYZ$ on patty paper or tracing paper.
- Fold the paper through point Y so that \overrightarrow{YX} and \overrightarrow{YZ} are aligned together.
- Open the paper and label a point on the crease in the interior of ∠*XYZ* as point *W*.

ANALYZE THE MODEL

- **1.** What seems to be true about $\angle XYW$ and $\angle WYZ$?
- **2.** Measure $\angle XYZ$, $\angle XYW$, and $\angle WYZ$.
- **3.** You learned about segment bisectors in Lesson 1-3. **Make a conjecture** about the term *angle bisector*.




Animation tx.geometryonline.com






A ray that divides an angle into two congruent angles is called an **angle bisector**. If \overrightarrow{PQ} is the angle bisector of $\angle RPS$, then point *Q* lies in the interior of $\angle RPS$, and $\angle RPQ \cong \angle QPS$. A line segment can also bisect an angle.



Just as with segments, when a line divides an angle into smaller angles, the sum of the measures of the smaller angles equals the measure of the largest angle. So in the figure, $m\angle RPS = m\angle RPQ + m\angle QPS$.


You can construct the angle bisector of any angle without knowing the measure of the angle.




CHECK Your Understanding

Example 1 (p. 32)

- For Exercises 1–3, use the figure at the right.1. Name the vertex of ∠2.
 - **2.** Name the sides of $\angle 4$.
- **3.** Write another name for $\angle BDC$.



35



6. ORIGAMI The art of origami involves folding

paper at different angles to create designs and three-dimensional figures. One of the folds in origami involves folding a strip of paper so

that the lower edge of the strip forms a right angle with itself. Identify each numbered

ALGEBRA In the figure, \overrightarrow{QP} and \overrightarrow{QR} are opposite

7. If $m \angle RQT = 6x + 5$ and $m \angle SQT = 7x - 2$,

8. Find $m \angle TQS$ if $m \angle RQS = 22a - 11$ and


angle as *right*, *acute*, or *obtuse*.


rays, and \overrightarrow{QT} bisects $\angle RQS$.


 $m \angle RQT = 12a - 8.$

find $m \angle RQT$.

- **4.** ∠WXY
- **5.** ∠WXZ







Exercises

Example 3

(p. 34)

HOMEWORK HELP		
For Exercises	See Examples	
9–24	1	
25-30	2	
31–36	3	

	s 9–24, use the figur ertex of each angle.	e on the right.	A 7
9. ∠1		10. ∠2	6 2 B
11. ∠6		12. ∠5	5 D H
Name the sid	des of each angle.		EG
13. ∠ADB	Ũ	14. ∠6	F
15. ∠3		16. ∠5	
21. Name a p	point in the interior o	of $\angle GAB$.	
17. ∠7	18. ∠ <i>AEF</i>	19. ∠ <i>ABD</i>	20. ∠1
-	angle with vertex B		acute.
	pair of angles that sh	11	
-	a sint in the interior	of ICEC	
24. Name a p	Some in the interior ($JI \angle CEG.$	
Ĩ			
Ĩ	h angle and classify		A F E
Measure eac	h angle and classify use.		

30. ∠*EFB*



29. ∠AFD


ALGEBRA In the figure, \overrightarrow{YX} and \overrightarrow{YZ} are opposite rays. \overrightarrow{YU} bisects $\angle ZYW$, and \overrightarrow{YT} bisects $\angle XYW$.

- **31.** If $m \angle ZYU = 8p 10$ and $m \angle UYW = 10p 20$, find $m \angle ZYU$.
- **32.** If $m \angle 1 = 5x + 10$ and $m \angle 2 = 8x 23$, find $m \angle 2$.
- **33.** If $m \angle 1 = y$ and $m \angle XYW = 6y 24$, find y.
- **34.** If $m \angle WYZ = 82$ and $m \angle ZYU = 4r + 25$, find *r*.
- **35.** If $m \angle WYX = 2(12b + 7)$ and $m \angle ZYU = 9b 1$, find $m \angle UYW$.
- **36.** If $\angle ZYW$ is a right angle and $m \angle ZYU = 13a 7$, find *a*.
- **37. PATTERN BLOCKS** Pattern blocks can be arranged to fit in a circular pattern without leaving spaces. Remember that the measurement around a full circle is 360°. Determine the degree measure of the numbered angles shown below.




- **38. RESEARCH** The words *obtuse* and *acute* have other meanings in the English language. Look these words up in a dictionary and write how the everyday meaning relates to the mathematical meaning.
- **39. OPEN ENDED** Draw and label a figure to show \overrightarrow{PR} that bisects $\angle SPQ$ and \overrightarrow{PT} that bisects $\angle SPR$. Use a protractor to measure each angle.
- **40. REASONING** Are all right angles congruent? What information would you use to support your answer?

CHALLENGE For Exercises 41–44, use the following information. Each figure below shows noncollinear rays with a common endpoint.



- **41.** Count the number of angles in each figure.
- **42.** Describe the pattern between the number of rays and the number of angles.
- **43.** Make a conjecture about the number of angles that are formed by 7 noncollinear rays and by 10 noncollinear rays.
- **44.** Write a formula for the number of angles formed by *n* noncollinear rays with a common endpoint.
- **45. REASONING** How would you compare the sizes of $\angle P$ and $\angle Q$? Explain.
- **46.** *Writing in Math* Refer to page 31. Describe the size of a degree. Include how to find degree measure with a protractor.



Т







H.O.T. Problems


See pages 801, 828.


EXTRA 🖸












Refer to the figure at the right. (Lesson 1-1)

- **55.** How many planes are shown?
- 56. Name three collinear points.
- **57.** Name a point coplanar with *J*, *H*, and *F*.

CENT READY for the Next Lesson


PREREQUISITE SKILL Solve each equation. (Pages 781-782)

59. 2k + 30 = 180**58.** 14x + (6x - 10) = 90**61.** $90 - 4t = \frac{1}{4}(180 - t)$ **60.** 180 - 5y = 90 - 7y**63.** (7n-9) + (5n+45) = 180**62.** (6m + 8) + (3m + 10) = 90





For Exercises 1–2, refer to the figure. (Lesson 1-1)





- **1.** Name another point that is collinear with points *S* and *Q*.
- **2.** Name a line that is coplanar with \overleftarrow{VU} and point *W*.

Find the value of *x* and *SR* if *R* is between *S* and *T*. (Lesson 1-2)

- **3.** SR = 3x, RT = 2x + 1, ST = 6x 1
- **4.** SR = 5x 3, ST = 7x + 1, RT = 3x 1

Find the coordinates of the midpoint of each segment. Then find the distance between the endpoints. (Lesson 1-3)






Find the coordinates of the midpoint of a segment having the given endpoints. Then find the distance between the endpoints. (Lesson 1-3)

- **7.** *E*(10, 20), *F*(−10, −20)
- **8.** *A*(−1, 3), *B*(5, −5)
- **9.** *C*(4, 1), *D*(-3, 7)
- **10.** *F*(4, –9), *G*(–2, –15)
- **11.** *H*(-5, -2), *J*(7, 4)
- 12. TEST PRACTICE A coordinate grid is placed over a map of a town. The library is located at (-5, 10), and the park is located at (3, 12). If City Hall is at the midpoint between them, which is closest to the distance in coordinate units from the library to City Hall? (Lesson 1-3)


A 2.24 units	C 6.08 units
B 4.12 units	D 8.25 units

In the figure, \overrightarrow{XP} and \overrightarrow{XT} are opposite rays. (Lesson 1-4)



- **13.** If $m \angle SXT = 3a 4$, $m \angle RXS = 2a + 5$, and $m \angle RXT = 111$, find $m \angle RXS$.
- **14.** If $m \angle QXR = a + 10$, $m \angle QXS = 4a 1$, and $m \angle RXS = 91$, find $m \angle QXS$.

Measure each angle and classify as *right*, *acute*, or *obtuse*. (Lesson 1-4)



- ∠KFG
 ∠HFK
 ∠HFJ
- ∠HFG
 ∠JFE
 ∠EFK




Angle Relationships

GET READY for the Lesson

When two lines intersect, four angles are formed. In some cities, more than two streets might intersect to form even more angles. All of these angles are related in special ways.



Pairs of Angles Certain pairs of angles have special names.



Main Ideas

- Identify and use special pairs of angles.
- Identify perpendicular lines.



G.2 The student analyzes geometric relationships in order to make and verify conjectures. (B) Make conjectures about angles, lines, polygons, circles, and three-dimensional figures and determine the validity of the conjectures, choosing from a variety of approaches such as coordinate, transformational, or axiomatic. G.3 The student applies logical reasoning to justify and prove mathematical statements. (B) Construct and justify statements about geometric figures and their properties.

New Vocabulary

adjacent angles vertical angles linear pair complementary angles supplementary angles perpendicular




EXAMPLE Identify Angle Pairs

Name an angle pair that satisfies each condition.

a. two obtuse vertical angles

 $\angle VZX$ and $\angle YZW$ are vertical angles.

They each have measures greater than 90, so they are obtuse.



b. two acute adjacent angles


There are four acute angles shown.

Adjacent acute angles are $\angle VZY$ and $\angle YZT$, $\angle YZT$ and $\angle TZW$, and $\angle TZW$ and $\angle WZX$.

CHECK Your Progress

1. Name an angle pair that is a linear pair.

The measures of angles formed by intersecting lines have a special relationship.








The Geometry Lab suggests that all vertical angles are congruent. It also supports the concept that the sum of the measures of a linear pair is 180.

KEY CONCEPT	Vertical Angles
Words Vertical angles are congruent.	
Examples $\angle JPK \cong \angle HPL$ $\angle JPL \cong \angle HPK$	J L K P H

There are other angle relationships that you may remember from previous math courses. These are complementary angles and supplementary angles.



Remember that angle measures are real numbers. So, the operations for real numbers and algebra can be used with angle measures.

EXAMPLE Angle Measure

- **ALGEBRA** Find the measures of two complementary angles if the difference in the measures of the two angles is 12.
 - **Explore** The problem relates the measures of two complementary angles. You know that the sum of the measures of complementary angles is 90.
 - **Plan** Draw two figures to represent the angles. Let the measure of one angle be *x*. If $m \angle A = x$, then, because $\angle A$ and $\angle B$ are complementary, $m \angle B + x = 90$ or $m \angle B = 90 - x$.

The problem states that the difference of the two angle measures is 12, or $m \angle B - m \angle A = 12$.



Study Tip

Complementary and Supplementary Angles

While the other angle pairs in this lesson share at least one point, complementary and supplementary angles need not share any points.

















Use the value of *x* to find each angle measure.




 $m \angle A + m \angle B = 90$ 39 + 51 = 9090 = 90

CHECK Your Progress

- **2.** Find the measures of two supplementary angles if the difference in the measures of the two angles is 32.
- Personal Tutor at tx.geometryonline.com

Perpendicular Lines Lines, segments, or rays that form right angles are **perpendicular**.



Study Tip

Interpreting Figures


Never assume that two lines are perpendicular because they appear to be so in the figure. The only sure way to know if they are perpendicular is if the right angle symbol is present or if the problem states angle measures that allow you to make that conclusion.

EXAMPLE Perpendicular Lines

ALGEBRA Find x and y so that \overrightarrow{BE} and \overrightarrow{AD} are perpendicular.

If $\overrightarrow{BE} \perp \overrightarrow{AD}$, then $m \angle BFD = 90$ and $m \angle AFE = 90$. To find *x*, use $\angle BFC$ and $\angle CFD$.


$m\angle BFD = m\angle BFC + m\angle CFD$	Sum of parts = whole
90 = 6x + 3x	Substitution
90 = 9x	Add.
10 = x	Divide each side by 9.



To find <i>y</i> , use $\angle AFE$.	
$m \angle AFE = 12y - 10$	Given
90 = 12y - 10	Substitution
100 = 12y	Add 10 to each side.
$\frac{25}{3} = y$	Divide each side by 12, and simplify.
CHECK Your Progress	

3. Suppose $m \angle D = 3x - 12$. Find *x* so that $\angle D$ is a right angle.

While two lines may appear to be perpendicular in a figure, you cannot assume this is true unless other information is given. In geometry, figures are used to depict a situation. They are not drawn to reflect total accuracy of the situation. There are certain relationships you can assume to be true, but others that you cannot. Study the figure at the right and then compare the lists below.



Study Tip

Naming Figures

The list of statements that can be assumed is not a complete list. There are more special pairs of angles than those listed. Also remember that all figures except points usually have more than one way to name them.


Can Be Assumed	Cannot Be Assumed
All points shown are coplanar.	Perpendicular segments: $\overline{HL} \perp \overline{GJ}$
G, H, and J are collinear.	Congruent angles: $\angle JHK \cong \angle GHM$
\overrightarrow{HM} , \overrightarrow{HL} , \overrightarrow{HK} , and \overleftarrow{GJ} intersect at <i>H</i> .	$\angle JHK \cong \angle KHL$
H is between G and J.	$\angle KHL \cong \angle GHM$
<i>L</i> is in the interior of $\angle MHK$.	Congruent segments: $\overline{GH} \cong \overline{HJ}$
$\angle GHM$ and $\angle MHL$ are adjacent angles.	$\frac{HJ}{H} \cong \frac{HK}{H}$
\angle <i>GHL</i> and \angle <i>LHJ</i> are a linear pair.	$\frac{HK}{HL} \cong \frac{HL}{HG}$
\angle <i>JHK</i> and \angle <i>KHG</i> are supplementary.	$nL \equiv nG$

EXAMPLE Interpret Figures

Determine whether each statement can be assumed from the figure at the right.

a. $\angle GHM$ and $\angle MHK$ are adjacent angles.

Yes; they share a common side and vertex and have no interior points in common.



b. ∠*KHJ* and∠*GHM* are complementary.

No; they are congruent, but we do not know anything about their exact measures.

c. \angle *GHK* and \angle *JHK* are a linear pair.

Yes; they are adjacent angles whose noncommon sides are opposite rays.

CHECK Your Progress

4. Determine whether the statement ∠*GHL and* ∠*LHJ are supplementary* can be assumed from the figure.

CHECK Your Understanding

Example 1 (p. 41)	 For Exercises 1 and 2, use the figure at the right and a protractor. 1. Name two acute vertical angles. 2. Name two obtuse adjacent angles.
Example 2 (pp. 42–43)	3. SKIING Alisa Camplin won a gold medal in the 2002 Winter Olympics with a triple-twisting, double backflip jump in the women's freestyle skiing event. While she is in the air, her skis give the appearance of intersecting lines. If $\angle 4$ measures 60°, find the measures of the other angles.
Example 3 (pp. 43–44)	 4. The measures of two complementary angles are 16z - 9 and 4z + 3. Find the measures of the angles. 5. Find <i>m</i>∠<i>T</i> if <i>m</i>∠<i>T</i> is 20 more than four times the measure of its supplement.
Example 4 (p. 44)	 Determine whether each statement can be assumed from the figure. Explain. 6. ∠MLJ and ∠JLN are complementary. 7. ∠KIN and ∠NIL are adjacent, but neither

. $\angle KJN$ and $\angle NJL$ are adjacent, but neither complementary nor supplementary.

Exercises

HOMEWORK HELP		
For Exercises	See Examples	
8-13	1	
14–19	2	
20-22	3	
23–27	4	

For Exercises 8–13, use the figure at the right and a protractor.

- **8.** Name two acute vertical angles.
- 9. Name two obtuse vertical angles.
- **10.** Name a pair of complementary adjacent angles.
- **11.** Name a pair of complementary nonadjacent angles.
- **12.** Name a linear pair whose vertex is *G*.
- **13.** Name an angle supplementary to $\angle HTS$.
- **14.** Rays *PQ* and *QR* are perpendicular. Point *S* lies in the interior of $\angle PQR$. If $m \angle PQS = 4 + 7a$ and $m \angle SQR = 9 + 4a$, find $m \angle PQS$ and $m \angle SQR$.
- **15.** The measure of the supplement of an angle is 60 less than three times the measure of the complement of the angle. Find the measure of the angle.
- **16.** Lines *p* and *q* intersect to form adjacent angles 1 and 2. If $m \angle 1 = 3x + 18$ and $m \angle 2 = -8y 70$, find the values of *x* and *y* so that *p* is perpendicular to *q*.
- **17.** The measure of an angle's supplement is 44 less than the measure of the angle. Find the measure of the angle and its supplement.
- **18.** Two angles are supplementary. One angle measures 12° more than the other. Find the measures of the angles.
- **19.** The measure of $\angle 1$ is five less than four times the measure of $\angle 2$. If $\angle 1$ and $\angle 2$ form a linear pair, what are their measures?



Ň

Ĺ

ALGEBRA For Exercises 20–22, use the figure at the right.

Determine whether each statement can be assumed from the


- **20.** If $m \angle CFD = 12a + 45$, find *a* so that $\overrightarrow{FC} \perp \overrightarrow{FD}$.
- **21.** If $m \angle AFB = 8x 6$ and $m \angle BFC = 14x + 8$, find the value of *x* so that $\angle AFC$ is a right angle.
- **22.** If $m \angle BFA = 3r + 12$ and $m \angle DFE = -8r + 210$, find $m \angle AFE$.


27. $\angle ADB$ and $\angle BDC$ are complementary.


figure. Explain.

25. $\angle AEB \cong \angle DEC$

23. $\angle DAB$ is a right angle.








Determine whether each statement is sometimes, always, or never true.


24. $\overline{AB} \perp \overline{BC}$

26. $\angle DAE \cong \angle ADE$

- **29.** If two angles are supplementary and one is acute, the other is obtuse.
- **30.** If two angles are complementary, they are both acute angles.
- **31.** If $\angle A$ is supplementary to $\angle B$, and $\angle B$ is supplementary to $\angle C$, then $\angle A$ is supplementary to $\angle C$.
- **32.** If $\overline{PN} \perp \overline{PQ}$, then $\angle NPQ$ is acute.
- **33. PHYSICS** As a ray of light meets a mirror, the light is reflected. The angle that the light strikes the mirror is the *angle of incidence*. The angle that the light is reflected is the *angle of reflection*. The angle of incidence and the angle of reflection are congruent. In the diagram at the right, if $m \angle RMI = 106$, find the angle of reflection and $m \angle RMJ$.



- **34. RESEARCH** Look up the words *complementary* and *complimentary* in a dictionary. Discuss the differences in the terms and determine which word has a mathematical meaning.
- **35.** The concept of perpendicularity can be extended to include planes. If a line, line segment, or ray is perpendicular to a plane, it is perpendicular to every line, line segment, or ray in that plane at the point of intersection. In the figure at the right, $\overrightarrow{AB} \perp \mathcal{E}$. Name all pairs of perpendicular lines.



- **36. OPEN ENDED** Draw two angles that are supplementary, but not adjacent.
 - **37. REASONING** Explain the statement *If two adjacent angles form a linear pair, they must be supplementary.*



Real-World Link ..


As light from the Sun travels to Earth, it is reflected or refracted by many different surfaces. Light that strikes a smooth, flat surface is very bright because the light is being reflected at the same angle.



H.O.T. Problems.....



- **38. CHALLENGE** A *counterexample* is used to show that a statement is not necessarily true. Draw a counterexample for the statement *Supplementary angles form linear pairs*.
- **39. CHALLENGE** In the figure, $\angle WUT$ and $\angle XUV$ are vertical angles, \overline{YU} is the bisector of $\angle WUT$, and \overline{UZ} is the bisector of $\angle TUV$. Write a convincing argument that $\overline{YU} \perp \overline{UZ}$.



40. *Writing in Math* Refer to page 40. What kinds of angles are formed when streets intersect? Include the types of angles that might be formed by two intersecting lines, and a sketch of intersecting streets with angle measures and angle pairs identified.

TEST PRACTICE

- **41.** Which statement is true of the figure?
 - $\mathbf{A} \ x > y$
 - **B** x < y
 - $\mathbf{C} \quad x = y$
 - D cannot be determined



42. If $\angle P$ and $\angle W$ are supplementary angles and $m \angle P$ is *x*, which equation can be used to find *y*, $m \angle W$?


F y = x + 180 **H** y = x + 90

G y = 180 - x **J** y = 90 - x

43. GRADE 8 REVIEW The product of 4, 5, and 6 is equal to twice the sum of 10 and what number?



44. DOG TRACKING A dog is tracking when it is following the scent trail left by a human being or other animal that has passed along a certain route. One of the training exercises for these dogs is a tracking trail. The one shown is called an acute tracking trail. Explain why it might be called this. (Lesson 1-4)



Find the distance between each pair of points. (Lesson 1-3)

45. <i>A</i> (3, 5), <i>B</i> (0, 1)	46. <i>C</i> (5, 1), <i>D</i> (5, 9)
48. <i>G</i> (7, 2), <i>H</i> (-6, 0)	49. <i>J</i> (-8, 9), <i>K</i> (4, 7)

47. E(−2, −10), F(−4, 10)
50. L(1, 3), M(3, −1)

Find the value of the variable and QR, if Q is between P and R. (Lesson 1-2)

51.
$$PQ = 1 - x$$
, $QR = 4x + 17$, $PR = -3x$

52. PR = 7n + 8, PQ = 4n - 3, QR = 6n + 2

GET READY for the Next LessonPREREQUISITE SKILL Evaluate each expression if $\ell = 3$, w = 8, and s = 2. (Page 780)53. $2\ell + 2w$ 54. ℓw 55. 4s56. $\ell w + ws$ 57. $s(\ell + w)$

Geometry Lab Constructing Perpendiculars



XTEND


TARGETED TEKS G.2 The student analyzes geometric relationships in order to make and verify conjectures. (A) Use constructions to explore attributes of geometric figures and to make conjectures about geometric relationships.

You can use a compass and a straightedge to construct a line perpendicular to a given line through a point on the line, or through a point not on the line.


ACTIVITY Perpendicular Through a Point on the Line

Construct a line perpendicular to line *n* and passing through point *C* on *n*.

- **1.** Place the compass at point *C*. Using the same compass setting, draw arcs to the right and left of *C*, intersecting line A *n*. Label the points of intersection A and B.
- **3.** Using the same compass setting as in Step 2, place the compass at À point B and draw an arc intersecting the arc drawn in Step 2. Label the point of intersection *D*.
- **2.** Open the compass to a setting greater than AC. Put the В
 - compass at point A and draw an arc above line *n*.



4. Use a straightedge to draw CD.






ACTIVITY 2 Perpendicular Through a Point not on the Line


COncepts in MOti Animation tx.geometryonline.com

Construct a line perpendicular to line *m* and passing through point *Z* not on *m*.

- **1.** Place the compass at point Z. Draw an arc that intersects line *m* in two different places. Label the points of intersection X and Y.
- **3.** Using the same compass setting, place the compass at point Yand draw an arc intersecting the arc drawn in Step 2. Label the point of intersection A.



- **2.** Open the compass to a setting greater than $\frac{1}{2}XY$. Put the compass at point *X* and draw an arc below line *m*.
- **4.** Use a straightedge to draw \overrightarrow{ZA} .



MODEL AND ANALYZE THE RESULTS

- 1. Draw a line and construct a line perpendicular to it through a point on the line. Repeat with a point not on the line.
- **2.** How is the second construction similar to the first one?



Two-Dimensional Figures

Main Ideas

- Identify and name polygons.
- Find perimeter or circumference and area of twodimensional figures.


TARGETED TEKS

G.8 The student uses tools to determine measurements of geometric figures and extends measurement concepts to find perimeter, area, and volume in problem situations. (A) Find areas of regular polygons, circles, and composite figures. G.11 The student applies the concepts of similarity to justify properties of figures and solve problems. (D) Describe the effect on perimeter, area, and volume when one or more dimensions of a figure are changed and apply this idea in solving problems. Also addresses TEKS G.1(B), G.2(B), and G.7(B).


New Vocabulary

polygon concave convex *n*-gon regular polygon perimeter circumference area GET READY for the Lesson


To predict weather conditions, meteorologists divide the surface into small geographical cells. Meteorologists use computer programs and mathematical models to track climate and other weather conditions for each cell. The weather in each cell is affected by the weather in surrounding cells. Maps like the one on the right show the temperature for each cell.



Polygons Each closed figure shown in the map is a **polygon**. A polygon is a closed figure whose sides are all segments. The sides of each angle in a polygon are called *sides* of the polygon, and the vertex of each angle is a *vertex* of the polygon.



Polygons can be **concave** or **convex**. Suppose the line containing each side is drawn. If any of the lines contain any point in the interior of the polygon, then it is concave. Otherwise it is convex.




N



Reading Math

Root Word The term *polygon* is derived from a Greek word meaning *many angles*. Since *hexa*means 6, *hexagon* means 6 angles. Every polygon has the same number of angles as it does sides. You are already familiar with many polygon names, such as triangle, square, and rectangle. In general, polygons can be classified by the number of sides they have. A polygon with *n* sides is an *n*-gon. The table lists some common names for various categories of polygon.

A convex polygon in which all the sides are congruent and all the angles are congruent is called a **regular polygon**. Octagon *PQRSTUVW* below is a regular octagon.




Number of Sides	Polygon
3	triangle
4	quadrilateral
5	pentagon
6	hexagon
7	heptagon
8	octagon
9	nonagon
10	decagon
12	dodecagon
n	<i>n</i> -gon

Polygons and circles are examples of *simple closed curves*.


EXAMPLE Identify Polygons

Name each polygon by its number of sides. Then classify it as *convex* or *concave* and *regular* or *irregular*.




There are 5 sides, so this is a pentagon. No line containing any of the sides will pass through the interior of the pentagon, so it is convex.

The sides are congruent, and the angles are congruent. It is regular.



There are 8 sides, so this is an octagon. A line containing any of the sides will pass through the interior of the octagon, so it is concave.

The sides are congruent. However, since it is concave, it cannot be regular.






Perimeter, Circumference, and Area Review the formulas for circles and three common polygons given below. You will derive these formulas in Chapter 11.

KEY CONCEPT

Words The **perimeter** *P* of a polygon is the sum of the length of the sides of the polygon. The **circumference** *C* of a circle is the distance around the circle. The **area** *A* is the number of square units needed to cover a surface.



EXAMPLE Find Perimeter and Area

1...

nearest t	1	erence an	id area of each figure to the
a.		b.	
2.1 cm			3 in.


$P = 2\ell + 2w$	Perimeter of a rectangle
= 2(3.2) + 2(2.1)	$\ell = 3.2, w = 2.1$
= 10.6	Simplify.


3.2 cm

The perimeter is 10.6 centimeters.

$$A = \ell w$$
Area of a rectangle $= (3.2)(2.1)$ $\ell = 3.2, w = 2.1$ $= 6.7$ Simplify.

The area is about 6.7 square centimeters.





C =


$=2\pi r$	Circumference
$= 2\pi(3)$	<i>r</i> = 3
≈ 18.9	Use a calculator.

Perimeter, Circumference, and Area

The circumference is about 18.9 inches.

$A = \pi r^2$	Area of a circle
$=\pi(3)^{2}$	<i>r</i> = 3
≈ 28.3	Use a calculator.

The area is about 28.3 square inches.



Reading Math

Math Symbols The symbol π is read *pi*. It is an irrational number. In this book, we will use a calculator to evaluate expressions involving π . If no calculator is available, 3.14 is a good estimate for π .







Test-Taking Tip

Mental Math When you are asked to compare measures for varying figures, it can be helpful to use mental math. By estimating the perimeter or area of each figure, you can check your calculations. Winona has 26 centimeters of cording to frame a photograph in her scrapbook. Which of these shapes would use all of the cording and enclose the largest area?

- A right triangle with each leg about 7 centimeters long
- **B** circle with a radius of about 4 centimeters
- C rectangle with a length of 8 centimeters and a width of 4.5 centimeters
- D square with a side length of 6 centimeters

Read the Test Item

You are asked to compare the area and perimeter of four different shapes.

Solve the Test Item

Find the perimeter and area of each shape.

Right Triangle

Use the Pythagorean Theorem to find the length of the hypotenuse.

$c^2 = a^2 + b^2$	Pythagorean Theorem
$c^2 = 7^2 + 7^2$ or 98	<i>a</i> = 7, <i>b</i> = 7
$c^2 = 98$	Simplify.
$c = \sqrt{98}$	Take the square root of each side.
$c \approx 9.9$	Use a calculator.
P = a + b + c	Perimeter of a triangle
\approx 7 + 7 + 9.9 or 23.9 cm	Substitution
$A = \frac{1}{2}bh$	Area of a triangle
$=\frac{1}{2}(7)(7)$ or 24.5 cm ²	Substitution

Circle	Rectangle	Square
$C = 2\pi r$	$P = 2\ell + 2w$	P = 4s
$\approx 2\pi(4)$	= 2(8) + 2(4.5)	= 4(6)
$\approx 25.1 \text{ cm}$	= 25 cm	= 24 cm
$A = \pi r^2$	$A = \ell w$	$A = s^2$
$\approx \pi(4)^2$	= (8)(4.5)	$= 6^2$
$\approx 50.3 \text{ cm}^2$	$= 36 \text{ cm}^2$	$= 36 \text{ cm}^2$

The shape that uses all of the cording and encloses the largest area is the circle. The answer is B.



FOK Your Progress

- **3.** Danny wants to fence in a play area for his dog. He has 32 feet of fencing. Which shape uses all of the fencing and encloses the largest area?
 - **F** circle with radius of about 5 ft
 - **G** rectangle with length 6 feet and width 10 feet
 - H right triangle with legs of length 10 feet
 - J square with a side length of 8 feet


Personal Tutor at tx.geometryonline.com

You can use the Distance Formula to find the perimeter of a polygon graphed on a coordinate plane.

EXAMPLE Perimeter and Area on the Coordinate Plane

- **COORDINATE GEOMETRY** Refer to $\triangle PQR$ with vertices *P*(-1, 3), *Q*(-3, -1), and *R*(4, -1).
 - **a**. Find the perimeter of $\triangle PQR$.

Since \overline{QR} is a horizontal line, we can count the squares on the grid. The length of \overline{QR} is 7 units. Use the Distance Formula to find PQ and PR.



$$PQ = \sqrt{(-1 - (-3))^2 + (3 - (-1))^2}$$
Substitute
= $\sqrt{2^2 + 4^2}$ Subtract.
= $\sqrt{20} \approx 4.5$ Simplify.

$$PR = \sqrt{(-1-4)^2 + (3-(-1))^2}$$
Substitute.

$$= \sqrt{(-5)^2 + 4^2}$$
Subtract.

$$= \sqrt{41} \approx 6.4$$
Simplify.

The perimeter of $\triangle PQR$ is 7 + $\sqrt{20}$ + $\sqrt{41}$ or about 17.9 units.

b. Find the area of $\triangle PQR$.

The height is the perpendicular distance from *P* to \overline{QR} . Counting squares on the graph, the height is 4 units. The length of *QR* is 7 units.

$$A = \frac{1}{2}bh$$
 Area of a triangle
$$= \frac{1}{2}(7)(4)$$
 Substitution
$$= 14$$
 Simplify.

The area of $\triangle PQR$ is 14 square units.

Vour Progress


4. Find the perimeter and area of $\triangle ABC$ with vertices A(-1, 4), B(-1, -1), and C(6, -1).

Look Back

Study Tip

To review the **Distance Formula**, see Lesson 1-3.

🖊 Your Understanding



Example 2 (p. 51) Find the perimeter or circumference and area of each figure. Round to the nearest tenth.



Example 3 (p. 52)

- **5. TEST PRACTICE** Tara is building a play pen for the children next door. She has 15 square feet of fabric. What shape will use most or all of the fabric?
 - **A** a square with a side length of 4 feet
 - **B** a rectangle with a length of 4 feet and a width of 3.5 feet
 - C a circle with a radius of about 2.5 feet
 - **D** a right triangle with legs of about 5 feet


Example 4 (p. 53) **6. COORDINATE GEOMETRY** Find the perimeter and area of $\triangle ABC$ with vertices A(-1, 2), B(3, 6), and C(3, -2).

Exercises

HOMEWORK HELP						
For Exercises	See Examples					
7–11	1					
12–17	2					
18, 19	3					
20–23	4					

Name each polygon by its number of sides. Then classify it as *convex* or *concave* and *regular* or *irregular*.

8.





TRAFFIC SIGNS Identify the shape of each traffic sign.


9. school zone

10. caution or warning

11. railroad



Find the perimeter or circumference and area of each figure. Round to the nearest tenth.



- **18. CRAFTS** Candace has a square picture that is 4 inches on each side. The picture is framed with a length of ribbon. She wants to use the same piece of ribbon to frame a circular picture. What is the maximum radius of the circular frame?
- **19. LANDSCAPING** Mr. Hernandez has a circular garden with a diameter of 10 feet surrounded by edging. Using the same length of edging, he is going to create a square garden. What is the maximum side length of the square?

COORDINATE GEOMETRY Find the perimeter and area of each figure with the given vertices.

- **20.** D(-2, -2), E(-2, 3), and F(2, -1)
- **21.** J(-3, -3), K(3, 2), and L(3, -3)
- **22.** P(-1, 1), Q(3, 4), R(6, 0), and S(2, -3)
- **23.** T(-2, 3), U(1, 6), V(5, 2), and W(2, -1)
- 24. HISTORIC LANDMARKS The Pentagon building in Arlington, Virginia, is so named because of its five congruent sides. Find the perimeter of the outside of the Pentagon if one side is 921 feet long.

CHANGING DIMENSIONS For Exercises 25–27,

use the rectangle at the right.

- **25.** Find the perimeter of the rectangle.
- **26.** Find the area of the rectangle.
- **27.** Suppose the length and width of the rectangle are doubled. What effect does this have on the perimeter? Describe the effect on the area.

CHANGING DIMENSIONS For Exercises 28–30,

use the square at the right.

- **28.** Find the perimeter of the square.
- **29.** Find the area of the square.
- **30.** Suppose the length of a side of the square is divided by 2. What effect does this have on the perimeter? Describe the effect on the area.







landscaped with shrubbery that has been sculpted or topiary. Columbus, Ohio, is home to a topiary garden that recreates **Georges Seurat's** painting A Sunday Afternoon on the lle De La Grande Jatte. The garden includes 54 people sculpted in topiary.


Some gardens are

Source: topiarygarden.org

ALGEBRA Find the perimeter or circumference for each figure with the given information.

- **31.** The area of a square is 36 square inches.
- **32.** The length of a rectangle is half the width. The area is 25 square meters.
- **33.** The area of a circle is 25π square units.
- **34.** The area of a circle is 32π square units.
- **35.** The length of a rectangle is three times the width. The area is 27 square inches.
- **36.** The length of a rectangle is twice the width. The area is 48 square inches.

ALGEBRA Find the length of each side of the polygon for the given perimeter.




40. CHANGING DIMENSIONS The perimeter of an *n*-gon is 12.5 meters. Find the perimeter of the *n*-gon if the length of each of its *n* sides is multiplied by 10.

7.5 km

丰 3 km

CHANGING DIMENSIONS For Exercises 41–44, use the rectangle at the right.

41. Find the perimeter of the rectangle.



- **43.** Suppose the length and width of the rectangle are doubled. What effect does this have on the perimeter?
- 44. Describe the effect of doubling the length and width on the area.

ENLARGEMENT For Exercises 45–48, use the following information.

The coordinates of the vertices of a triangle are A(1, 3), B(9, 10), and C(11, 18). **45.** Find the perimeter of triangle *ABC*.

- **46.** Suppose each coordinate is multiplied by 2. What is the perimeter of this triangle?
- **47.** Find the perimeter of the triangle when the coordinates are multiplied by 3.
- **48.** Make a conjecture about the perimeter of a triangle when the coordinates of its vertices are multiplied by the same positive factor.
- **49. OPEN ENDED** Explain how you would find the length of a side of a regular decagon if the perimeter is 120 centimeters.
- **50. FIND THE ERROR** Saul and Tiki were asked to draw quadrilateral *WXYZ* with $m\angle Z = 30$. Who is correct? Explain your reasoning.





H.O.T. Problems.....





CHALLENGE Use grid paper to draw all possible rectangles with length and width that are whole numbers and with a perimeter of 12. Record the number of grid squares contained in each rectangle.

- **51.** What do you notice about the rectangle with the greatest number of squares?
- **52.** The perimeter of another rectangle is 36. What would be the dimensions of the rectangle with the greatest number of squares?
- **53. Which One Doesn't Belong?** Identify the term that does not belong with the other three. Explain your reasoning.

circle

square

54. *Writing in Math* Refer to page 49. Explain why dividing a state into geographical cells allows meteorologists to more accurately predict weather.

TEST PRACTICE

- **55.** Use the Distance Formula to find the perimeter of a polygon with vertices at (-2, 1), (0, 3), (3, 2), and (-1, -1).
 - A 7.2
 - **B** 10.5
 - **C** 12.9
 - **D** 13.2

56. GRADE 8 REVIEW A rectangle has an area of 1000 square meters and a perimeter of 140 meters. What are the dimensions of the rectangle?

triangle

pentagon

- **F** 100 m by 100 m
- **G** 50 m by 20 m
- H 40 m by 25 m
- J 10 m by 100 m

Spiral Review

Determine whether each statement is *always*, *sometimes*, or *never* true. (Lesson 1-5)

- 57. Two angles that form a linear pair are supplementary.
- **58.** If two angles are supplementary, then one of the angles is obtuse.

In the figure, \overrightarrow{AM} bisects $\angle LAR$, and \overrightarrow{AS} bisects $\angle MAR$. (Lesson 1-4)

- **59.** If $m \angle MAR = 2x + 13$ and $m \angle MAL = 4x 3$, find $m \angle RAL$.
- **60.** If $m \angle RAL = x + 32$ and $m \angle MAR = x 31$, find $m \angle LAM$.
- **61.** Find $m \angle LAR$ if $m \angle RAS = 25 2x$ and $m \angle SAM = 3x + 5$.
- **62. CRAFTS** Martin makes pewter figurines. When a solid object with a volume of 1 cubic centimeter is submerged in water, the water level rises 1 milliliter. Martin pours 200 mL of water into a cup, submerges a figurine in it, and watches it rise to 343 mL. What is the maximum amount of molten pewter needed to make a figurine? Explain. (Lesson 1-2)

GET READY for the Next Lesson

 PREREQUISITE SKILL Evaluate each expression if a = 12, b = 16, c = 21, and d = 18. (Page 780)

 63. $\frac{1}{2}(b^2) + 2d$ 64. $\frac{1}{3}(cd)$ 65. $\frac{1}{2}(2a + 3c^2)$ 66. $\frac{1}{3}(ac) + d^2$

Μ

Geometry Software Lab Measuring Two-Dimensional Figures




 $\frac{1-6}{1}$

TARGETED TEKS G.5 The student uses a variety of representations to describe geometric relationships and solve problems. (B) Use numeric and geometric patterns to make generalizations about geometric properties, including properties of polygons, ratios in similar figures and solids, and angle relationships in polygons and circles. G.11 The student applies the concepts of similarity to justify properties of figures and solve problems. (D) Describe the effect on perimeter, area, and volume when one or more dimensions of a figure are changed and apply this idea in solving problems. *Also addresses TEKS G.9(B)*.

You can use The Geometer's Sketchpad[®] to draw and investigate polygons. It can be used to find the measures of the sides and the perimeter of a polygon. You can also find the measures of the angles in a polygon.

		-
	IVITY	
AU		

Step 1 Draw $\triangle ABC$.




- Select the segment tool from the toolbar, and click to set the first endpoint *A* of side \overline{AB} . Then drag the cursor and click again to set the other endpoint *B*.
- Click on point *B* to set the endpoint of *BC*. Drag the cursor and click to set point *C*.


Step 2 Find *AB*, *BC*, and *CA*.

- Use the pointer tool to select \overline{AB} , \overline{BC} , and \overline{CA} .
- Select the Length command under the Measure menu to display the lengths of \overline{AB} , \overline{BC} , and \overline{CA} .






- Click on point *C* to set the endpoint of *CA*. Then move the cursor to highlight point *A*. Click on *A* to draw *CA*.
- Use the pointer tool to click on points *A*, *B*, and *C*. Under the **Display** menu, select **Show Labels** to label the vertices of your triangle.




- **Step 3** Find the perimeter of $\triangle ABC$.
- Use the pointer tool to select points *A*, *B*, and *C*.
- Under the **Construct** menu, select **Triangle Interior**. The triangle will now be shaded.
- Choose the Perimeter command under the Measure menu to find the perimeter of △ABC. The perimeter of △ABC is 15.64 centimeters.

Step 4 Find $m \angle A$, $m \angle B$, and $m \angle C$.

- Recall that $\angle A$ can also be named $\angle BAC$ or $\angle CAB$. Use the pointer to select points *B*, *A*, and *C* in order.
- Select the **Angle** command from the **Measure** menu to find $m \angle A$.
- Select points *A*, *B*, and *C*. Find $m \angle B$.
- Select points *A*, *C*, and *B*. Find $m \angle C$.





ANALYZE THE RESULTS

- 1. Add the side measures you found in Step 2. Compare this sum to the result of Step 3. How do these compare?
- **2.** What is the sum of the angle measures of $\triangle ABC$?
- **3.** Repeat the activities for each convex polygon.**a.** irregular quadrilateral**b.** square**c.** pentagon**d.** hexagon
- **4.** Draw another quadrilateral and find its perimeter. Then enlarge your figure using the **Dilate** command. How does the change affect the perimeter?
- 5. Compare your results with those of your classmates.
- 6. Make a conjecture about the sum of the measures of the angles in any triangle.
- **7.** What is the sum of the measures of the angles of a quadrilateral? pentagon? hexagon?
- **8.** Make a conjecture about how the sums of the measures of the angles of polygons are related to the number of sides.
- 9. Test your conjecture on other polygons. Does your conjecture hold? Explain.
- **10.** When the sides of a polygon are changed by a common factor, does the perimeter of the polygon change by the same factor as the sides? Explain.

Three-Dimensional Figures

Main Ideas

- Identify threedimensional figures.
- Find surface area and volume.



G.8 The student uses tools to determine measurements of geometric figures and extends measurement concepts to find perimeter, area, and volume in problem situations. (D) Find surface areas and volumes of prisms, pyramids, spheres, cones, cylinders, and composites of these figures in problem situations. G.9 The student analyzes properties and describes relationships in geometric figures. (D) Analyze the characteristics of polyhedra and other threedimensional figures and their component parts based on explorations and concrete models.


New Vocabulary

polyhedron face edges prism bases vertex regular prism pyramid regular polyhedron Platonic solids cylinder cone sphere surface area volume Archaeologists and Egyptologists continue to study the Great Pyramids of Egypt. Even though some of the exterior materials used to build the pyramids have worn away, scientists can still speculate on the appearance of the pyramids when they were first built.




Identify Three-Dimensional Figures

A solid with all flat surfaces that enclose a single region of space is called a **polyhedron**. Each flat surface, or **face**, is a polygon. The line segments where the faces intersect are called **edges**. Edges intersect at a point called a *vertex*.



- A **prism** is a polyhedron with two parallel congruent faces called **bases**. The intersection of three edges is a **vertex**. Prisms are named by the shape of their bases. A **regular prism** is a prism with bases that are regular polygons. A cube is an example of a regular prism.
- A polyhedron with all faces (except for one) intersecting at one vertex is a **pyramid**. Pyramids are named for their bases, which can be any polygon. A polyhedron is a **regular polyhedron** if all of its faces are regular congruent polygons and all of the edges are congruent.

Some common polyhedrons are shown below.





Study Tip

There are exactly five types of regular polyhedra. These are called the **Platonic solids** because Plato described them extensively in his writings.


Common Misconception

Prisms can be oriented so the bases are not the top and bottom of the solid.

Platonic Solids										
Name	Tetrahedron Hexahedron Octahedron Dodecahedron Icosahedron									
Model										
Faces	4	6	8	12	20					
Shape of Face	equilateral triangle	square	equilateral triangle	regular pentagon	equilateral triangle					

There are solids that are *not* polyhedrons. Some or all of the faces in each of these types of solids are not polygons.

- A **cylinder** is a solid with congruent circular bases in a pair of parallel planes.
- A **cone** has a circular base and a vertex.
- A **sphere** is a set of points in space that are a given distance from a given point.




Reading Math

Symbols This symbol \Box means rectangle. The symbol \triangle means triangle. The symbol \odot means circle.

EXAMPLE Identify Solids

Identify each solid. Name the bases, faces, edges, and vertices.



The base is a rectangle, and the four faces meet in a point. So this solid is a rectangular pyramid.

Base: $\Box ABCD$ **Faces:** $\Box ABCD$, $\triangle AED$, $\triangle DEC$, $\triangle CEB$, $\triangle AEB$ **Edges:** \overline{AB} , \overline{BC} , \overline{CD} , \overline{DA} , \overline{AE} , \overline{DE} , \overline{CE} , \overline{BE} **Vertices:** A, B, C, D, E

The bases are right triangles. It is a triangular prism. **Bases:** $\triangle IJK$, $\triangle LMN$ **Faces:** $\triangle IJK$, $\triangle LMN$, $\Box ILNK$, $\Box KJMN$, $\Box IJML$ **Edges:** \overline{IL} , \overline{LN} , \overline{NK} , \overline{IK} , \overline{IJ} , \overline{LM} , \overline{JM} , \overline{MN} , \overline{JK} **Vertices:** *I*, *J*, *K*, *L*, *M*, *N*

The base is a circle and there is one vertex. So it is a cone.

Base: $\bigcirc Q$ **Vertex:** *P*

(continued on the next page)



Identify each solid. Name the bases, faces, edges, and vertices.





Your Progress

Surface Area and Volume The **surface area** is the sum of the areas of each face of a solid. **Volume** is the measure of the amount of space the solid encloses. You have studied surface area and volume in earlier math classes. The formulas for surface area and volume of four common solids are given below. You will derive these formulas in Chapters 12 and 13.

KEY CO	ONCEPT	Surface A	Area and Volume				
Solid	Prism	Pyramid	Cylinder	Cone			
	P h		r () h	e			
Surface Area	T = Ph + 2B	$T = \frac{1}{2}P\ell + B$	$T=2\pi rh+2\pi r^2$	$T = \pi r \ell + \pi r^2$			
Volume	V = Bh	$V = \frac{1}{3}Bh \qquad \qquad V = \pi r^2 h$		$V = \frac{1}{3}\pi r^2 h$			
P = perimeter of the base T = total surface area ℓ = slant height B = area of the base h = height of solid r = radius							

EXAMPLE Surface Area and Volume





The surface area of the square pyramid is 96 square centimeters.

b. Find the volume of the square pyramid.

$$V = \frac{1}{3}Bh$$
Volume of pyramid $= \frac{1}{3}(36)(4)$ Substitution $= 48 \text{ cm}^3$ Simplify.

The volume is 48 cubic centimeters.

CHECK Your Progress

2. Find the surface area and volume of a square pyramid that has a base with dimensions 10 centimeters, a height of 12 centimeters, and a slant height of 13 centimeters.

Formulas To find the surface area for each solid, find the area of the base(s), and add the


area of the face(s).

Study Tip





EXAMPLE Surface Area and Volume



3. CRAFTS Jessica is making candles with a mold of a square pyramid. The measure of each side of the base is 2 inches and the height is 4.5 inches. What volume of wax will fill the mold?


Personal Tutor at tx.geometryonline.com


Your Understanding

Example 1 Identify each solid. Name the bases, faces, edges, and vertices. (p. 61) 1. G вС Ε Example 2 For Exercises 3 and 4, refer to the figure. (p. 62) **3.** Find the surface area of the square prism. **4.** Find the volume of the square prism. Example 3 5. PARTY FAVORS Latasha is filling cone-shaped hats with candy for party (p. 63) favors. The base of each hat is 4 inches in diameter, and it is 6.5 inches deep. What volume of candy will fill the cone?



Exercises






16. SANDBOX A rectangular sandbox is 3 feet by 4 feet. The depth of the box is 8 inches, but the depth of the sand is $\frac{3}{4}$ of the depth of the box. What is the volume of sand in the sandbox? Round to the nearest tenth.

8

...17. ART Fernando and Humberto Campana designed the Inflating Table shown at the left. The diameter of the table is $15\frac{1}{2}$ inches. Suppose the height of the cylinder is $11\frac{3}{4}$ inches. What volume of air will fully inflate the table? Round to the nearest tenth. Assume that the side of the table is perpendicular to the bases of the table.

FOOD In 1999, Marks & Spencer, a British department store, created the biggest sandwich ever made. The tuna and cucumber sandwich was in the form of a triangular prism. Suppose each slice of bread was 8 inches thick. Refer to the isometric view of the sandwich.

5



16

16

- **18.** Find the surface area in square feet to the nearest tenth.
- **19.** Find the volume, in cubic feet, of filling to the nearest tenth.
- **20.** The surface area of a cube is 54 square inches. Find the length of each edge.
- **21.** The volume of a cube is 729 cubic centimeters. Find the length of each edge.




Real-World Link .

The Campana brothers started a design workshop in which participants create art using objects that can be inflated, such as tires or balloons.

Source: arango-design.com



- **22. PAINTING** Desiree is painting her family's fence. Each post is composed of a square prism and a square pyramid. The height of the pyramid is 4 inches. Determine the surface area to be painted and the volume of each post.
- **23. CHANGING DIMENSIONS** A rectangular prism has a length of 12 centimeters, width of 18 centimeters, and height of 22 centimeters. Describe the effect on the volume of a rectangular prism when each dimension is doubled.



For Exercises 24–26, use the following table.

- Number Prism Pyramid of Faces 4 tetrahedron none 2 5 square or rectangular a. ? 6 ? b. . C. ? 7 d. . pentagonal 8 ? heptagonal e.
- **24.** Name the type of prism or pyramid that has the given number of faces.

- **25.** Analyze the information in the table. Is there a pattern between the number of faces and the bases of the corresponding prisms and pyramids?
- **26.** Is it possible to classify a polyhedron given only the number of faces? Explain.
- **27. COLLECT DATA** Use a ruler or tape measure and what you have learned in this lesson to find the surface area and volume of a soup can.
- **28. EULER'S FORMULA** The number of faces *F*, vertices *V*, and edges *E* of a polyhedron are related by Euler's (OY luhrz) Formula: F + V = E + 2. Determine whether Euler's Formula is true for each of the figures in Exercises 6–11.
- EXTRA PRACIOC See pages 802, 828. Math Self-Check Quiz at tx.geometryonline.com

H.O.T. Problems ...

- **29. OPEN ENDED** Draw a rectangular prism.
- **30. REASONING** Compare a square pyramid and a square prism.


CHALLENGE Describe the solid that results if the number of sides of each base increases infinitely. The bases of each solid are regular polygons inscribed in a circle.


31. pyramid

32. prism


33. *Writing in Math* Refer to the information on archaeologists on page 60. Explain how classifying the shape of an ancient structure is helpful to their study.







35. GRADE 8 REVIEW Which point on the grid satisfies the conditions $x \ge 3$ and $y \le -4$?



 $\mathbf{F} A$

G B

H C I D

Spiral Review

D 210 in³

Find the perimeter and area of each figure. (Lesson 1-6)

- **36.** a square with length 12 feet
- **37.** a rectangle with length 4.2 inches and width 15.7 inches
- **38.** a square with length 18 centimeters
- **39.** a rectangle with length 5.3 feet and width 7 feet

Find the measure of the angles. (Lesson 1-5)

- **40.** The measures of two complementary angles are $(3x + 14)^{\circ}$ and $(5x 8)^{\circ}$.
- **41.** The measures of two supplementary angles are $(10x 25)^{\circ}$ and $(15x + 50)^{\circ}$.

Find the value of the variable and MP, if P is between M and N. (Lesson 1-2)

42. $MP = 7x$, $PN = 3x$, $PN = 24$	43. $MP = 2c$, $PN = 9c$, $PN = 63$
44. $MP = 4x, PN = 5x, MN = 36$	45. $MP = 6q$, $PN = 6q$, $MN = 60$
46. $MP = 4y + 3$, $PN = 2y$, $MN = 63$	47. $MP = 2b - 7$, $PN = 8b$, $MN = 43$

MAPS For Exercises 48 and 49, refer to the map, and use the following information. (Lesson 1-1)

A map represents a plane. Points on this plane are named using a letter/number combination.

- **48.** Name the point where Raleigh is located.
- **49.** What city is located at (F, 5)?

 1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13

 A
 B
 Winston-Salem
 NORTH CAROLINA

 D
 00
 Durham
 Raleigh

 F
 Charlotte
 Fayetteville

 H
 1
 55
 Fayetteville

 J
 55
 Fayetteville
 Fayetteville


COncepts in MOtion Geometry Lab Animation tx.geometryonline.com **Orthographic Drawings** and Nets



XTEND

TARGETED TEKS G.6 The student analyzes the relationship between three-dimensional geometric figures and related two-dimensional representations and uses these representations to solve problems. (B) Use nets to represent and construct three-dimensional geometric figures. (C) Use orthographic and isometric views of three-dimensional geometric figures to represent and construct three-dimensional geometric figures and solve problems. G.9 The student analyzes properties and describes relationships in geometric figures. (D) Analyze the characteristics of polyhedra and other three-dimensional figures and their component parts based on explorations and concrete models.

If you see a three-dimensional object from only one viewpoint, you may not know its true shape. Here are four views of a square pyramid. The two-dimensional views of the top, left, front, and right sides of an object are called an orthographic drawing.



ACTIVITY

Make a model of a figure given the orthographic drawing.


- The top view indicates two rows and two columns of different heights.
- The front view indicates that the left side is 5 blocks high and the right side is 3 blocks high. The dark segments indicate breaks in the surface.
- The right view indicates that the right front, left front, and right back columns are 1, 4, and 3 blocks high, respectively.
- Check the left side of your model. All of the blocks should be flush.

If you cut a cardboard box at the edges and lay it flat, you will have a pattern, or **net**, for the three-dimensional solid.

ACTIVITY 2


Make a model of a figure given the net


The figure is a rectangular prism. Use a la sheet of paper, a ruler, scissors, and tape. Measure the dimensions on the paper. Cut around the edges. Fold the pattern on the solid lines and secure the edges with tape.




MODEL AND ANALYZE

1. Make a model of a figure given the orthographic drawing. Then find the volume of the model.











top view left view

front view right view



		• • •		•
		• • •		•
		•••		•
t.		•••		•
	• [<u> </u>		· /! /
large		•••		• / / /
	4 in.		┝╍╤╤╼╍┙	•
•	. 7 in.	6 in.	7 in.	. /

Study Guide and Review



Download Vocabulary Review from tx.geometryonline.com

FOLDABLES Study Organizer

Be sure the following Key Concepts are noted in your Foldable.



Key Concepts

Points, Lines, and Planes (Lesson 1-1)

- There is exactly one line through any two points.
- There is exactly one plane through any three noncollinear points.

Distance and Midpoints (Lesson 1-3)

- On a number line, the measure of a segment with endpoint coordinates a and b is given by |a b|.
- In the coordinate plane, the distance between two points (x_1, y_1) and (x_2, y_2) is given by

$$d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)}$$

- On a number line, the coordinate of the midpoint of a segment with endpoints that have coordinates *a* and *b* is $\frac{a+b}{2}$.
- In the coordinate plane, the coordinates of the midpoint of a segment with endpoints that are

$$(x_1, y_1)$$
 and (x_2, y_2) are $\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right)$.

Angles (Lessons 1-4 and 1-5)

- An angle is formed by two noncollinear rays that have a common endpoint. Angles can be classified by their measures.
- Adjacent angles are two angles that lie in the same plane and have a common vertex and a side but no common interior parts.
- Vertical angles are two nonadjacent angles formed by two intersecting lines.
- A linear pair is a pair of adjacent angles with noncommon sides that are opposite rays.
- Complementary angles are two angles with measures that have a sum of 90.
- Supplementary angles are two angles with measures that have a sum of 180.

Key Vocabulary

acute angle (p. 32) adjacent angles (p. 40) angle (p. 31) angle bisector (p. 35) area (p. 51) bases (p. 60) between (p. 15) circumference (p. 51) collinear (p. 6) complementary angles (p. 42) concave (p. 49) cone (p. 61) congruent (p. 15) construction (p. 16) convex (p. 49) coplanar (p. 6) cylinder (p. 61) degree (p. 31) edges (p. 60) face (p. 60) line (p. 6) linear pair (p. 40)

line segment (p. 13) midpoint (p. 22) obtuse angle (p. 32) opposite rays (p. 31) perimeter (p. 51) perpendicular (p. 43) plane (p. 6) point (p. 6) polygon (p. 49) polyhedron (p. 60) prism (p. 60) pyramid (p. 60) ray (p. 31) right angle (p. 32) segment bisector (p. 25) sides (p. 31) space (p. 8) sphere (p. 61) supplementary angles (p. 42) undefined term (p. 6) vertex (p. 31) vertical angles (p. 40)

Vocabulary Check

State whether each sentence is *true* or *false*. If *false*, replace the underlined word or phrase to make a true sentence.

- 1. A <u>line</u> is determined by points and has no thickness or width.
- **2.** Points that lie on the same plane are said to be <u>collinear</u>.
- **3.** The symbol \cong is read *is equal to*.
- **4.** Two angles whose measures have a sum of 180° are complementary angles.
- **5.** A <u>ray</u> can be measured because it has two endpoints.



Lesson-by-Lesson Review

1-1

1-2

Points, Lines, and Planes (pp. 6–11)

Draw and label a figure for each relationship.

- **6.** Lines *ℓ* and *m* are coplanar and meet at point *C*.
- **7.** Points *S*, *T*, and *U* are collinear, but points *S*, *T*, *U*, and *V* are not.
- **8. FLAGS** The Texas state flag is shown below. Identify the geometric figures that could be represented by this flag.


Example 1 Draw and label a figure for the relationship below.

Line *w* intersects plane \mathcal{K} at *R*.

Draw a surface to represent plane \mathcal{K} and label it.

Draw a line intersecting the plane and label it.

Draw a dot where the line and the plane meet and label it.




Linear Measure and Precision (pp. 13-20)


Find the value of the variable and *PB*, if *P* is between *A* and *B*.
9. AP = 7, PB = 3x, AB = 25

10. AP = s + 2, PB = 4s, AB = 8s - 7


11. AP = -2k, PB = k + 6, AB = 11

Determine whether each pair of segments is congruent.





Example 2 Use the figure to find the measurement \overline{JK} .



JK = JR + RK Betweenness of points

= 14 + 9 Substitution

= 23 Simplify.

So, \overline{JK} is 23 centimeters long.

Example 3 Find the precision for 62 miles.

The measurement is precise to within 0.5 miles. So, a measurement of 62 miles could be 61.5 to 62.5 miles.

Study Guide and Review



Distance and Midpoints (pp. 21–29)

Use the Pythagorean Theorem to find the distance between each pair of points. **15.** A(1, 0), B(-3, 2)**16.** G(-7, 4), L(3, 3)

Use the Distance Formula to find the distance between each pair of points. **17.** J(0, 0), K(4, -1)

18. M(-4, 16), P(-6, 19)

Find the coordinates of the midpoint of each segment.

- **19.** U(-6, -3), V(12, -7)
- **20.** R(3.4, -7.3), S(-2.2, -5.4)
- **21. WALKING** Paul and Susan are standing outside City Hall. Paul walks three blocks north and two blocks west while Susan walks five blocks south and four blocks east. If City Hall represents the origin, find the coordinates of the midpoint of Paul and Susan's locations.

Example 4 Find the distance between A(3, -4) and B(-2, 10).

Let
$$(x_1, y_1) = (3, -4)$$
 and
 $(x_2, y_2) = (-2, -10).$
 $d = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$
 $= \sqrt{(-2 - 3)^2 + (-10 - (-4))^2}$
 $= \sqrt{(-5)^2 + (-6)^2}$

The distance from *A* to *B* is $\sqrt{61}$ units or about 7.8 units.

Example 5 Find the coordinates of the midpoint between G(5, -2) and N(-1, 6).


Let $(x_1, y_1) = (5, -2)$ and $(x_2, y_2) = (-1, 6)$.

$$M\left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right)$$

= $M\left(\frac{5 + (-1)}{2}, \frac{-2 + 6}{2}\right)$
= $M(2, 2)$


 $=\sqrt{61}$

The coordinates of the midpoint are (2, 2).




angles and classify them as *right*, *acute*, or *obtuse*.


Example 6 Refer to the figure. Name all angles that have *E* as a vertex.



∠3, ∠2, ∠HEF, ∠DEH, ∠CED, ∠CEF, ∠CEH, ∠DEF


Mixed Problem Solving For mixed problem–solving practice, see page 828.





- **26.** Name a linear pair whose vertex is *Y*.
- **27.** Name an angle supplementary to $\angle XWY$.
- **28.** If $m \angle TWZ = 2c + 36$, find *c* so that $\overline{TW} \perp \overline{WZ}$.
- **29. DRIVING** At the intersection of 3rd and Main Streets, Sareeta makes a 110° turn from Main onto 3rd. Tyrone, behind her, makes a left turn onto 3rd. If 3rd and Main are straight lines, what is the angle measure of his turn?

Example 7 Refer to the figure. Name a linear pair whose vertex is *P*.



Sample answers: $\angle APR$ and $\angle RPC$, $\angle APD$ and $\angle DPC$, $\angle DPA$ and $\angle APB$, $\angle APB$ and $\angle BPC$, $\angle BPR$ and $\angle RPD$.

1–6 Two-Dimensional Figures (pp. 49–57)

Name each polygon by its number of sides. Then classify it as *convex* or *concave* and *regular* or *irregular*.



32. BEES A honeycomb is formed by repeating regular hexagonal cells, as shown. The length of one side of a cell can range from 5.21 millimeters to 5.375 millimeters. Find the range of perimeters of one cell.



Example 8 Name the polygon by its number of sides. Then classify it as *convex* or *concave* and *regular* or *irregular*.



There are 8 sides, so this is an octagon. A line containing two of the sides will pass through the interior of the octagon, so it is concave. Since it is concave, it cannot be regular.


CHAPTER

Study Guide and Review




Three-Dimensional Figures (pp. 60–66)


Identify each solid. Name the bases, faces, edges, and vertices.



Find the surface area of each solid.




36.



39. CEREAL Company A created a cereal box with dimensions 8.5 by 1.75 by 11.5 inches. Their competitor, company B, created a cereal box with dimensions 8.5 by 2 by 11.25 inches. Which company created the box that would hold more cereal?

Example 9 Identify the solid below. Name the bases, faces, edges, and vertices.




This solid has congruent circular bases in a pair of parallel planes. So, it is a cylinder.

Bases: $\odot W$ and $\odot Y$

A cylinder has no faces, edges, or vertices.

Example 10 Find the surface area and volume of the rectangular pyramid below.



$$T = \frac{1}{3}P\ell + B$$
 Surface area of pyramid
= $\frac{1}{3}(40)(10) + 96$ Substitution
 $\approx 229.3 \text{ yd}^2$

The surface area is about 229.3 square yards.


$$V = \frac{1}{3}Bh$$
 Volume of pyramid
= $\frac{1}{3}(96)(8)$ Substitution
= 256 yd³

The volume is 256 cubic yards.

Practice Test

For Exercises 1–3, refer to the figure below.

CHAPTER



- **1.** Name the line that contains points *B* and *F*.
- **2.** Name a point that is not contained in lines ℓ or *m*.
- **3.** Name the intersection of lines ℓ and n.

Find the value of the variable and *VW* if *V* is between *U* and *W*.


- **4.** UV = 2, VW = 3x, UW = 29
- **5.** UV = r, VW = 6r, UW = 42
- **6.** UV = 4p 3, VW = 5p, UW = 15
- **7.** UV = 3c + 29, VW = -2c 4, UW = -4c

Find the coordinates of the midpoint of a segment having the given endpoints. Then find the distance between the endpoints.

8.
$$G(0, 0), H(-3, 4)$$

9. $A(-4,-4), W(-2, 2)$
10. $N(5, 2), K(-2, 8)$

For Exercises 11–14, refer to the figure below.



- **11.** Name the vertex of $\angle 6$.
- **12.** Name the sides of $\angle 4$.
- **13.** Write another name for $\angle 7$.
- **14.** Write another name for $\angle ADE$.
- **15. ALGEBRA** The measures of two supplementary angles are $(4r + 7)^{\circ}$ and $(r 2)^{\circ}$. Find the measures of the angles.



Chapter Test at tx.geometryonline.com

16. ALGEBRA Two angles are complementary. One angle measures 26 degrees more than the other. Find the measures of the angles.

Find the perimeter of each polygon.


- **17.** triangle *PQR* with vertices P(-6, -3), Q(1, -1), and R(1, -5)
- **18.** pentagon *ABCDE* with vertices A(-6, 2), B(-4, 7), C(0, 4), D(0, 0), and E(-4, -3)

DRIVING For Exercises 19 and 20, use the following information and the diagram.

The city of Springfield is 5 miles west and 3 miles south of Capital City, while Brighton is 1 mile east and 4 miles north of Capital City. Highway 1 runs straight between Brighton and Springfield; Highway 4 connects Springfield and Capital City.



- **19.** Find the length of Highway 1.
- **20.** How long is Highway 4?
- **21. TEST PRACTICE** Which figure is NOT a polygon?



CHAPTER

Texas Test Practice


4

Read each question. Then fill in the correct answer on the answer document provided by your teacher or on a sheet of paper.

- 1. Megan's class sold all of the tickets to a pancake breakfast. The tickets cost \$9 each. The cafeteria where the breakfast was held has 22 long tables with 12 seats at each table. Which of the following is a correct method for Megan to calculate the total amount of ticket sales?
 - A Megan can multiply 22 by 12 and then add \$9.
 - **B** Megan can add 22 and 12 and then multiply by \$9.
 - C Megan can multiply 22 by \$9 then add 12.
 - **D** Megan can multiply 22 by 12 and then multiply by \$9.
- **2.** The drawing shows a view of a building.




Which drawing best represents the top view of this building?



- **3. GRIDDABLE** What is the *y*-coordinate of the solution to the system of linear equations below? 2y + 3x = -13
 - 5y + 3x = 23

4. Which mapping best represents the function $y = 3x^2 - 4$ when the replacement set for *x* is $\{-1, 0, 2\}$?




- 5. Simplify the algebraic expression $3(x-2)(x+4) - 2(x^2 + 3x - 5)$. F $x^2 + 3x + 14$ G $x^2 - 14$ H $5x^2 + 12x - 14$ J $x^2 + 12x + 34$
- **6. GRIDDABLE** A function if described by the equation f(x) = 3x 5. What is the value of f(4)?


TEST-TAKING TIP

Question 6 Most standardized tests allow you to write in the test booklet or on scrap paper. To avoid careless errors, work out your answers on paper rather than in your head.


Get Ready for the Texas Test For test-taking strategies and more practice,

see pages TX1-TX35.





Which top view drawing represents the same structure shown above with the number of cubes in each column.




- **8.** What is the *y*-intercept of the function f(x) = -2(x + 4)?
 - **F** −2
 - **G** –4
 - H -8
 - J 4
- **9. GRIDDABLE** Ray *BD* is the bisector of $\angle ABC$. If $m \angle ABD = 2x + 4$ and $m \angle CBD = 5x - 35$, what is the measure of $\angle ABD$?

10. The sides of squares can be used to form triangles. The areas of the squares that form right triangles have a special relationship.



Using the dimensions of the squares shown below, determine which set of squares will form a right triangle.



Pre-AP

Record your answer on a sheet of paper. Show your work.

 William Sparrow and his father are rebuilding the (a + 10) roof of their barn.
 They first build a system of rafters

to support the roof. The angles formed by each beam are shown in the diagram.

- **a.** If *a* = 25, what are the measures of the five angles formed by the beams? Justify your answer.
- **b.** Classify each of the angles formed by the beams.

NEED EXTRA HELP?											
If You Missed Question	1	2	3	4	5	6	7	8	9	10	11
Go to Lesson or page	781	1-7	788	786	TX 9	780	1-7	785	1-5	1-3B	1-5
For Help with TEST Objective	10	7	4	1	2	1	7	3	8	7	8