

Mathematics Curriculum




GRADE 5 • MODULE 5

Table of Ontents


GRADE 5 • MODULE 5


Addition and Multiplication with Volume and Area


Module Overview	
Topic A: Concepts of Volume	.5.A.1
Topic B: Volume and the Operations of Multiplication and Addition	.5.B.1
Topic C: Area of Rectangular Figures with Fractional Side Lengths	. 5.C.1
Topic D: Drawing, Analysis, and Classification of Two-Dimensional Shapes	.5.D.1
Module Assessments	5.S.1




1. The following solids are made up of 1-cm cubes. Find the total volume of each figure, and write it in the chart below.









	$\overline{}$	$\overline{}$	
C.			






Figure	Volume	Explanation
А	$2cm^3$	I counted the cubes
В	4 cm	I added 3 cubes (bottom) and 1 cube (top)
С	6 cm3	I multiplied 2 layers x 3 cubes
D	6 cm	I added 4 cubes on bottom with 2 on top
E	12 cm	There are le cubes on each "floor" of the building
F	16cm3	I counted 8 cubes on the top "Floor" and then multiplied by 2.


- Draw the figures on the dot paper with the given number of unit cubes.
 - 3 cubic units



b. 6 cubic units



c. 12 cubic units




6. John built and drew a structure that has a volume of 5 cubic centimeters. His little brother tells him he made a mistake because he only drew 4 cubes. Help John explain to his brother why his drawing is accurate.

The cube on top is sitting on top of the cube that John's brother thought was missing.




7. Draw another figure below that represents a structure with a volume of 5 cubic centimeters.











Na	me	Date
1.	_	eter grid paper. Cut and fold each to make 3 open boxes, taping w many cubes would fill each box? Explain how you found the
	a	Number of cubes:
		1 layer with 4 cubes.
	b.	Number of cubes:
		2 layers with 6 cubes in each layer.
	c.	Number of cubes: 24
		2 layers with 12 cubes in each layer



Lesson 2:

Date:

Find the volume of a right rectangular prism by packing with cubic units and counting.

1/10/14



5.A.24

2. How many centimeter cubes would fit inside each box? Explain your answer using words and diagrams on the box. (The figures are not drawn to scale; the first box is 3 centimeters across and 2 centimeters wide.)


a.



Number of cubes:


Explanation: There is one layer with le cubes in the layer.

b.



Explanation: There are 2 layers. Each layer has 6 cubes. 6x2=12

c.





Number of cubes: 32


Explanation: There are 4 layers. Each layer has 8 cubes.

8x4 = 32

3. The box pattern below holds 24 1-cm cubes. Draw two different box patterns that would hold the same number of cubes.









Lesson 2:

Find the volume of a right rectangular prism by packing with cubic units and counting.


Date: 1/1


1/10/14




- 1. Use the prisms to find the volume.
 - The rectangular prisms pictured below were constructed with 1-cm cubes
 - Decompose each prism into layers in three different ways, and show your thinking on the blank prisms.
 - Complete each table

Number of Layers	Number of Cubes in Each Layer	Volume of the Prism	
2	12	2	cubic cm
4	6	24	cubic cm
3	8	24	cubic cm













Number of Layers	Number of Cubes in Each Layer	Volume of	the Prism
5	6	30	cubic cm
3	10	30	cubic cm
2	15	30	cubic cm












Lesson 3: Date:


Compose and decompose right rectangular prisms using layers. 1/10/14



 Stephen and Chelsea want to increase the volume of this prism by 72 cubic centimeters. Chelsea wants to add eight layers and Stephen says they only need to add four layers. Their teacher tells them they are both correct. Explain how this is possible.




Chelsea sees the 9 cubes at the end of the prism as a layer. 9x8 = 72



3. Juliana makes a prism 4 inches across and 4 inches wide, but only 1 inch tall. She then decides to create layers equal to her first one. Fill in the chart below and explain how you know the volume of each new prism.

Number of Layers	Volume	Explanation	
3	48 in3	Each layer has 16 cubes, so 3 layers is	3×16in
5	80 in ³	5 layers with each layer being 16in3. 5x 16in3 = 80 in3	
7	112 in ³	1 layer 15 16 in 3, so 7 x 16 in 3 = 112 in	

4. Imagine the rectangular prism below is 4 meters long, 3 meters tall, and 2 meters wide. Draw horizontal lines to show how the prism could be decomposed into layers that are 1 meter in height.



It has $\frac{4}{m}$ layers from left to right.

Each layer contains $\frac{6}{m}$ cubic units.

The volume of this prism is $\frac{24}{m}$.




Lesson 3: Date: Compose and decompose right rectangular prisms using layers. 1/10/14



Name Date


Each rectangular prism is built from centimeter cubes. State the dimensions and find the volume.

a.




Length: 5 cm
Width: 2 cm
Height: cm

Volume: 40 cm³




b.




Length: 3 cm
Width: 2 cm
Height: 5 cm


Volume: 30 cm³




c.




Length: ____ cm Width: ____ cm Height: ____ cm Volume: 32 cm³



d.



Length: $\frac{8}{3}$ cm Width: $\frac{3}{3}$ cm Height: $\frac{3}{3}$ cm



2. Write a multiplication sentence that you could use to calculate the volume for each rectangular prism in Problem 1. Include the units in your sentences.


a. 5 cm x 2 cm x 4 cm = 40 cm/b. 3 cm x 2 cm x 5 cm = 30 cm³

c. 4cm x 2cm x 4cm = 32cm³ d.

8 cm × 3 cm × 3 cm = 72 cm 3


3. Calculate the volume of each rectangular prism. Include the units in your number sentences.

a.



volume: 8 in × 4 in × 8 in = 256 in3

b.



Volume: 10mx7mx3m = 210 m3

4. Mrs. Johnson is constructing a box in the shape of a rectangular prism to store clothes for the summer. It has a length of 28 inches, a width of 24 inches, and a height of 30 inches. What is the volume of the box?

$$V = 1 \times w \times h$$

= 28 in x 24 in x 30 in
= 20,160 in³

The volume of the box is 20,160 cubic inches.

- 5. Calculate the volume of each rectangular prism using the information that is provided.
 - a. Face area: 56 square meters, height: 4 meters.

b. Face area: 169 square inches, height: 14 inches.

$$V = (face area) \times height$$

$$= 169 in^{2} \times 14 in$$

$$= 2,366 in^{3}$$



Lesson 4: Date: Use multiplication to calculate volume. 1/10/14




Name

Date


1. Johnny filled a container with 30 centimeter cubes. Shade the beaker to show how much water the container will hold. Explain how you know.

Since I cm of water is equal to 1 mL, 30 centimeter cubes is equal to 30 mL.




2. A beaker contains 250 mL of water. Jack wants to pour the water into a container that will hold the water. Which of the containers pictured below could he use? Explain your choices. $\sqrt{=2cm \times 25cm \times 5cm}$

A $V = 6 \text{ cm} \times 12 \text{ cm}$ $V = 6 \text{ cm} \times 12 \text{ cm}$ $V = 864 \text{ cm}^{3}$ $V = 20 \text{ cm}^{2} \times 12 \text{ cm}$ $V = 20 \text{ cm}^{3} \times 12 \text{ cm}$ $V = 20 \text{ cm}^{3} \times 12 \text{ cm}$



C




Jack could use container A or C.

V = 15 cm x 3 cm x 5 cm = 225 cm³

= 250 cm

$$1 \text{ cm}^3 = 1 \text{ mL}$$



 $V = 40 \text{ cm} \times 30 \text{ cm} \times 20 \text{ cm}$ = 24,000 cm³ = 24,000 m L

COMMON CORE

Lesson 5:

Date:

Use multiplication to connect volume as *packing* with volume as *filling*.

1/10/14


engage"

Name


Date

- 1. Find the total volume of the figures and record your solution strategy.
 - a.





Volume: 72 in 3





Volume:

Solution Strategy:

Volume of B = 2in x 5in x 2in = 52 in³ Volume of B = 2in x 5in x 2in = 20 in³ Total = 52 in³ + 20 in³ = 72 in³ Solution Strategy:

Volume of C=2cmx 18cm × 3cm = 108 cm³ Volume of D=7cmx 21cm × 9cm = 1,323 cm³ Total = 108 cm³ + 1,323 cm³ = 1,431 cm³






Volume: 72 mm + 132 mm + 45 mm³

 $Volume: \frac{432 m^3 + 40 m^3 = 472}{1000 m^3}$

Solution Strategy: = 249 mm³

Solution Strategy:



15m-9m gives the height of I.



Lesson 6: Date: Find the total volume of solid figures composed of two non-overlapping rectangular prisms. 1/10/14

engage^{ny}

2. A planting box (pictured below) is made of two sizes of rectangular prisms. One type of prism measures 3 inches by 6 inches by 14 inches. The other type measures \(5 \) inches by \(\frac{1}{6} \) inches. What is total volume of three such boxes?

$$\frac{750 \text{ in}^3}{+ 504 \text{ in}^3}$$


$$\frac{1254 \text{ in}^3}{}$$

is volume of one box

$$1254 \times 3 = 3762$$


Total volume = 3,762 in3

3. The combined volume of two identical cubes is 250 cubic centimeters. What is the measure of one cube's



The edge of one cube is 5 cm long.

4. A fish tank has a base area of 45 cm² and is filled with water to a depth of 12 cm. If the height of the tank is 25 cm, how much more water will be needed to fill the tank to the brim?




$$V_{\text{water}} = 45 \text{cm}^2 \times 12 \text{cm}$$
$$= 540 \text{cm}^3$$


$$V_{\text{tank}} = 45 \text{ cm}^2 \times 25 \text{ cm}$$

= 1,125 cm³

585 cm more water is needed.

5. Three rectangular prisms have a combined volume of 518 cubic feet. Prism A has one-third the volume of Prism B, and Prisms B and C have equal volume. What is the volume of each prism?





c= 222 ft3




Lesson 6: Date: Find the total volume of solid figures composed of two non-overlapping rectangular prisms. 1/10/14

engage^{ny}

Name	Date	
TTUIL _		

Wren makes some rectangular display boxes.

1. Wren's first display box is 6 inches long, 9 inches wide, and 4 inches high. What is the volume of the display box? Explain your work using a diagram.





$$V = l \times w \times h$$

= 6in × 9in × 4in
= 216 in³

V=lxwxh The box has a volume = 6in × 9in × 4in of 216 in3.

2. Wren wants to put some artwork into three large display boxes. She knows they all need a volume of 60 cubic inches, but she wants them all to be different. Show three different ways Wren can make these boxes by drawing diagrams and labeling the measurements.





V=lxwxh =15in x2in x2ih $= l_0 D in^3$



Lesson 7:


Date:

Solve word problems involving the volume of rectangular prisms with whole number edge lengths.

1/10/14



3. Wren wants to build a box to organize her scrapbook supplies. She has a stencil set that is 12 inches wide that needs to lay flat in the bottom of the box. The supply box must also be no taller than 2 feet. Name one way she could build a toy box with a volume of 72 cubic inches.



$$V = 1 \times x \times h$$


= $12 \text{ in} \times 3 \text{ in} \times 2 \text{ in}$
= 72 in^3 3 inches wide, and 2 inches high.

- the box is 2 inches long, 2 inches high.
- 4. After all of this organizing, Wren decides she also needs more storage for her soccer equipment. Her current storage box measures 1 foot long by 2 feet wide by 2 feet high. She realizes she needs to replace it with a box with 12 cubic feet of storage, so she doubles the width.
 - Will she achieve her goal if she does this? Why or why not?

$$1 + x = 8 + 3$$

When does not reach her goal.

b. If she wants to keep the height the same, what could the other dimensions be for a 12-cubic-foot



$$V = 1 \times w \times h$$

$$= 2ft \times 3ft \times 2ft$$

$$= 12ft^3$$

If she uses the dimensions in Part (b), what is the area of the new storage box's floor?

d. How has the area of the bottom in her new storage box changed? Explain how you know.

The original area of the box floor in Part (a) was Zft2 (1ft x 2ft) In Part (c) the area of the box floor is 6 ft2 (2ftx 3ft).



Lesson 7:

Solve word problems involving the volume of rectangular prisms with whole number edge lengths.

Name	Date	

1. I have a prism with the dimensions of 6 cm by 12 cm by 15 cm. Calculate the volume of the prism, then give the dimensions of three different prisms that have $\frac{1}{3}$ of the volume.

	Length	Width	Height	Volume
Original Prism	6 cm	12 cm	15 cm	$1080 \mathrm{cm}^3$
Prism 1	10 cm	4 cm	9 cm	360 cm ³
Prism 2	10 cm	le cm	6 cm	360 cm ³
Prism 3	10 cm	2 cm	18 cm	360 cm ³

2. Sunni's bedroom has the dimensions of 11 ft by 10 ft by 10 ft. Her den has the same height, but double the volume. Give two sets of the possible dimensions of the den and the volume of the den.

Bedroom: 11ft x 10ft x 10ft = 1100 ft 3

Den :
$$11ft \times x + x = 2200 ft^3$$

Den : * Hft x 10 ft x 10 ft = 2200 ft3



Lesson 8:

Date:

Apply concepts and formulas of volume to design a sculpture using rectangular prisms within given parameters. 1/10/14



Na	me		Date
1.			Describe the item you are measuring (cereal box, the nearest whole inch and calculate the volume.
	a. Rectangular Pr	rism A	\sim
	Item:		7
	Height:	inches	Maswers
	Length:	inches	ANISME
	Width:	inches	// // // // // // // // // // // // //
	Volume:	cubic inches	W. CV.
	b. Rectangular Pr	icm B	
	Item:	13111 D	
	item:		
	Height:	inches	
	Length:	inches	
	Width:	inches	
	Volume:	cubic inches	
	c. Rectangular Pr	rism C	
	Item:		
	Height:	inches	
	Length:	inches	
	Width:	inches	
	Volume:	cubic inches	



Lesson 9:

Date:

Apply concepts and formulas of volume to design a sculpture using rectangular prisms within given parameters.






Name

Date _____


- 1. John tiled some rectangles using square unit. Sketch the rectangles if necessary, fill in the missing information, and then confirm the area by multiplying.
 - a. Rectangle A:



Rectangle A is


3 units long $2\frac{1}{2}$ units wide

b. Rectangle B:



Rectangle B is

c. Rectangle C:



Rectangle C is




Lesson 10:

Date:

Find the area of rectangles with whole-by-mixed and whole-byfractional number side lengths by tiling, record by drawing and relate to fraction multiplication.



Rectangle D is



$$2x| = 2$$

$$2x^{\frac{3}{4}} = \frac{6}{4} = |\frac{2}{4}| = |\frac{1}{2}|$$

$$2+|\frac{1}{2}| = 3\frac{1}{2}$$

$$2x| = 2$$

$$2x^{\frac{3}{4}} = \frac{6}{4} = |\frac{2}{4}| = |\frac{1}{2}$$

$$2 + |\frac{1}{2}| = 3\frac{1}{2}$$
Area = $\frac{3\frac{1}{2}}{4}$ units wide

2. Rachel made a mosaic from different color rectangular tiles. Three tiles measured $3\frac{1}{2}$ inches × 3 inches. Six tiles measured 4 inches $\times 3\frac{1}{4}$ inches. What is the area of the whole mosaic in square inches?

$$3\frac{1}{2}$$
 in x 3 in = $(3x3) + (\frac{1}{2}x3)$
= $9 + \frac{3}{2}$
= $9 + \frac{1}{2}$
= $10\frac{1}{2}$ in $\frac{1}{2}$

$$(3 \times 10^{\frac{1}{2}} \text{ in}^{2}) + (6 \times 13 \text{ in}^{2})$$

$$= 30 + \frac{3}{2} + 78$$

$$= 108 + 1\frac{1}{2}$$


$$= 109\frac{1}{2} \text{ in}^{2}$$

$$4 \text{ in } \times 3\frac{1}{4} \text{ in } = (4\times3) + (4\times\frac{1}{4})$$

= $12 + \frac{4}{4}$
= $12 + 1$
= 13 in^2

The area of the whole mosaic is
$$109 \pm in^2$$
.

3. A garden box has a perimeter of $27\frac{1}{2}$ feet. If the length is 9 feet, what is the area of the garden box?



9ft ×
$$\frac{4^{3}}{4}$$
 ft The area of the
= $(9x4) + (9x\frac{3}{4})$ box is $42\frac{3}{4}$ ft²
= $36 + \frac{27}{4}$
= $36 + 6\frac{3}{4}$
= $42\frac{3}{4}$ ft²

 $=(9x4)+(9x\frac{3}{4})$ box is $42\frac{3}{4}$



Lesson 10:

Date:

Find the area of rectangles with whole-by-mixed and whole-by-fractional number side lengths by tiling, record by drawing and relate to fraction multiplication.



Name

Date


- 1. Kristen tiled the following rectangles using square units. Sketch the rectangles, and find the areas. Then confirm the area by multiplying. Rectangle A has been sketched for you.
 - a. Rectangle A:


	2 units	3 unit
unit [2 wits2	4 units
-12 unit	_l_lunits2	3 units2

Rectangle A is
$$\frac{2}{4} \quad \text{units long} \times \frac{1}{2} \quad \text{units wide}$$
Area =
$$\frac{4}{8} \quad \text{units}^{2}$$

Area =
$$\frac{18}{4}$$
 units²
 $2\frac{1}{4} \times |\frac{1}{2}| = (1 \times 2) + (1 \times \frac{3}{4}) + (\frac{1}{2} \times 2) + (\frac{1}{2} \times \frac{3}{4})$
= $\frac{1}{4} \times |\frac{1}{2}| + \frac{3}{8}$
= $\frac{1}{4} \times |\frac{1}{4}| + \frac{3}{4} \times |\frac{3}{8}| + \frac{3}{8} = \frac{1}{8}$
Rectangle B is

Rectangle B is





 $2\frac{1}{2}$ units long $\times \frac{3}{4}$ unit wide

Area =
$$\frac{1}{8}$$
 units $\frac{3}{4}$ units $\frac{3}{4}$ units $\frac{3}{4}$ units $\frac{3}{4}$ = $\frac{1}{8}$ units $\frac{3}{4}$ + $\frac{1}{4}$ + $\frac{3}{4}$ = $\frac{1}{4}$ + $\frac{3}{4}$ = $\frac{1}{4}$ = $\frac{1}{4}$ + $\frac{3}{4}$ = $\frac{1}{4}$ = \frac

Rectangle C is

c. Rectangle C:

さunit

$$3\frac{1}{3}$$
 units long $\times 2\frac{1}{2}$ units wide

Area =
$$\frac{1}{3}$$
 units²

$$= (2 \times 3) + (2 \times \frac{1}{3}) + (\frac{1}{2} \times 3) + (\frac{1}{2} \times \frac{1}{3})$$

$$= (2 \times 3) + (2 \times \frac{1}{3}) + (\frac{1}{2} \times 3) + (\frac{1}{2} \times \frac{1}{3})$$

$$= (2 \times 3) + (2 \times \frac{1}{3}) + (\frac{1}{2} \times 3) + (\frac{1}{2} \times \frac{1}{3})$$

$$= (2 \times 3) + (2 \times \frac{1}{3}) + (\frac{1}{2} \times 3) + (\frac{1}{2} \times \frac{1}{3})$$

$$= (2 \times 3) + (2 \times \frac{1}{3}) + (\frac{1}{2} \times 3) + (\frac{1}{2} \times \frac{1}{3})$$

$$= (2 \times 3) + (2 \times \frac{1}{3}) + (\frac{1}{2} \times 3) + (\frac{1}{2} \times \frac{1}{3})$$

$$= (3 \times \frac{14}{5} + \frac{1}{6}) + \frac{1}{6}$$

$$= (3 \times \frac{14}{5} + \frac{1}{6}) + \frac{1}{6}$$

$$= (3 \times \frac{14}{5} + \frac{1}{6}) + \frac{1}{6}$$




Lesson 11:

Date:

Find the area of rectangles with mixed-by-mixed and fraction-byfraction side lengths by tiling, record by drawing, and relate to fraction multiplication.

d. Rectangle D:



Rectangle D is


 $3\frac{1}{2}$ units long $\times 2\frac{1}{4}$ units wide

Area =
$$\frac{77}{8}$$
 units²

$$= 6 + 1 + \frac{3}{4} \times \frac{2}{2} + \frac{1}{8}$$

$$= 6 + 1 + \frac{6}{8} + \frac{1}{8} = 7\frac{7}{8}$$

2. A square has a perimeter of 25 inches. What is the area of the square?



The square has an area of 3916 in 3.

Area =
$$1 \times w$$

= $6 + 4 \times 6 + 4$
= $(6 \times 6) + (6 \times 4) + (4 \times 6) + (4 \times 4)$
= $36 + 4 + 4 + 16$
= $36 + 12 + 16$
= $36 + 3 + 16$
= $39 + 16$



Lesson 11:

Date:

Find the area of rectangles with mixed-by-mixed and fraction-byfraction side lengths by tiling, record by drawing, and relate to fraction multiplication.


engage^{ny}

Date


b.


1. Measure each rectangle with your ruler, and label the dimensions. Use the area model to find the area.


a.




c.







e.





Lesson 12: Date:

Measure to find the area of rectangles with fractional side lengths.



2. Find the area. Explain your thinking using the area model.

a.
$$2\frac{1}{4}$$
 yd $\times \frac{1}{4}$ yd $= \frac{2}{4} \times \frac{1}{4} + \frac{1}{16}$
b. $2\frac{1}{2}$ ft $\times 1\frac{1}{4}$ ft

$$\frac{2}{4}$$
 yd $\frac{1}{4}$ yd $= \frac{8}{16} + \frac{1}{16}$


$$= 2 + \frac{1}{2} + \frac{2}{4} + \frac{1}{8}$$

$$= 2 + \frac{1}{4} + \frac{1}{8}$$

$$= 3 + \frac{1}{8} + \frac{1}{4}$$

2 ft ½ ft 2 ft² ½ ft² 4 ft² ¼ ft²

3. Kelly buys a tarp to cover the area under her tent. The tent is 4 feet wide and has an area of 31 square feet. The tarp she bought is $5\frac{1}{3}$ feet by $5\frac{3}{4}$ feet. Can the tarp cover the area under Kelly's tent? Draw a model to show your thinking.



$$5\frac{1}{3} \times 5\frac{3}{4}$$


$$= 25 + \frac{5}{3} + \frac{5}{4} + \frac{3}{12}$$

$$= 25 + \frac{1}{3} + 3\frac{3}{4} + \frac{1}{4}$$

$$= 30\frac{2}{3} + \frac{1}{4}$$


The tamp is not big enough.

- 4. Shannon and Leslie want to carpet a $16\frac{1}{2}$ ft by $16\frac{1}{2}$ ft square room. They can't put carpet under an entertainment system that juts out. (See the drawing below.)
 - a. In square feet, what is the area of the space with no carpet?




$$2\frac{1}{2} \times 2\frac{1}{2} = 6\frac{1}{4} \text{ ft}^2$$

b. How many square feet of carpet will Shannon and Leslie need to buy?



$$|6\frac{1}{2} \times |6\frac{1}{2}| = 256 + 8 + 8 + \frac{1}{4}$$
$$= 272 + \frac{1}{4} + \frac{1}{4}$$



They need to buy
266 ft of carpet



Lesson 12: Date: Measure to find the area of rectangles with fractional side lengths. 1/10/14



Date

Find the area of the following rectangles. Draw an area model if it helps you.

a.
$$\frac{8}{3}$$
 cm $\times \frac{24}{4}$ cm
$$\frac{28 \times 248}{3 \times 41} = \frac{16}{1}$$

$$= \frac{16 \text{ cm}^2}{1}$$

b.
$$\frac{32}{5} \text{ft} \times 3\frac{3}{8} \text{ft}$$

$$= \frac{32}{5} \times \frac{27}{8}$$

$$= \frac{437 \times 27}{5 \times 81} = \frac{108}{5}$$

$$= 21\frac{3}{5} \text{ ft}^2$$


c.
$$5\frac{4}{6} \ln \times 4\frac{3}{5} \ln = 20 + 3 + 2\frac{4}{6} + \frac{12}{30} \text{ d.}$$
 $\frac{5}{7} \ln \times 6\frac{3}{5} \ln = 25 + \frac{20}{30} + \frac{12}{30}$
 $\frac{4}{6} \ln \frac{16}{6} = 2\frac{4}{6} \ln^2 \frac{12}{30} \ln = 25 + \frac{32}{30}$
 $= 25 + \frac{32}{30}$
 $= 25 + \frac{2}{30} = 26\frac{1}{15} \ln^2$

$$= \frac{5}{7} \times \frac{33}{5}$$

$$= \frac{5 \times 33}{7 \times 5} = \frac{33}{7}$$

$$= 4 \frac{5}{7} \text{ m}^2$$

2. Chris is making a table top from some leftover tiles. He has 9 tiles that measure $3\frac{1}{8}$ inches long and $2\frac{3}{4}$ inches wide. What is the area he can cover with these tiles?




$$3\frac{1}{8} \times 2\frac{3}{4}$$

$$= 6 + 2\frac{1}{4} + \frac{2}{8} + \frac{3}{32}$$

$$= 8 + \frac{1}{4} + \frac{1}{4} + \frac{3}{32}$$

$$= 8 + \frac{1 \times 16}{2 \times 16} + \frac{3}{32}$$

$$= 8 \frac{19}{32} \text{ in}$$



He can cover 7711 in 2.



Lesson 13:


Date:

Multiply mixed number factors, and relate to the distributive property and area model.

1/10/14

3. A hotel is recarpeting a section of the lobby. Carpet covers the part of the floor as shown below in grey. How many square feet of carpeting will be needed?

Area of large =
$$31\frac{7}{8}$$
ft × $19\frac{1}{2}$ ft
rectangle = $\frac{255}{8}$ × $\frac{39}{2}$ = $\frac{9945}{16}$ = $621\frac{9}{16}$ ft²




Area A =
$$1\frac{3}{4} \times 13\frac{3}{5}$$

= $\frac{47}{4} \times \frac{48}{5}^{17} = \frac{799}{5} = 159\frac{4}{5}$ ft

Area =
$$|2 \times 3\frac{3}{4}|$$

= $(12 \times 3) + (\frac{3}{12} \times \frac{3}{4})$
= $36 + 9$
= $45 + 6$



17 ft

Area =
$$17 \times 2\frac{1}{2}$$

= $(17 \times 2) + (17 \times \frac{1}{2})$
= $34 + \frac{17}{2}$
= $34 + 8\frac{1}{2}$
= $42\frac{1}{7}$ $+ \frac{1}{7}$

Area A + Area B + Area =
$$= 159 \frac{4}{5} + 45 + 42\frac{1}{2}$$

$$= 246 + \frac{4 \times 2}{5 \times 2} + \frac{1 \times 5}{2 \times 5}$$

$$= 246 + \frac{1}{10} + \frac{1}{10}$$

$$= 247\frac{3}{10}$$

Total - Uncarpeted
=
$$621\frac{9}{16} - 247\frac{3}{10}$$

= $374\frac{9\times5}{16\times5} - \frac{3\times8}{10\times8}$
= $374\frac{45}{80} - \frac{24}{80}$
= $374\frac{21}{80}$ ft²

We will need 374 20 ft of carpeting.



Lesson 13:

Date:


Multiply mixed number factors, and relate to the distributive property

1/10/14

Name

Date

1. Mr. Albano wants to paint menus on the wall of his café in chalkboard paint. The grey area below shows where the rectangular menus will be. Each menu will measure 6 feet wide and $7\frac{1}{3}$ ft long.



a. How many square feet of menu space will Mr. Albano have?

$$6f \times 7 = (6 \times 7) + (6 \times 2)$$
= 42 + 2
= 42 + 3
= 45 ft²

Total space for menus =
$$180 \text{ ft}^2$$

Total space for menus = 180 ft2

b. What is the area of wall space that is not covered by chalkboard paint?


Big heard:
$$25 \times 13\frac{2}{3}$$

= $(25 \times 13) + (25 \times \frac{2}{3})$
= $325 + \frac{50}{3}$
= $325 + \frac{16}{3} = 34 \frac{12}{3} + \frac{12}{3}$


$$341\frac{2}{3}-180 = 161\frac{2}{3}ft^2$$

Area not covered = 161 = ft2

2. Mr. Albano wants to put tiles in the shape of a dinosaur at the front entrance. He will need to cut some tiles in half to make the figure. If each square tile is $4\frac{1}{4}$ inches on each side, what will the total area of the figure be?



17×18台 = 306 + 176 = 306+1六 = 307 to in2



COMMON

Lesson 14:

Date:

Solve real world problems involving area of figures with fractional side lengths using visual models and/or equations. 1/10/14



3. A-Plus Glass is making windows for a new house that is being built. The box shows the list of sizes they must make.

15 windows
$$4\frac{3}{4}$$
 ft long and $3\frac{3}{5}$ ft wide

7 windows $2\frac{4}{5}$ ft wide and $6\frac{1}{3}$ ft long

How many square feet of glass will they need?

$$4\frac{3}{4} \times 3\frac{3}{5} = \frac{19}{4} \times \frac{189}{5} = \frac{171}{10} = 17\frac{1}{10} + 12$$

$$15 \times 17 = (15 \times 17) + (15 \times 16) = 255 + \frac{15}{10} = 255 + |\frac{5}{10} = 256 = 256 = 254$$

- Mr. Johnson needs to buy seed for his backyard lawn.
 - a. If the lawn measures $40\frac{4}{5}$ ft by $50\frac{7}{5}$ ft, how many square feet of seed will he need?

b. One bag of seed will cover 500 square feet if he sets his seed spreader to its lowest setting and 300 square feet if he sets the spreader to its highest setting. How many bags of seed will he need if he uses the highest setting? The lowest setting?

$$300\times6=1,800$$
 At the lowest setting, he would need 7 bags. $300\times7=2,100$



Lesson 14:

Date:

Solve real world problems involving area of figures with fractional side lengths using visual models and/or equations. 1/10/14


Name

Date _____

1. The width of a picnic table is 3 times its length. If the length is $\frac{5}{6}$ yd long, what is the area in square feet?



$$W = 3x = \frac{5}{62} = \frac{5}{2} = 2\frac{1}{2}$$






Area =
$$\frac{5}{6} \times \frac{2}{2} = \frac{25}{12} = \frac{2}{12} \times \frac{3}{4} + \frac{2}{12} = \frac{2}{12} \times \frac{3}{12} + \frac{2}{12} \times \frac{3}{12} = \frac{2}{12} \times \frac{3}{12} \times \frac{3}{12} \times \frac{3}{12} = \frac{2}{12} \times \frac{3}{12} \times \frac{3}{12} = \frac{2}{12} \times \frac{3}{12} \times \frac{3}{12} = \frac{2$$

2. A painting company will paint this wall. The homeowner gives them the following dimensions:

Window A is $6\frac{1}{4}$ ft $\times 5\frac{3}{4}$ ft Window B is $3\frac{1}{8}$ ft $\times 4$ ft Window C is $9\frac{1}{2}$ ft square



What is the area of the painted part of the wall?


Wall: $33 \times 52 = (33 \times 52) + (33 \times \frac{1}{2}) = |716 + \frac{33}{2} = |716 + |62 = |732 = |7$

Window A: 64x53 = 25 4 x 23 = 575 = 35 16 ft2

Window B: 3 = x 4 = (3x4)+(=x4)= 12+ = 12 = 12 = f+2

Window C: 9 = ft2

Door D: 8x4=32 ft2



1732= - 89 15 = 1732 16 - 89 15 = 1643 8 - 15 = 1642 16 +




Lesson 15:

Date:

Solve real world problems involving area of figures with fractional side lengths using visual models and/or equations. 1/10/14



3. A decorative wooden piece is made up of four rectangles as shown to the right. The smallest rectangle measures $4\frac{1}{2}$ inches by $7\frac{3}{4}$ inches. If $2\frac{1}{4}$ inches is added to each dimension as the rectangles get larger, what is the total area of the entire piece?



A:
$$4\frac{1}{2} \times 7\frac{3}{4} = \frac{9}{2} \times \frac{31}{4} = \frac{279}{8} = 34\frac{7}{8} \text{ in}^2$$

75:
$$(6\frac{3}{4} \times 10) = (6\times10) + (\frac{3}{4}\times10) = 60 + \frac{30}{4} = 60 + 7\frac{1}{2} = 67\frac{1}{2}$$
 in²

C:
$$9 \times 124 = (9x12) + (9x4) = 108 + 9 = 108 + 24 = 1/04in^2$$

T:
$$11\frac{1}{4} \times 14\frac{1}{2} = \frac{45}{4} \times \frac{29}{2} = \frac{1305}{8} = 163\frac{1}{8} \text{ in}^2$$

Total:

$$34\frac{7}{8} + 67\frac{1}{2} + 10\frac{1}{4} + 163\frac{1}{8} = 374 + \frac{7}{8} + \frac{1}{8} + \frac{1}{2} + \frac{1}{4}$$

$$= 375\frac{3}{4} \text{ in}^2$$

The total area is 375 \(\frac{3}{4} \) in 2.



Lesson 15:


Date:

Solve real world problems involving area of figures with fractional side lengths using visual models and/or equations.




Name	Date


- 1. Use a straightedge and the grid paper to draw:
 - a. A trapezoid with exactly 2 right angles.



b. A trapezoid with no right angles.



- 2. Kaplan incorrectly sorted some quadrilaterals into trapezoids and non-trapezoids as pictured below.
 - a. Circle the shapes that are in the wrong group and tell why they are missorted.



b. Explain what tools would be necessary to use to verify the placement of all the trapezoids.

Answers will vary: We would need some sort of tool that allows us to find parallel lines.



Lesson 16:

Date:


Draw trapezoids to clarify their attributes, and define trapezoids based on those attributes.

1/10/14

engage"

5.D.13

3. Use a straightedge to draw an isosceles trapezoid on the grid paper.



Answers Will Vary

a. Why is this shape called an isosceles trapezoid?

It is an isosceles trapezoid because the two slanted sides are the same length.


Lesson 16:

Draw trapezoids to clarify their attributes, and define trapezoids based on those attributes.

Name

Date

1. $\angle A$ measures 60°. Extend the rays of $\angle A$ and draw parallelogram ABCD on the grid paper.




a. What are the measures of $\angle B$, $\angle C$, and $\angle D$?

- 2. WXYZ is a parallelogram not drawn to scale.
 - a. Using what you know about parallelograms, give the measure of sides XY and YZ.

$$XY = 6 \text{ cm}$$

 $YZ = 3 \text{ cm}$



b. $\angle WXY = 113^{\circ}$. Use what you know about angles in a parallelogram to find the measure of the other angles.

$$\angle XYZ = 67^{\circ}$$

$$\angle YZW = 113^{\circ}$$

$$\angle ZWX = 67$$
.


3. Jack measured some segments in Problem 2. He found that $\widetilde{WY} = 8$ cm and $\widetilde{MZ} = 3$ cm. Give the lengths of the following segments:

$$WM = 4$$
 cm

the lengths of the following segments:
$$WM = \underbrace{\qquad}_{CM} cm \qquad MY = \underbrace{\qquad}_{CM} cm$$

$$XM = \underbrace{\qquad}_{CM} cm \qquad XZ = \underbrace{\qquad}_{CM} cm$$

$$XZ = \underline{\hspace{1cm}} \varphi$$
 cm



4. Using the properties of the shapes, explain why all parallelograms are trapezoids.

Answers Will vary: All parallelograms must have two pairs of parallel lines. Trapezoids must have at least one pair of parallel lines. This means all parallelograms are also trapezoids.

5. Teresa says that because the diagonals of a parallelogram bisect each other, if one diagonal is 4.2 cm, the other diagonal must be half that length. Use words and pictures to explain Teresa's error.

An example to show that Teresa is wrong is a rhombus that is also a square (see image to right).

This is a parallelogram in which the diagonals are the same length, rather than one being half the length of the other.




engage^{ny}


Date:

Name Date


- 1. Use the grid paper to draw.
 - a. A rhombus with no right angles.




b. A rhombus with 4 right angles.



c. A rectangle with not all sides equal.



d. A rectangle with all sides equal.




Lesson 18:


Date:



2. A rhombus has a perimeter of 217 cm. What is the length of each side of the rhombus?



Perimeter = 217 cm 4 sides = 217 cm 1 side = 544 cm



Each side is 544 cm long.

- 3. List the properties that all rhombuses share.
- 4 sides of equal length
- opposite angles are congruent
- opposite sides are parallel
 - 4. List the properties that all rectangles share.
 - opposite sides are equal lengths.
 - two pairs of parallel sides.
 - four right angles



Lesson 18:

Date:

Draw rectangles and rhombuses to clarify their attributes, and define rectangles and rhombuses based on those attributes.






Name	Date	

1.

- a. Draw a kite that is not a parallelogram on the grid paper.
- b. List all the properties of a kite.
- -four sides
- -adjacent sides are equal - diagonals form right angles
 - c. When can a parallelogram also be a kite?




A parallelogram can also be a kite when it has 2 pairs of equal adjacent sides. Rhombuses and squares are examples.

2. If rectangles must have right angles, explain how a rhombus could also be called a rectangle.

- A rhombus can also be a rectangle when all four sides are equal and all angles are 90°.

3. Draw a rhombus that is also a rectangle on the grid paper.

I will be a square.





Lesson 19:

Date:


Draw kites and squares to clarify their attributes, and define kites and squares based on those attributes.

1/10/14




5.D.60

Kirkland says that figure EFGH below is a quadrilateral because it has four points in the same plane and four segments with no three endpoints collinear. Explain his error.



This is considered a complex quadrilateral. For the purposes of this module, we will say it is not a quadrilateral.





Lesson 19:

Date:


Draw kites and squares to clarify their attributes, and define kites and squares based on those attributes.

(cc) BY-NC-SA

5.D.61


lame Date

1. Follow the flow chart and put the name of the figure in the boxes.






2. SQRE is a square with area 49 cm² and RM = 4.95 cm. Find the measurements using what you know about the properties of squares.



- a. RS = 9.9 cm
- b. QE = 9.9 cm
- d. $m \angle QRE = 90^{\circ}$



A=l·w Since the area is 49 cm², each side =7.7 =49cm² length is 7 cm. This means the perimeter is 7 cm +7 cm +7 cm +7 cm Which is 28 cm.

- 1. Answer the questions by checking the box.
 - a. Is a square a rectangle?
 - b. Is a rectangle a kite?
 - c. Is a rectangle a parallelogram?
 - d. Is a square a trapezoid?
 - e. Is a parallelogram a trapezoid?
 - f. Is a trapezoid a parallelogram?
 - g. Is a kite a parallelogram?

Sometimes	Always
	V
	1
✓	

h. For each statement that you answered with "sometimes," draw and label an example that justifies your answer.

b. ____


When the rectangle is a square

When the trapezoid has 2 pairs of parallel sides.




When the kite is also a square.

- 2. Use what you know about quadrilaterals to answer each question below
 - a. Explain when a trapezoid is not a parallelogram. Sketch an example.



When the trapezoid has only 1 pair of parallel sides.

b. Explain when a kite is not a parallelogram. Sketch an example.



When adjacent sides are congruent, but opposite sides are not parallel.



Lesson 21:

Date:

Draw and identify varied two-dimensional figures from given attributes.

1/10/14

eng

engage^{ny}

