

Math 3

Name _____

Polynomial and Rational Function

Date _____

Lesson 2 Practice Quiz

1. Consider the quadratic function $f(x) = x^2 + 6x + 2$. Complete each task by algebraic reasoning alone. Show all of your work to support your answer.

→ complete the square

- a. Rewrite the function in vertex form.

$$\begin{aligned} f(x) &= x^2 + 6x + 2 & f(x) + 7 &= (x+3)^2 \\ f(x) - 2 &= x^2 + 6x + 9 & f(x) &= (x+3)^2 - 7 \\ &&+9 & \end{aligned}$$

- b. Does the graph of this function have a maximum or minimum? Determine the coordinates of the maximum or minimum point of the graph of this function.

min value is "a" is positive.

$$(-3, -7)$$

- c. What are the coordinates of the x-intercepts of the graph of this function?

$$\begin{aligned} 0 &= (x+3)^2 - 7 \\ \sqrt{7} &= \sqrt{(x+3)^2} & x &= -3 \pm \sqrt{7} \\ \pm\sqrt{7} &= x+3 \end{aligned}$$

- d. What are the coordinates of the y-intercept of the graph of this function?

$$\begin{aligned} \text{Let } x &= 0 & f(x) &= (x+3)^2 - 7 & (0, 2) \\ & & (0+3)^2 - 7 & & \\ & & 9-7 & & \\ & & 2 & & \end{aligned}$$

2. Rewrite each quadratic in vertex form and give the vertex.

$$3 + \frac{1}{4} = 3\frac{1}{4} = \frac{13}{4}$$

a. $y = x^2 - 6x - 11$

$$\begin{aligned}y+11 &= x^2 - 6x + 9 \\+9 &\end{aligned}$$

$$y+20 = (x-3)^2$$

$$y = (x-3)^2 - 20$$

$$V(3, -20)$$

b. $y = x^2 - x - 3$

$$\begin{aligned}y+3 &= x^2 - x + \frac{1}{4} \\+ \frac{1}{4} &\end{aligned}$$

$$y + \frac{13}{4} = \left(x - \frac{1}{2}\right)^2$$

$$y = \left(x - \frac{1}{2}\right)^2 - \frac{13}{4}$$

$$V\left(\frac{1}{2}, -\frac{13}{4}\right)$$

c. $y = x^2 + 12x - 10$

$$\begin{aligned}y+10 &= x^2 + 12x + 36 \\+36 &\end{aligned}$$

$$y + 46 = (x+6)^2$$

$$y = (x+6)^2 - 46$$

$$V(-6, -46)$$

3. Use the quadratic formula, factoring, or complete the square to solve each of these quadratics. Identify each solution as rational, irrational, or complex. Write non-real complex solutions in standard form $a + bi$. Must use each method once.

a. $2x^2 + 3x - 5 = 0$

$$(2x+5)(x-1) = 0$$

$$2x+5=0 \quad x-1=0$$

$$x = -\frac{5}{2} \quad x = 1$$

Rational

b. $2x^2 + x - 3 = 0$

$$(2x+3)(x-1) = 0$$

$$2x+3=0 \quad x-1=0$$

$$x = -\frac{3}{2} \quad x = 1$$

Rational

c. $3x^2 + x + 10 = 0$

$$\frac{-1 \pm \sqrt{1^2 - 4(3)(10)}}{2(3)}$$

$$-\frac{1 \pm \sqrt{1-120}}{6}$$

$$-\frac{1 \pm \sqrt{-119}}{6} = -\frac{1 \pm i\sqrt{119}}{6}$$

$$\text{Complex } -\frac{1}{6} \pm \frac{\sqrt{119}}{6}i$$

d. $x^2 + 5x + 10 = 0$

$$x^2 + 5x + \frac{25}{4} = -10 + \frac{25}{4}$$

$$\sqrt{(x + \frac{5}{2})^2} = \sqrt{\frac{15}{4}}$$

$$x + \frac{5}{2} = \pm \frac{\sqrt{15}}{2}$$

$$\text{Complex } x = -\frac{5}{2} \pm \frac{\sqrt{15}}{2}i$$

e. $3x^2 + 2x + 1 = 0$

$$\frac{-2 \pm \sqrt{2^2 - 4(3)(1)}}{2(3)}$$

$$-\frac{2 \pm \sqrt{4-12}}{6}$$

$$-\frac{2 \pm \sqrt{-8}}{6} = \frac{-2 \pm i\sqrt{8}}{6}$$

f. $x^2 - 5x = -5$

$$x^2 - 5x + \frac{25}{4} = -5 + \frac{25}{4}$$

$$\sqrt{(x - \frac{5}{2})^2} = \sqrt{\frac{5}{4}}$$

$$x - \frac{5}{2} = \pm \frac{\sqrt{5}}{2} \text{ Irrational}$$

$$x = \frac{5}{2} \pm \frac{\sqrt{5}}{2}$$

$$g. 4x(x+5) + 29 = 0$$

$$4x^2 + 20x + 29 = 0$$

$$x^2 + 5x + \frac{29}{4} = 0$$

$$x^2 + 5x + \frac{25}{4} = -\frac{29}{4} + \frac{25}{4}$$

$$\left(x + \frac{5}{2}\right)^2 = -1$$

$$x + \frac{5}{2} = \pm \sqrt{-1} \quad x = -\frac{5}{2} \pm i$$

$x + \frac{5}{2} \pm i$ complex

4. Write $y = (x-4)(x+9)$ in standard form.

$$y = x^2 + 5x - 36$$

$$h. 9x^2 - 6x + 2 = 0$$

$$\frac{6 \pm \sqrt{(-6)^2 - 4(9)(2)}}{2(9)}$$

$$\frac{6 \pm \sqrt{36 - 72}}{18}$$

$$\frac{6 \pm \sqrt{-36}}{18}$$

$$\frac{6 \pm 6i}{18} = \frac{6}{18} \pm \frac{6i}{18}$$
$$\frac{1}{3} \pm \frac{1}{3}i$$

$$y = ax^2 + bx + c$$

5. Write $y = -2(x+5)^2 + 2$ in standard form.

$$-2(x+5)(x+5) + 2$$

$$-2(x^2 + 10x + 25) + 2$$

$$-2x^2 - 20x - 50 + 2$$

$$-2x^2 - 20x - 48$$

6. Write $y = 2(x-2)^2 - 2$ in intercept form.

$$2(x-2)(x-2) - 2$$

$$2(x^2 - 4x + 4) - 2$$

$$2x^2 - 8x + 8 - 2$$

$$2x^2 - 8x + 6$$

$$2(x^2 - 4x + 3)$$

$$2(x-3)(x-1)$$

7. Preform the indicated operation and write you answer in standard form.

$$a+bi$$

a. $(3 + 4i) + (5 - 6i)$

$$8 - 2i$$

b. $(7 - 3i) - (4 + 2i)$

$$3 - 5i$$

b. $(5 - 6i) + 5i + (7 + 6i)$

$$12 + 5i$$

d. $(-1 + i) - (-7 + 4i) - 5$

$$\begin{aligned} &-1+i+7-4i-5 \\ &1-3i \end{aligned}$$

$$\begin{matrix} -2 = -1 \\ 6 \end{matrix}$$

e. $2i(7 + 2i)$

$$14i + 4i^2$$

$$14i + 4(-1)$$

$$-4 + 14i$$

f. $(5 - 4i)(2 + 3i)$

$$10 + 15i - 8i - 12i^2$$

$$10 + 7i + 12$$

$$22 + 7i$$

g. $(-2 + 4i)^2$

$$(-2+4i)(-2+4i)$$

$$4 - 8i - 8i + 16i^2$$

$$4 - 16i - 16$$

$$-12 - 16i$$