

CITY OF BUDA EROSION AND SEDIMENTATION CONTROL NOTES:

1. THE CONTRACTOR SHALL INSTALL EROSION/SEDIMENTATION CONTROLS AND TREE/NATURAL AREA PROTECTIVE FENCING PRIOR TO ANY SITE PREPARATION WORK (CLEARING, GRUBBING OR EXCAVATION).
2. THE PLACEMENT OF EROSION/SEDIMENTATION CONTROLS SHALL BE IN ACCORDANCE WITH THE CITY OF AUSTIN'S ENVIRONMENTAL CRITERIA MANUAL AS ADOPTED BY THE CITY OF BUDA.
3. IF TREES DO NOT EXIST WITHIN THE PROJECT LIMITS, TREE PROTECTION WILL NOT BE REQUIRED.
4. A PRE-CONSTRUCTION CONFERENCE SHALL BE HELD WITH THE CONTRACTOR, DESIGN ENGINEER/PERMIT APPLICANT AND INSPECTOR AFTER INSTALLATION OF THE EROSION/SEDIMENTATION CONTROLS AND TREE/NATURAL AREA PROTECTION MEASURES AND PRIOR TO BEGINNING ANY SITE PREPARATION WORK. THE CONTRACTOR SHALL NOTIFY THE CITY OF BUDA ENGINEERING DEPARTMENT, 312-0084, AT LEAST THREE DAYS PRIOR TO THE MEETING DATE.
5. ANY MAJOR VARIATION IN MATERIALS OR LOCATIONS OF CONTROLS OR FENCES FROM THOSE SHOWN ON THE APPROVED PLANS WILL REQUIRE A REVISION AND MUST BE APPROVED BY THE REVIEWING ENGINEER, ENVIRONMENTAL SPECIALIST OR CITY ARBORIST AS APPROPRIATE. MINOR CHANGES TO BE MADE AS FIELD REVISIONS TO THE PLAN MAY BE REQUIRED BY THE INSPECTOR DURING THE COURSE OF CONSTRUCTION TO CORRECT CONTROL INADEQUACIES.
6. THE CONTRACTOR IS REQUIRED TO INSPECT THE CONTROLS AND FENCES AT WEEKLY INTERVALS AND AFTER SIGNIFICANT RAINFALL EVENTS TO INSURE THAT THEY ARE FUNCTIONING PROPERLY. THE PERSON(S) RESPONSIBLE FOR THE MAINTENANCE OF CONTROLS AND FENCES SHALL IMMEDIATELY MAKE ANY NECESSARY REPAIRS TO DAMAGED AREAS. SILT ACCUMULATION AT CONTROLS MUST BE REMOVED WHEN THE DEPTH REACHED SIX (6) INCHES.

PERMANENT EROSION CONTROL:

ALL DISTURBED AREAS SHALL BE RESTORED AS NOTED BELOW. A MINIMUM OF FOUR INCHES OF TOPSOIL SHALL BE PLACED IN ALL DRAINAGE CHANNELS (EXCEPT ROCK) AND BETWEEN THE CURB AND RIGHT-OF-WAY LINE.

THE SEEDING FOR PERMANENT EROSION CONTROL SHALL BE AS SPECIFIED IN THE CITY OF AUSTIN STANDARD SPECIFICATION 604S, AS ADOPTED BY THE CITY OF BUDA.

DUST CONTROL:

DUST CONTROL METHODS ARE REQUIRED AS PER CITY OF AUSTIN'S ENVIRONMENTAL CRITERIA MANUAL SECTION 1.4.5.D AS ADOPTED BY THE CITY OF BUDA.