HIV/AIDS Prevalence and Mortality Report, 2015

HIV/AIDS Surveillance System

Introduction (I)

- These three introduction slides provide a general context for the data used to create this slide set. If you have questions about any of the slides please refer to the Companion Text to the Minnesota HIV/AIDS Prevalence & Mortality Report, 2014 or HIV/AIDS Prevalence & Mortality Technical Notes.
- This slide set displays estimates of the number of persons living with HIV/AIDS (prevalence) and mortality in Minnesota by person, place, and time.
- The slides rely on data from HIV/AIDS cases diagnosed through 2015 and reported to the Minnesota Department of Health (MDH) HIV/AIDS Surveillance System.


Introduction (II)


- Data analyses exclude persons diagnosed in federal or private correctional facilities, but include state prisoners (number of state prisoners believed to be living with HIV/AIDS = 58).
- Data analyses for new infections exclude persons arriving to Minnesota through the HIV+ Refugee Resettlement Program (number of primary HIV+ refugees in this program living in MN as of December 31, 2015=167), as well as, other refugees/immigrants reporting a positive test prior to their arrival in Minnesota (n=175).
- Some limitations of surveillance data:
 - Data do not include HIV-infected persons who have not been tested for HIV
 - Data do not include persons whose positive test results have not been reported to the MDH
 - Data do not include HIV-infected persons who have <u>only</u> tested anonymously
 - Case numbers for the most recent years may be undercounted due to delays in reporting
 - Reporting of living cases that were not initially diagnosed in Minnesota is known to be incomplete

Introduction (III)


- Persons are assumed to be alive unless the MDH has knowledge of their death.
- Persons whose most recently reported state of residence was Minnesota are assumed to be currently residing in Minnesota unless the MDH has knowledge of their relocation. Our ability to track changes of residence, including within the state, is limited.
- Vital status and current residence are updated through one or more of the following methods:
 - Standard case reporting
 - Correspondence with other health departments
 - Active surveillance (monthly)
 - Death certificate reviews (annually)
 - Birth certificate reviews (annually, women only)

National Context





Stage 3 (AIDS) Classifications and Deaths of Persons with HIV Infection Ever Classified as Stage 3 (AIDS), among Adults and Adglescents, 1985–2013—United States and 6 Dependent Areas



Year of diagnosis or death


Note. All displayed data have been statistically adjusted to account for reporting delays, but not for incomplete reporting. Deaths of persor with HIV infection, stage 3 (AIDS) may be due to any cause.



HIV/AIDS in Minnesota

New HIV Disease Diagnoses, HIV (non-AIDS) and AIDS Cases by Year, 2005-2015





^{*}Includes all new cases of HIV infection (both HIV (non-AIDS) and AIDS at first diagnosis) diagnosed within a given calendar year.

HIV/AIDS in Minnesota: Annual Review

[^]Includes all new cases of AIDS diagnosed within a given calendar year, including AIDS at first diagnosis. This includes refugees in the HIV+ Resettlement Program, as well as, other refugee/immigrants diagnosed with AIDS subsequent to their arrival in the United States.

Persons Living with HIV/AIDS in Minnesota


Estimated Number of Persons Living with HIV/AIDS in Minnesota

- As of December 31, 2015, 8,215* persons are assumed alive and living in Minnesota with HIV/AIDS
 - 4,349 living with HIV infection (non-AIDS)
 - 3,866 living with AIDS
- This number includes 1,877 persons who were first reported with HIV or AIDS elsewhere and subsequently moved to Minnesota
- This number excludes 1,274 persons who were first reported with HIV or AIDS in Minnesota and subsequently moved out of the state

^{*} This number includes persons who reported Minnesota as their current state of residence, regardless of residence at time of diagnosis. Includes state prisoners and refugees arriving through the HIV+ Refugee Resettlement Program, as well as HIV+ refugee/immigrants arriving through other programs.

Place

Living HIV/AIDS Cases by County of Residence, 2015




City of Minneapolis – 3,072 City of St. Paul – 1,079 Suburban# – 2,735 Greater Minnesota – 1,285

Total number = 8,215 (44 people missing residence information)

7-county metro area, excluding the cities of Minneapolis and St. Paul


HIV/AIDS in Minnesota: Annual Review

Map of Metro Area:
Living HIV/AIDS Cases by County of
Residence, 2015



Persons Living with HIV/AIDS in Minnesota by Current Residence, 2015







Suburban = Seven-county metro area including Anoka, Carver, Dakota, Hennepin (except Minneapolis), Ramsey (except St. Paul), Scott, and Washington counties. Greater MN = All other Minnesota counties, outside the seven-county metro area.

Gender and Race/Ethnicity

Persons Living with HIV/AIDS in Minnesota by Gender, 2015



Persons Living with HIV/AIDS in Minnesota by Gender and Race/Ethnicity, 2015



HIV/AIDS in Minnesota: Annual Review

Number of Cases and Rates (per 100,000 persons) of Persons Living with HIV/AIDS by Race/Ethnicity Cases % Rate

Race/Ellillicity	Cases	70	Rate
White, non-Hispanic	4,041	49%	91.7
Black, African-American	1,772	22%	924.9
Black, African-born	1,160	14%	1495.7 ^{††}
Hispanic	742	9%	296.5
American Indian	112	1%	202.1
Asian/Pacific Islander	164	2%	76.3
Other^	210	3%	X
Total	8,201	100%	154.6

⁺⁺ Estimate of 77,557 Source: 2010-2012 American Community Survey. Additional calculations by the State Demographic Center.

Census Data used for rate calculations.

[^] Other = Multi-racial persons or persons with unknown race

HIV/AIDS in Minnesota: Ann

Number of Cases and Rates (per 100,000 persons) of Adults and Adolescents* Living with HIV/AIDS by Gender/Risk+, Minnesota, 2015

Gender/Risk	Cases	%	Rate
Men (Total)	(6,250)	76%	237.5
MSM ⁺	4,538	73%	4,891.8††
Non-MSM	1,712	27%	67.4
Women	1,965	24%	73.5
Total	8,215	100%	154.9

tt Estimate of 92,788

^{*}HIV or AIDS at first diagnosis age 13 and older;

^{• 2010} U.S. Census Data for persons age 13 and over used for rate calculations.

t "MSM" refers to both MSM and MSM/IDU.

Number of Cases of Adults and Adolescents* Living with HIV/AIDS by Gender Identity and Risk†, Minnesota, 2015


Gender/Risk	Cases	%
Men (Total)	(6,206)	76%
MSM [†]	4,504	73%
Non-MSM	1,702	27%
Women	1,957	24%
Transgender (Total)	52	0.6%
Male to Female	44	85%
Female to Male	8	15%
Total	8,215	100%

^{*}HIV or AIDS at first diagnosis age 13 and older;


HIV/AIDS in Minnesota: Annual Review


Age

Persons Living with HIV/AIDS in Minnesota by Age Groupt, 2015



Persons Living with HIV/AIDS in Minnesota by Age† and Gender, 2015






n = Number of persons

† Age missing for 5 people.

Data Source: Minnesota HIV/AIDS Surveillance System HIV/AIDS in Minnesota: Annual Review


Mode of Exposure



n = Number of persons IDU = Injecting drug use

MSM = Men who have sex with men Heterosex = Heterosexual contact Other = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk


† Mode of Exposure has been estimated using prevalent cases with known risk. For additional detail see the HIV Prevalence & Mortality Technical Notes. Data Source: Minnesota HIV/AIDS Surveillance System



n = Number of persons IDU = Injecting drug use MSM = Men who have sex with men Other = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk Heterosex = Heterosexual contact


†† Refers to Black, African American (not African-born) males. Data Source: Minnesota HIV/AIDS Surveillance System*HIV/AIDS in Minnesota: Annual Review*

[†] Mode of Exposure has been estimated using prevalent cases with known risk. For additional detail see the HIV Prevalence & Mortality Technical Notes.



n = Number of persons IDU = Injecting drug use MSM = Men who have sex with men Other = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk Heterosex = Heterosexual contact


[†] Mode of Exposure has been estimated using prevalent cases with known risk. For additional detail see the HIV Prevalence & Mortality Technical Notes. Data Source: Minnesota HIV/AIDS Surveillance SystemHIV/AIDS in Minnesota: Annual Review



n = Number of persons MSM = Men who have sex with men Other = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk Heterosex = Heterosexual contact

[†] Mode of Exposure has been estimated using the following breakdown: 5% - MSM, 90% - Heterosex, and 5% - Other. For additional detail see the HIV Prevalence & Mortality Technical Notes.

Multi-racial Males (n = 145)




n = Number of personsIDU = Injecting drug use

MSM = Men who have sex with men Heterosex = Heterosexual contact Other = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk

[†] Mode of Exposure has been estimated using prevalent cases with known risk. For additional detail see the HIV Prevalence & Mortality Technical Notes.


Data Source: Minnesota HIV/AIDS Surveillance System HIV/AIDS in Minnesota: Annual Review



n = Number of persons IDU = Injecting drug use MSM = Men who have sex with men Heterosex = Heterosexual contact


Other = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk

† Mode of Exposure has been estimated using prevalent cases with known risk. For additional detail see the HIV Prevalence & Mortality Technical Notes. Data Source: Minnesota HIV/AIDS Surveillance System HIV/AIDS in Minnesota: Annual Review



n = Number of persons IDU = Injecting drug use MSM = Men who have sex with men Other = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk Heterosex = Heterosexual contact

[†] Mode of Exposure has been estimated using prevalent cases with known risk. For additional detail see the HIV Prevalence & Mortality Technical Notes. Data Source: Minnesota HIV/AIDS Surveillance System HIV/AIDS in Minnesota: Annual Review



n = Number of personsOther = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk

IDU = Injecting drug use Heterosex = Heterosexual contact


 † Mode of Exposure has been estimated using the following proportions: 95% - Heterosexual, 5% - Other.

For additional detail see the HIV Prevalence & Mortality Technical Notes.

tt Refers to Black, African-born females.

Data Source: Minnesota HIV/AIDS Surveillance System HIV/AIDS in Minnesota: Annual Review

Females Living with HIV/AIDS in Minnesota by Estimated Mode of Exposuret, 2015




n = Number of personsOther = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk

IDU = Injecting drug use Heterosex = Heterosexual contact

- † Mode of Exposure has been estimated using prevalent cases with known risk. For additional detail see the HIV Prevalence & Mortality Technical Notes.
- tt Refers to Black, African American (not African-born) females.

Data Source: Minnesota HIV/AIDS Surveillance System HIV/AIDS in Minnesota: Annual Review

Females Living with HIV/AIDS in Minnesota by Estimated Mode of Exposuret, 2015




n = Number of personsOther = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk

IDU = Injecting drug use Heterosex = Heterosexual contact

† Mode of Exposure has been estimated using prevalent cases with known risk. For additional detail see the HIV Prevalence & Mortality Technical Notes. Data Source: Minnesota HIV/AIDS Surveillance System*HIV/AIDS in Minnesota: Annual Review*

Females Living with HIV/AIDS in Minnesota by Estimated Mode of Exposuret, 2015




n = Number of personsOther = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk

IDU = Injecting drug use Heterosex = Heterosexual contact

† Mode of Exposure has been estimated using prevalent cases with known risk. For additional detail see the HIV Prevalence & Mortality Technical Notes. Data Source: Minnesota HIV/AIDS Surveillance System*HIV/AIDS in Minnesota: Annual Review*

Females Living with HIV/AIDS in Minnesota by Estimated Mode of Exposure[†], 2015

American Indian Females (n = 51)



n = Number of personsOther = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk


IDU = Injecting drug use Heterosex = Heterosexual contact

† Mode of Exposure has been estimated using prevalent cases with known risk. For additional detail see the HIV Prevalence & Mortality Technical Notes.

Data Source: Minnesota HIV/AIDS Surveillance System HIV/AIDS in Minnesota: Annual Review

Females Living with HIV/AIDS in Minnesota by Estimated Mode of Exposuret, 2015

Multi-racial Females (n = 52)



 $n = Number\ of\ personsOther = Hemophilia,\ transplant,\ transfusion,\ mother\ w/\ HIV\ or\ HIV\ risk$

IDU = Injecting drug use Heterosex = Heterosexual contact


† Mode of Exposure has been estimated using the following proportions: 95% - Heterosexual, 5% - Other.

For additional detail see the HIV Prevalence & Mortality Technical Notes.

Data Source: Minnesota HIV/AIDS Surveillance SystemHIV/AIDS in Minnesota: Annual Review

Females Living with HIV/AIDS in Minnesota by Estimated Mode of Exposuret, 2015

Asian Females (n = 48)
CAUTION: Small number of cases – interpret carefully.



n = Number of personsOther = Hemophilia, transplant, transfusion, mother w/ HIV or HIV risk IDU = Injecting drug use Heterosex = Heterosexual contact

 † Mode of Exposure has been estimated using the following proportions: 95% - Heterosexual, 5% - Other.

For additional detail see the HIV Prevalence & Mortality Technical Notes, Data Source: Minnesota HIV/AIDS Surveillance System HIV/AIDS in Minnesota: Annual Review

Populations of Interest

HIV and Hepatitis B, C co-infection


HIV and Hepatitis B and C

- As of December 31, 2015*, 8,215 persons are assumed alive and living in Minnesota with HIV/AIDS
 - Of these 8,215 persons, 932 (11%) are co-infected with either Hepatitis B or C
 - Of the 932, 340 (36%) are living with HIV and Hep B
 - Of the 932, 592 (64%) are living with HIV and Hep C


Data Sources: Minnesota HIV/AIDS Surveillance System and Minnesota Hepatitis Surveillance System

^{*} This number includes persons who reported Minnesota as their current state of residence, regardless of residence at time of diagnosis. Includes state prisoners and refugees arriving through the HIV+ Refugee Resettlement Program, as well as, HIV+ refugee/immigrantអូចក្រាម្នាច្ចាស់ អាមានស្វារ អាម អាមានស្វារ អាមានស្វារ អាមានស្វារ អាមានស្វារ អាមានស្វារ អាមានស្វា

Foreign-Born Persons Living with HIV/AIDS in Minnesota by Region of Birth, 2005-2015




African-Bornt Persons Living with HIV/AIDS Compared to Other Minnesota Cases by Gender, 2015



[†] Includes persons arriving to Minnesota through the HIV+ Refugee Resettlement Program and other refugee/immigrant programs. Also includes 1 White African-born persons and 2 multi-racial African-born person.

Data Source: Minnesota HIV/AIDS Surveillance SystemHIV/AIDS in Minnesota: Annual Review

Persons Living with HIV/AIDS born in Latin America/Caribbean† Countries Compared to Other Minnesota Cases by Gender, 2014



† Includes Mexico and all Central/South American and Caribbean countries.

Data Source: Minnesota HIV/AIDS Surveillance System HIV/AIDS in Minnesota: Annual Review

Countries of Birth Among Foreign-Born Personst Living with HIV/AIDS, Minnesota, 2015


- Ethiopia/Oromia (n=260)
- **Mexico** (n=251)
- **Liberia** (n=191)
- Kenya (n=154)
- **Somalia** (n=116)
- Cameroon (n=87)
- Sudan (n=67)
- Other^ (n=622)

† Includes persons arriving to Minnesota through the HIV+ Refugee Resettlement Program, as well as other refugee/immigrants with an HIV diagnosis prior to arrival in Minnesota.

[^] Includes 95 additional countries.

Mortality

Reported Deaths among persons with HIV in Minnesota, 1984-2015



^{*} Number of deaths known to have occurred among all people living with HIV infection in Minnesota, regardless of location of diagnosis and cause of death.

Data Source: Minnesota HIV/AIDS Surveillance System HIV/AIDS in Minnesota: Annual Review

[†] Number of deaths known to have occurred among people living with AIDS in Minnesota in a given calendar year, regardless of location of diagnosis and cause of death

^{*†} Number of deaths known to have occurred among people living with HIV (non-AIDS) in Minnesota in a given calendar year, regardless of location of diagnosis and cause of death