

National **Reye's** Syndrome Foundation

426 North Lewis St.
PO Box 829
Bryan, OH 43506
1-800-233-7393



School Nurses and Administrators:

As you know, just because a student has a book in their hands, it shouldn't be assumed they are educated on the material in the book. Although the student is equipped for learning, only when they make the choice to read the book's contents, will they learn. In the same way, without your help, the information in this packet is ineffective in educating students and parents of the dangers of Reye's Syndrome.

Now, perhaps more than ever, we need your partnership in raising awareness of this disease among your school charges. Throughout this letter, you will understand why it is so imperative...

Unfortunately, with the reemergence of 'Baby Aspirin' on the market, we've received calls from panicked parents, who have given it to their sick child, not knowing the dangers of Reye's.

We are also very concerned about the Novel H1N1 Flu this year, and we have enclosed a new brochure in this package, which contains a family pandemic preparedness guide.

Recently, we have had Reye's Syndrome cases reported in Indiana, and we know Reye's Syndrome is being under-reported, and misdiagnosed. Teenagers who self-medicate are of grave concern to us. As you can see, this is yet another reason why we need to step up our efforts in promoting awareness of Reye's Syndrome. In this packet you will find suggestions on how to do just that.

As new information, brochures, videos, flyers, and such are designed, they will be placed on the website for quick and easy download. Use these items as you see the need, we only ask that you do not change the wording.

Thank you for your assistance and partnership in spreading awareness among your students.

We also ask that you contact the NRSF for more information on helping combat Reye's Syndrome, or to report a case in your district. This year especially, we want to be vigilant as this Novel H1N1 seems to attack our children hardest.

Sincerely,

John E. Freudenberger

President



About the National Reye's Syndrome Foundation

Incorporated August 3, 1974, in Bryan, Ohio, the National Reye's Syndrome Foundation is the only citizen group generating a concerted, organized lay movement to eradicate Reye's Syndrome.

For 35 years, the Foundation has been committed to the health and well-being of those who are most at risk; our Children. The Foundation has made great gains toward the ultimate goal of eradicating Reye's Syndrome. Our public awareness programs have resulted in a decrease in the number of cases reported in recent years. It is hoped that research will bring us closer to our goal.

The Foundation's Programs:

Awareness - to aid in the early detection of Reye's Syndrome, and to educate the public and medical communities about the risk factor involved with the use of aspirin-containing products.

Service - to give the families experiencing the personal trauma of Reye's Syndrome emotional support and guidance.

Research - to support investigation into the cause, management, treatment, and prevention of Reye's Syndrome, as well as study the impact the disease has on survivors.

Just A Few of Our Major Accomplishments:

Encouraged and supported mandatory warning labels on all over-the-counter medicines containing aspirin.

Constantly updated Website that includes a medical library, a video library, school and health department packages for quick download, and is available in multiple languages at www.ReyesSyndrome.Org.

Produced award-winning Reye's Syndrome documentary; "Reye's Syndrome: A Real and Present Danger." This documentary can now be viewed on our website at

www.ReyesSyndrome.Org.

Developed and produced television and radio public service announcements featuring our National Spokesperson, Dick Van Dyke.

We conduct an annual mailing to 16,000 plus school districts across the country in a massive educational awareness campaign.

We observe National Reye's Syndrome Month in September, and National Reye's Syndrome Week the third full week in September.

We Invite You to Join Us in Saving Lives

► **Become a Member of the NRSF.**

For as little as \$25.00 a year, your tax deductible membership enables us to reach out year after year, to educate new parents, young doctors and nurses, and teenagers about Reye's Syndrome.

► **Remember us in your will: Create a Legacy that will continue to save young lives for years and years to come.**

► **Request a Planned Gift Giving Brochure.**

► **Sign Up to receive our Bi-Annual Newsletter.**

► **Volunteer to help spread Awareness.**

National Reye's Syndrome Foundation

426 N. Lewis St.
Bryan, OH 43506
1-800-233-7393
www.ReyesSyndrome.Org
nrsf@reyessyndrome.org



Because You Need to Know!

Reye's Syndrome

A MEDICAL MYSTERY



What Is Reye's Syndrome?

Reye's Syndrome is a disease that affects all organs of the body, and most lethally the liver and the brain. Reye's Syndrome is a two-phase illness because it is almost always associated with a previous viral infection such as influenza, or chicken pox. Scientists do know that Reye's Syndrome is not contagious and the cause is unknown.

Reye's Syndrome is often misdiagnosed as encephalitis, meningitis, diabetes, drug overdose, poisoning, SIDS, or a psychiatric illness.

Reye's Syndrome tends to appear with greatest frequency during January, February, and March when influenza is most common. Cases are reported in every month of the year. An epidemic of flu or chicken pox is commonly followed by an increase in the number of cases of Reye's Syndrome.



Research has established a link between Reye's Syndrome and the use of aspirin and other salicylate containing medications, over the counter products, and topical use products.

Aspirin is a part of the salicylate family of medicines. Another name for aspirin is acetylsalicylate; some drug labels may use the words acetylsalicylate, acetylsalicylic acid, salicylic acid, salicylate, etc., instead of the word aspirin.

When Reye's Syndrome develops, it typically occurs when a person is beginning to recover from a viral illness. Abnormal accumulations of fat begin to develop in the liver and other organs of the body, along with a severe increase of pressure in the brain. Unless diagnosed quickly, and treated successfully, death is common, often within a few days. A person's life depends upon early diagnosis. Statistics indicate an excellent chance of recovery when Reye's Syndrome is diagnosed and treated in its earliest stages. The later the diagnosis and treatment, the more severely reduced are chances for successful recovery and survival.

Reye's Syndrome Symptoms

Stages of Reye's Syndrome:

- ▶ **Stage I:**
 - ◊ Persistent or continuous vomiting
 - ◊ Signs of brain dysfunction:
 - ◊ Listlessness
 - ◊ Loss of pep and energy
 - ◊ Drowsiness
- ▶ **Stage II, III and IV:**
 - ◊ Personality changes:
 - ◊ Irritability
 - ◊ Aggressive behavior
 - ◊ Disorientation:
 - ◊ Confusion
 - ◊ Irrational behavior
 - ◊ Combative
 - ◊ Delirium, convulsions, coma

Be Wise about Reye's... & Pass the Knowledge On

Reye's Syndrome should be suspected in a person if this pattern of symptoms appear during, or most commonly, after a viral illness. Not all of the symptoms have to occur, nor do they have to be displayed in this order. Fever is not usually present. Many diseases have symptoms in common. Physicians and medical staff in emergency rooms who have not had experience in treating Reye's Syndrome may misdiagnose the disease.

The symptoms of Reye's Syndrome in infants do not follow a typical pattern. For example, vomiting may be replaced with diarrhea, and they may display irregular breathing.


Medicines can mask symptoms. Do not give your child aspirin or anti-nausea medications.

Call your doctor immediately. Reye's Syndrome is always a medical emergency. Abnormal Liver Tests: SGOT (SAT) and SGPT (ACT) strongly suggest a diagnosis of Reye's Syndrome.

Time is important! Early diagnosis is VITAL.

Challenges We Face

- ▶ Influenza Pandemic—it is only a matter of time....
- ▶ The world has grown smaller and we now educate parents and caregivers around the world.



Teenagers who self-medicate take a dangerous risk of contracting Reye's Syndrome. They see their parents take aspirin so they think it is a safe drug. They share medicines with each other.

They have to be educated about Reye's Syndrome.

Educating First Responders in a crisis situation where they can recognize a case of Reye's Syndrome instead of misdiagnosing it as a drug-overdose.



Re-Educating Grandparents & Caregivers who might have forgotten the risk of aspirin & Reye's Syndrome.

And it is just not aspirin, but products like Pepto-Bismol, and Pamprin, most acne medicines, and many, many more prescription medicines, over the counter drugs, and topical products that contain salicylates, the main ingredient in aspirin, and their crucial link with Reye's Syndrome we need to warn parents about. (See our website for lists of these products; www.ReyesSyndrome.Org)



**BECAUSE...
YOU NEED TO KNOW**

Reye's Syndrome

CAUSE AND CURE: UNKNOWN

Reye's Syndrome is a frightening, swift-acting disease that most often strikes children and adolescents recovering from viral illnesses. No one is immune. The symptoms are unfamiliar to many people and countless health professionals. This lack of education often leads to misdiagnosis and improper treatment, causing death or irreversible brain damage to its victims.

Epidemiologic research has shown an association between the development of Reye's Syndrome and the use of aspirin or aspirin-containing medications for treating the symptoms of influenza-like illnesses, chicken pox and colds. The U.S. Surgeon General, the Food and Drug Administration and the Centers for Disease Control recommend that aspirin and combination products containing aspirin (salicylates) not be given to children under 18 years of age during episodes of these illnesses.

Early diagnosis is vitally important if treatment is to be successful. Reye's Syndrome usually appears soon after a viral illness or upper respiratory infection, such as the chicken pox or the common cold. The first signs of Reye's Syndrome are usually continuous or relentless vomiting. A person may become irritable and negative, wanting to be left alone. They may then become confused and unable to carry out simple tasks. As the disease progresses, the person experiences aggression and combativeness, striking out at those trying to help.

National Reye's Syndrome Foundation
P. O. Box 829
Bryan, Ohio 43506
1-800-233-7393 or 419-924-9000
www.reyessyndrome.org
nrsf@reyessyndrome.org

**BECAUSE...
YOU NEED TO KNOW**

Reye's Syndrome

CAUSE AND CURE: UNKNOWN

Reye's Syndrome is a frightening, swift-acting disease that most often strikes children and adolescents recovering from viral illnesses. No one is immune. The symptoms are unfamiliar to many people and countless health professionals. This lack of education often leads to misdiagnosis and improper treatment, causing death or irreversible brain damage to its victims.

Epidemiologic research has shown an association between the development of Reye's Syndrome and the use of aspirin or aspirin-containing medications for treating the symptoms of influenza-like illnesses, chicken pox and colds. The U.S. Surgeon General, the Food and Drug Administration and the Centers for Disease Control recommend that aspirin and combination products containing aspirin (salicylates) not be given to children under 18 years of age during episodes of these illnesses.

Early diagnosis is vitally important if treatment is to be successful. Reye's Syndrome usually appears soon after a viral illness or upper respiratory infection, such as the chicken pox or the common cold. The first signs of Reye's Syndrome are usually continuous or relentless vomiting. A person may become irritable and negative, wanting to be left alone. They may then become confused and unable to carry out simple tasks. As the disease progresses, the person experiences aggression and combativeness, striking out at those trying to help.

National Reye's Syndrome Foundation
P. O. Box 829
Bryan, Ohio 43506
1-800-233-7393 or 419-924-9000
www.reyessyndrome.org
nrsf@reyessyndrome.org

**BECAUSE...
YOU NEED TO KNOW**

Reye's Syndrome

CAUSE AND CURE: UNKNOWN

Reye's Syndrome is a frightening, swift-acting disease that most often strikes children and adolescents recovering from viral illnesses. No one is immune. The symptoms are unfamiliar to many people and countless health professionals. This lack of education often leads to misdiagnosis and improper treatment, causing death or irreversible brain damage to its victims.

Epidemiologic research has shown an association between the development of Reye's Syndrome and the use of aspirin or aspirin-containing medications for treating the symptoms of influenza-like illnesses, chicken pox and colds. The U.S. Surgeon General, the Food and Drug Administration and the Centers for Disease Control recommend that aspirin and combination products containing aspirin (salicylates) not be given to children under 18 years of age during episodes of these illnesses.

Early diagnosis is vitally important if treatment is to be successful. Reye's Syndrome usually appears soon after a viral illness or upper respiratory infection, such as the chicken pox or the common cold. The first signs of Reye's Syndrome are usually continuous or relentless vomiting. A person may become irritable and negative, wanting to be left alone. They may then become confused and unable to carry out simple tasks. As the disease progresses, the person experiences aggression and combativeness, striking out at those trying to help.

National Reye's Syndrome Foundation
P. O. Box 829
Bryan, Ohio 43506
1-800-233-7393 or 419-924-9000
www.reyessyndrome.org
nrsf@reyessyndrome.org

Items to have on hand for an extended stay at home

- * Ready-to-eat canned meats, fish, fruits, vegetables, beans, and soups
- * Protein or fruit bars
- * Dry cereal or granola
- * Peanut butter or nuts
- * Dried fruit
- * Crackers
- * Canned juices
- * Bottled water
- * Canned or jarred baby food and formula
- * Pet food
- * Other non-perishable items such as Diapers
- * Fluids with electrolytes

- * Prescribed medical supplies such as glucose and blood-pressure monitoring equipment
- * Soap and water, or alcohol-based (60-95%) hand wash
- * Make sure all prescription medication is refilled so you have enough on-hand
- * Medicines for fever, such as acetaminophen or ibuprofen
 - **DO NOT GIVE ASPIRIN or ASPIRIN CONTAINING PRODUCTS TO CHILDREN UNDER 19 YEARS OF AGE!**
- * Thermometer
- * Anti-diarrheal medication
 - **CHECK THE LABEL FOR SALICYLATES! DO NOT GIVE TO CHILDREN UNDER 19 YEARS OF AGE!**
- * Vitamins
- * Cleansing agent/soap
- * Flashlight
- * Batteries
- * Portable radio
- * Manual can opener
- * Garbage bags
- * Tissues, toilet paper, disposable diapers
- * Working Cell Phone that can dial 911



Chewable Tablets



Pandemic Flu Planning Checklist for Individuals and Families

- Store a two week supply of water and food. During a pandemic, if you cannot get to a store, or if stores are out of supplies, it will be important for you to have extra supplies on hand. This can be useful in other types of emergencies, such as power outages and disasters.
- Periodically check your regular prescription drugs to ensure a continuous supply in your home.
- Have any nonprescription drugs and other health supplies on hand, including pain relievers, stomach remedies, cough and cold medicines, fluids with electrolytes, and vitamins.
- Talk with family members and loved ones about how they would be cared for if they got sick, or what will be needed to care for them in your home.
- Volunteer with local groups to prepare and assist with emergency response.
- Get involved in your community as it works to prepare for an influenza pandemic.

To limit the spread of germs and prevent infection:

- Teach your children to wash hands frequently with soap and water, and model the correct behavior.
- Teach your children to cover coughs and sneezes with tissues, and be sure to model that behavior.
- Teach your children to stay away from others as much as possible if they are sick. Stay home from work and school if sick.

CHECK ALL LABELS FOR SALICYLATES:

Acetyl Salicylic Acid	Octisalate
Acetylsalicylate	Octyl Salicylate
Acetylsalicylic Acid	Phenyl Salicylate
Aluminum Acetyl Salicylate	Procaine Salicylate
Ammonium Salicylate	Sal Ethyl Carbonate
Amyl Salicylate	Salicylamide
Arthropan	Salicylanilide
Aspirin	Salicylsalicylic Acid
Benzyl Salicylate	Santalyl Salicylate
Butyloctyl Salicylate	Sodium Salicylate
Calcium Acetyl Salicylate	Stoncyate
Choline Salicylate	Strontium Salicylate
Ethyl Salicylate	Sulfosalicylic Acid
Lithium Salicylate	Tridecyl Salicylate
Methyl Salicylate	Trolamine Salicylate
Methylene Disalicylic Acid	



**Be Wise
About
Reye's
Kids
& Aspirin
DON'T Mix!**



Novel H1N1 Flu & You

*Family
Preparedness
Guide*

**National
Reye's Syndrome
Foundation**

www.ReyesSyndrome.Org

1-800-233-7393

Why You Need to Prepare

Planning Assumptions:

Susceptibility to the Novel H1N1 virus will be universal. The clinical disease attack rate will likely be 30% or higher in the overall population during the pandemic. Illness rates will be highest among school-aged children and decline with age. Among working adults, an average of 20% will become ill during a community outbreak.

Some persons will become infected but not develop clinically significant symptoms. Asymptomatic or minimally symptomatic individuals can transmit infection and develop immunity to subsequent infection.

The number of hospitalizations and deaths will depend on the virulence of the pandemic virus. Estimates differ about 10-fold between more and less severe scenarios. Planning should include the more severe scenario.

Risk groups for severe and fatal infection cannot be predicted with certainty but are likely to include infants, the elderly, pregnant women, and persons with chronic medical conditions.

In a severe pandemic, absenteeism attributable to illness, the need to care for ill family members, and fear of infection may reach 40% during the peak weeks of a community outbreak.

Certain public health measures (closing schools, quarantining household contacts of infected individuals, "snow days") are likely to increase rates of absenteeism.

The typical incubation period (interval between infection and onset of symptoms) for influenza is approximately 2 days. Persons who become ill may shed virus and can transmit infection for up to one day before the onset of illness. Viral shedding and the risk of transmission will be greatest during the first 2 days of illness. Children usually shed the greatest amount of virus and therefore are likely to pose the greatest risk for transmission.

In an affected community, a pandemic outbreak will last about 6 to 8 weeks. Multiple waves (periods during which community outbreaks occur across the country) of illness could occur with each wave lasting 2-3 months.

Below are some situations that could be caused by a severe pandemic and possible ways to address them.

Social Disruption May Be Widespread

- Plan for the possibility that usual services may be disrupted. These could include services provided by hospitals and other health care facilities, banks, stores, restaurants, and government offices.
- Prepare backup plans in case public gatherings, such as volunteer meetings and worship services, are canceled.
- Consider how to care for people with special needs in case the services they rely on are not available.

Being Able to Work May Be Difficult or Impossible

- Find out if you can work from home.
- Ask your employer about how business will continue during a pandemic.
- Plan for the possible reduction or loss of income if you are unable to work or your place of employment is closed.
- Check with your employer or union about leave policies.

Internet Resources:

www.ReyesSyndrome.Org
www.FLU.Gov
www.CDC.Gov
www.DHS.Gov
www.PandemicFlu.Gov

Schools May Be Closed for an Extended Period of Time

- Plan home learning activities and exercises. Have materials, such as books, on hand. Also plan recreational activities that your children can do at home.
- Consider childcare needs.

Transportation Services May Be Disrupted

- Think about how you can rely less on public transportation during a pandemic. For example, store food and other essential supplies so you can make fewer trips to the store.
- Prepare backup plans for taking care of loved ones who are far away.
- Consider other ways to get to work, or, if you can, work at home.

People Will Need Advice and Help at Work and Home

- Think about what information the people in your workplace will need if you are a manager. This may include information about insurance, leave policies, working from home, possible loss of income, and when not to come to work if sick.
- Meet with your colleagues and make lists of things that you will need to know and what actions can be taken.
- Find volunteers who want to help people in need, such as elderly neighbors, single parents of small children, or people without the resources to get the medical help they will need.
- Identify other information resources in your community, such as mental health hotlines, public health hotlines, or electronic bulletin boards.
- Find support systems—people who are thinking about the same issues you are thinking about. Share ideas.

Be Prepared

- Stock a supply of water and food. During a pandemic you may not be able to get to a store. Even if you can get to a store, it may be out of supplies. Public waterworks services may also be interrupted. Stocking supplies can be useful in other types of emergencies, such as power outages and disasters. Store foods that:
 - * are nonperishable (will keep for a long time) and don't require refrigeration
 - * are easy to prepare in case you are unable to cook require little or no water, so you can conserve water for drinking

Stay Healthy

- Take common-sense steps to limit the spread of germs. Make good hygiene a habit.
- Wash hands frequently with soap and water.
- Cover your mouth and nose with a tissue when you cough or sneeze.
- Put used tissues in a waste basket.
- Cough or sneeze into your upper sleeve if you don't have a tissue.
- Clean your hands after coughing or sneezing. Use soap and water or an alcohol-based hand cleaner.
- Stay at home if you are sick.

REMEMBER: Do NOT give aspirin or aspirin products to children under the age of 19. This includes Bismuth products such as Pepto-Bismol!



REYE'S SYNDROME

Reye's Syndrome is a very serious disease that you should know about. Some people develop Reye's Syndrome as they are getting over a viral illness, such as the flu or chicken pox. Reye's Syndrome usually affects people from infancy through young adulthood; however, **no age group is immune**. Although Reye's generally occurs when someone is recovering from any viral illness, it can develop 3 to 5 days after the onset of the illness. Its main targets are the liver and brain, it is noncontagious, and too often is misdiagnosed as encephalitis, meningitis, diabetes, poisoning, drug overdose, or sudden infant death.

Early diagnosis is crucial. An individual should be watched during the next 2 to 3 weeks following a viral illness for these symptoms, usually occurring in this order:

- ***Relentless or continuous vomiting**
- ***Listlessness** (*loss of pep and energy with little interest in their environment*)
- ***Drowsiness** (*excessive sleepiness*)
- ***Personality change** (*such as irritability, slurred speech, sensitivity to touch*)
- ***Disorientation or confusion** (*unable to identify whereabouts, family members or answer questions*)
- ***Combativeness** (*striking out at those trying to help them*)
- ***Delirium, convulsions or loss of consciousness**

Reye's Syndrome should be suspected in anyone who vomits repeatedly. Phone your doctor immediately if these symptoms develop. Voice your concern about Reye's Syndrome. If your physician is unavailable, take the person to an Emergency Room promptly. Two liver function tests (SGOT, SGPT) can be done to determine the possibility of Reye's Syndrome. There is a 90% chance of recovery when the syndrome is treated in its earliest stages by physicians and nurses experienced in the treatment of Reye's.

Studies have shown that using aspirin or aspirin-containing medications to treat the symptoms of viral illnesses increases the chance of developing Reye's Syndrome. If you or a member of your family have a viral illness, **do not use aspirin or aspirin-containing medications**. In fact, you should consult your physician before you take any drugs, particularly aspirin or anti-nausea medicines, to treat flu, chicken pox or any viral illness. Anti nausea medicines may mask the symptoms of Reye's Syndrome.

The National Reye's Syndrome Foundation (NRSF), the U.S. Surgeon General, the Food and Drug Administration and the Centers for Disease Control and Prevention recommend that aspirin and combination products containing aspirin not be taken by anyone under 19 years of age during fever-causing illnesses.

Aspirin is part of the salicylate family of medicines. Another name for aspirin is acetylsalicylate; some drug labels may use the words acetylsalicylate, acetylsalicylic acid, salicylic acid, salicylate, etc., instead of the word aspirin. Currently, there is no conclusive data as to whether other forms of salicylates are associated with the development of Reye's Syndrome. Until further research has answered this question, the NRSF recommends that products containing any of these substances not be taken during episodes of viral infections.

The NRSF is a non-profit, tax-exempt organization with affiliates located in 45 states. The NRSF has pioneered the movement to disseminate knowledge about the disease in an effort to aid in early diagnosis and also provides funds for research into the cause, cure, care, treatment and prevention of Reye's Syndrome.

For additional information, please contact:

National Reye's Syndrome Foundation
426 N. Lewis Street
PO Box 829
Bryan, OH 43506-0829

Phone: 1-800-233-7393 or 1-419-924-9000
Fax: 1-419-924-9999

E-Mail: nrsf@reyessyndrome.org
Web: www.reyessyndrome.org

BE INFORMED ABOUT REYE'S SYNDROME



Reye's Syndrome usually appears after a flu-like illness, upper respiratory infection, chicken pox, etc. It has been reported in children and adults.



The early signs are usually continuous vomiting, listlessness, loss of pep, aggressiveness, confusion and irrational behavior.



Medicines at the very least can mask symptoms. **DO NOT** give your child aspirin or anti-nausea medicine.



Phone your doctor immediately. If the doctor is unavailable, contact your closest hospital emergency team.



Abnormal Liver Test: SGOT and SGPT strongly suggest a diagnosis of Reye's Syndrome. Also there may be elevations in the blood ammonia level.



Time is important!
Early diagnosis is **VITAL!**

(800) 233-7393

www.reyessyndrome.org

Email: nrsf@reyessyndrome.org



National Reye's Syndrome Foundation, Inc., 2007



Medications Containing Aspirin (Acetylsalicylate) and Aspirin-Like Products

Epidemiologic research has shown an association between the development of Reye's Syndrome and the use of aspirin-type products for treating symptoms of influenza-like illnesses and chicken-pox. The National Reye's Syndrome Foundation, U.S. Surgeon General, the Food and Drug Administration, and Centers for Disease Control and Prevention recommend that aspirin and combination products containing aspirin not be given to children or teenagers who are suffering from one of these illnesses. This listing shows products containing aspirin or salicylate compounds. THIS IS NOT A COMPLETE LIST! Some medication labels may use the words acetylsalicylate, acetylsalicylic acid, salicylic, salicylamide, phenyl salicylate, etc., instead of the word aspirin. There is not data as to other forms of salicylate other than aspirin associated with the development of Reye's Syndrome, but until further research has answered this question, we recommend products listing these substances not be used at all in children and adolescents, because a virus may already be present before symptoms appear. Product ingredients may be reformulated periodically, so always check the label. When in doubt ask your doctor or pharmacist.

NON-PRESCRIPTION PRODUCTS	PRESCRIPTION PRODUCTS	PRESCRIPTION PRODUCTS (Cont.)
Alka-Seltzer* Bayer	Acuprin 81 Adult Low Dose Aspirin Richwood	Magsal Tablets U.S. Pharmaceutical
Anacin* Whitehall Robins	Aggrenox Capsules Boehringer-Ingelheim	Methocarbamol & Aspirin Tablets Par
Ascriptin* Novartis	Butalbital, Aspirin, Caffeine & Codeine	Mono-Gesic Tablets Schwarz
Bayer Aspirin* Bayer	Phosphate Capsules, USP Watson	Myogesic U.S. Pharmaceutical
BC Powder* Block	Carisoprodol and Aspirin Tablets Par	Norgesic Forte Tablets 3M
Bufferin* Bristol-Myers	Damason-P 5	Norgesic Tablets 3M
CVS Aspirin* CVS Pharmacy	Darvon Compound-65 9 Lily	Oxycodone and Aspirin Tablets C-II Watson
Doan's* Novartis	Disalcid Capsules and Tablets 3M	Panasal 5/500 5 PC Cap 9
Ecotrin* SK Beecham	Easprin Delayed-Released Tablets Lotus Biochemical	Percodan Tablets Endo Labs
Excedrin* Bristol-Myers	Empirin with Codeine No.3 2	Propoxyphene Compound 65
Goody's Aspirin* Block	Endodan Tablets, USP CII Endo Generics	Capsules (CIU) Teva
Kaopectate* Pharmacia	Equagesic Tablets Wyeth-Ayerst	Robaxisal Tablets Robins
Maalox* Novartis	Fiorinal Capsules and Tablets Novartis	Roxiprin Tablets Roxane
Norwich Aspirin* Chattem	Fiorinal with Codeine Capsules Novartis	Salflex Tablets Carnrick
Rite Aid Aspirin* Rite Aid	Fiortal with Codeine Capsules Geneva	Salsalate Tablets Duramed
Pamprin* Chattem	Gelpirin Tablets Alra	Soma Compound Tablets Wallace
Pepto-Bismol* Proctor and Gamble	Halfprin Tablets Kramer	Synalgos-DC Capsules Wyeth-Ayerst
St. Joseph* Schering-Plough	Helidac therapy Prometheus Labs	Talwin Compound Sanofi-Winthrop
Vanquish* Bayer	Lortab ASA Tablets UCB	Trilistate Liquid & Tablets Purdue Frederick
YSP* Carlsbad Technology	Magan Tablets Savage	

*To conserve space on our list, we have listed non-prescription products by brand name only. Please be aware these products come in many forms, strengths and flavors. Be sure to check the label for the Reye's Syndrome warning and/or any of the ingredients names listed in the above paragraph.

The following is a list of Antiemetics. Antiemetics are used to stop nausea. While Antiemetics do not contain aspirin, they can be associated with Reye's Syndrome because medications used to stop nausea can mask one of the first symptoms of Reye's. When every second counts in diagnosing Reye's it is vital for parents to question use of Antiemetics when prescribed during a viral illness.

Aloxi Injection MGI	Marinol Capsules Unimed	Zofran Injection GlaxoSmithKline
Anzemet Injection & Tablets Sanofi-Aventis	Phenergan Suppositories & Tablets Wyeth	Zofran Injection Premixed GlaxoSmithKline
Emend Capsuls Merck	Transderm Scope Transdermal Therapeutic System Novartis Consumer	Zofran Oral Solution, Tablets, & Orally Disintegrating Tablets GlaxoSmithKline
Kytril Injection, Oral Solution, or Tablets Roche Laboratories		

The following topical products are listed as they also contain forms of salicylates, While these products are not ingested through the mouth, certain ingredients may be absorbed through the skin and therefore a potential risk where Reye's Syndrome is concerned. Be sure to check ingredient labels. These products are not ingested and as such, not required to carry the aspirin warning.

Acne Cleaners	Dandruff Shampoos	Muscle Pain Relief Creams
Acne Creams	Exfoliating Moisturizers	Perfume
Arthritis Pain Rubs	Facial Scrubs	Sun Block
Astringents	Facial Masques	Wart Removers
Cosmetics	Lotion (Hand & Body)	Wintergreen Scented Oils

For More Information Contact the NRSF: National Reye's Syndrome Foundation, 426 N. Lewis Street, PO Box 829, Bryan, OH 43506-0829
 Toll Free: (800) 233-7393 Local: (419) 924-9000 Fax: (419) 924-9999 Web: www.reyessyndrome.org E-Mail: nrsf@reyessyndrome.org

Topical Products that Contain Aspirin

The following topical products are listed as they contain forms of salicylates. While these products are not ingested through the mouth, certain ingredients may be absorbed through the skin and therefore a potential risk where Reye's Syndrome is concerned. **Be sure to check ingredient labels. These products are not ingested and as such, not required to carry the aspirin warning.** To date no Reye's Syndrome case has been confirmed to have been caused by a topical product; but 5% of confirmed Reye's Syndrome cases list cause as unknown. The NRSF is taking a proactive approach in warning children and adults about potential risk factors of RS.

<u>Brand</u>	<u>Product Name</u>	<u>Product Name</u>
Aveeno	Aveeno Daily Moisturizer Clear Complexion	Aveeno Clear Complexion Cleansing Bar
Avon	Avon Sun Baby Lotion SPF 40	Anew Perfecting Complex for Face
	Avon Sun Baby Sunscreen Lotion SPF 40	Anew Perfecting Lotion for Problem Skin
	Avon Sun Body Block Cream SPF 30	Clear Finish Great Complexion Pressed Powder
	Avon Sun Care General Protection Lotion SPF 30	Clearskin 2 Oil-Skin Moisture Supplement
	Avon Sun Care General Protection SPF 40	Clearskin Overnight Acne Treatment
	Avon Sun Care Kids Disappearing Color Lotion SPF 40	Clear Finish Oil-Free Foundation Anti-Acne with Salicylic Acid
	Skin-So-Soft Bug Guard Mosquito Repellent Spray SPF 15 W/P	Anew Pure 02 Oxygenating Youth Complex SPF 15
	Avon Sun Kids SPF 40 Lotion	Clearskin Daily Multi-Benefit Balancer
	Avon Sun Wand	Clear Finish Concealer Anti-Acne Treatment
	Blue Blast Skin-S-Soft Moisturizing Suncare	Clear Finish Great Complexion Foundation
	Disappearing Color Mosquito, Flea & Deer Tick Repellent	Clearskin Extra Strength Astringent Cleansing Lotion
	Avon Sun Care Sport Sunscreen Spray SPF 30	Clearskin Extra Strength Cleansing Pads
	Skin-So-Soft Bug Guard Mosquito Repellent Moisturizing Lotion for Kids	Clearskin Maximum Strength Astringent Cleansing Lotion
	Skin-So-Soft Bug Guard Mosquito Repellent Moisturizing Sunblock Spray	Clearskin Body Wash
	Skin-So-Soft Bug Guard Plus Insect Repellent Lotion	Clearskin Medicated Body Scrub
	Skin-So-Soft Insect Repellent Spray	Clearskin Medicated Gel Wash
	Skin-So-Soft Kids Sunblock SPF 40 Sun-So-Soft	Clearskin Targeted Blemish Remover
	Skin-So-Soft Moisturizing Suncare Plus SPF 30	Clearskin Thursday Night Medicated Mask
	Skin-So-Soft Sunscreen Lotion SPF 30 UVA/UVB Protection	Moisture Lift Protective Cream SPF 15
	Skin-So-Soft Sunscreen Lotion For Kids SPF 40 UVA/UVB Protection	Moisture Lift Protective Lotion SPF 15
	Skin-So-Soft Sunscreen Stick UVA/UVB Protection	Soothing Therapeutic Cream for Achy Feet and Muscles
	Becoming Luminous See Spot Go Acne Treatment	Cold Season Rub
Bayer	Bayer Muscle & Joint Cream	
Beiersdorf	Mediplast	
Bioglan	Occlusal-HP	
Biore	Biore Blemish Fighting Cleansing Clothes	Biore Blemish Fighting Cleanser
Blistex	Stri-Dex Clear Gel Maximum Strength	Stri-Dex Regular pads
	Stri-Dex Sensitive Skin Pads	Stri-Dex Pads maximum Strength
	Stri-Dex Super Scrub Pads	Mediplast
Boots Health Care	Clearasil Total Control Deep Pore Cream Cleanser	StayClear Deep Cleaning Pads
	StayClear Zone-Controlled Clearstick	
Bristol Meyes Squibb	Fostex Medicated Bar	Fostex Medicated Cream
	Sebucare Lotion	Pernox Scrub
	Sebutone	Sebulex
	Sebulex with Conditioners	
Chattem, Inc.	Aspercreme	Flexall Plus
	Icy Hot Cream	Sportscreme
	Icy Hot Stick	
Covey	DHS Sal Shampoo	
CVS	CVS Acne Body Wash	CVS Antacid and Pain Reliever Tablets Effervescent Original
	CVS Muscle Rub	CVS Wart Remover
	CVS Arthricream Cream Rub	CVS Plantar Wart Remover
	CVS Artic Heat Pain Relief Balm Extra Strength	CVS Wart Remover For Hands
	CVS Muscle Rub Ultra Strength	
	CVS Daily Renewal Cream	
Del	Propa pH Peel-Off Acne Mask	Propa pH Cleanser
	Propa pH Astringent Cleanser	Propa pH Foaming Face Wash
	Propa pH Maximum Strength Astringent Cleanser	Off-Ezy Wart Remover
Doak	Trans-Ver-Sal	
Dr. Scholl's	Dr. Scholl's Clear Away Clear Wart Remover	Dr. Scholl's Clear Away Remover Discs
GlxoSmith	Deep Cleansing Shower Gel	Oxy Balance Daily Cleansing Pads
Kline	Oxy Balance Maximum Cleaning pads	Multi-Action Astringent
Gordon	Gordofilm	
Healthpoint	Ionil Plus	Ionil T
Hope	Versiclear	
IVAX	P&S	
Johnson & Johnson	Clean & Clear Astringent	Clean & Clear Blackhead Clearing Scrub
	Clean & Clear Dual Action Moisturizer	Clean & Clear Deep Action Cream Cleanser
	Clean & Clear Overnight Acne Patches	Clean & Clear Deep Action Cleansing Wipes
	Clean & Clear Invisible Blemish Treatment	Clean & Clear Advantage Acne Cleanser
	Clean & Clear Concealing Treatment Stick	Clean & Clear Clearing Lotion
L'Oreal	L'Oreal Pure Zone Pore Unclogging Scrub	L'Oreal Pure Zone Cleansing Clothes
	L'Oreal Pure Zone Pore Tightening Astringent	
Mary Kay	Velocity Facial Cleanser	Sun Essentials Ultimate Protection Sunblock SPF 30
	Velocity Lightweight Moisturizer	Terme D'Isola Moisturizing Body Wash
	Blemish Control Toner	Terma D'Isola Body Smoothing Scrub
	Daily Protection Moisturizer with Sunscreen SPF 15	Terme D'Isola Hydrating Body Lotion
	Oil Mattifier	Timewise Visibly Fit Body Lotion

Brand	Product Name	Product Name
Medtech	Compound W Gel Freezone Pads	Compound W Liquid
Neutrogena	Neutrogena Oil Free Acne Wash Neutrogena Oil Free Acne Wash Cream Cleanser Neutrogena Oil Free Acne Wash Cleansing Cloths Neutrogena 60 Second Mask Scrub Neutrogena Clear Gel Pore Treatment	Neutrogena Blackhead Eliminating Daily Scrub Neutrogena Blackhead Eliminating Astringent Neutrogena Blackhead Eliminating Treatment Mask Neutrogena Clear Pore Oil-Controlling Astringent Neutrogena T/Sal Maximum Strength
Pedinol	Hydrisalic Sal-Plant Gel	Sal-Acid
Pfizer	Wart-Off	
Proctor & Gamble	Oil of Olay Age Defying Series Daily Renewal Cleanser with Gentle Microbear Noxema 2-in-1 Pads Extra Strength	Olay Total Effects Anti-aging Wet Clothes Noxema 2-in-1 Astringent
Rite Aid	Rite Aid Deep Cleansing Wash, Facial Cleanser Rite Aid Wart Liquid	Rite Aid Corn & Callus Remover
Schering-Plough	Clear Away Gel Clear Away Plantar System DuoFilm	DuoPlant Gel Clear Away Liquid
Sirius	Meted (Improved)	
St. Ives	St. Ives Apricot Scrub St. Ives Clear Pore Cleanser	St. Ives Hydroxy Masque
Stiefel	Salicylic Acid Cleansing Bar	Salicylic Acid and Sulfur Soap
Summers	SalAc Acne Medication-Cleanser	Tarsum
Triton	MG 217 Sal-Acid	MG 217 Medicated Tar-Free Shampoo

Miscellaneous Items Which Contain Salicylates

Antiseptics	Beverages	Candies	Cosmetics	Gum	:pzenges	Mouthwash
Perfumes	Shampoo	Sun Block	Toothpaste	Wintergreen Oil		

Foods and Plants Which Contain Salicylates

Acacia	Almonds	Apples	Apricots	Aspens	Birches	Blackberries
Calycanthus	Camellia	Cherries	Currants	Gooseberries	Grapes	Hyacinth
Marigold	Nectarines	Oranges	Peaches	Plums	Poplars	Spiraea
Teaberry	Willows					

Various Salicylic Compounds

Acetyl Salicylic Acid	Calcium Acetyl Salicylate	Methyl Salicylate	Santyl (Santalyl Salicylate)	Salicylamide
Aluminum Acetyl Salicylate	Choline Salicylate	Procaine Salicylate	Sodium Salicylate	Methylene disalicylic acid
Ammonium Salicylate	Ethyl Salicylate	Sal Ethyl Carbonate	Stroncyate	Salicylanilide
Arthropan	Lithium Salicylate	Salicylsalicylic acid	Strontium Salicylate	Sulfosalicylic Acid

updated 03/10/08



Preparaciones que Contienen Aspirina (Acetylsalicylate) y Compuestos Parecidos a la Aspirina

Las investigaciones epidémicas muestran que hay una asociación entre el desarrollo del Síndrome Reye's y el uso de aspirina (un salicylate) que se toma para curar los síntomas de la influenza, de las viruelas locas y de las gripes. La Fundación Nacional del Síndrome Reye's, el Cirujano General de los Estados Unidos, La Administración de la Comida y las Drogas, y los Centros para Controlar las Enfermedades recomiendan que los niños hasta la edad de veinte años no tomen la aspirina ni las medicinas que contienen aspirina cuando están enfermos con la gripe, la influenza o las viruelas locas. **Probablemente existan otros productos que contienen aspirina y esta lista no está completa.** Los niños que sufren de la gripe o de las viruelas locas deben evitar estos productos. Es posible reformular estos productos para quitar o añadir la aspirina. Siempre pregunte a su médico o a su farmacéutico acerca de las medicinas antes de tomarlas.

PRODUCTOS SIN RECETA MEDICA	PRODUCTOS CON RECETA MEDICA	PRODUCTOS CON RECETA MEDICA (continuacion)
Alka-Seltzer* Bayer	Acuprin 81 Adult Low Dose Aspirin Richwood	Magan Tablets Savage
Anacin* Whitehall Robins	Aggrenox Capsules Boehringer-Ingelheim	Magsal Tablets U.S. Pharmaceutical
Ascriptin* Novartis	Butalbital, Aspirin, Caffeine & Codeine	Methocarbamol & Aspirin Tablets Par
Bayer Aspirin* Bayer	Phosphate Capsules, USP Watson	Mono-Gesic Tablets Schwarz
BC Powder* Block	Carisoprodol and Aspirin Tablets Par	Norgesic Forte Tablets 3M
Bufferin* Bristol-Myers	Darvon Compound-65 Lily	Norgesic Tablets 3M
CVS Aspirin* CVS Pharmacy	Disalcid Capsules and Tablets 3M	Percodan Tablets Endo Labs
Doan's* Novartis	Easprin Delayed-Released Tablets Lotus Biochemical	Propoxyphene Compound 65 Capsules (CIU) Teva
Dristan* Whitehall Robins	Endodan Tablets, USP CII Endo Generics	Robaxisal Tablets Robins
Ecotrin* SK Beecham	Equagesic Tablets Wyeth-Ayerst	Roxiprin Tablets Roxane
Excedrin* Bristol-Myers	Fiorinal Capsules and Tablets Novartis	Salflex Tablets Carrick
Goody's Aspirin* Block	Fiorinal with Codeine Capsules Novartis	Salsalate Tablets Duramed
Kaopectate* Pharmacia	Fiortal with Codeine Capsules Geneva	Soma Compound Tablets Wallace
Maalox* Novartis	Gelpirin Tablets Alra	Synalgos-DC Capsules Wyeth-Ayerst
Midol* Bayer	Halfprin Tablets Kramer	Talwin Compound Sanofi-Winthrop
Norwich Aspirin* Chattem	Helidac therapy Prometheus Labs	Trilistate Liquid & Tablets Purdue Frederick
Rite Aid Aspirin* Rite Aid	Lobac Capsules and Tablets Seatrace	
Pamprin* Chattem	Lortab ASA Tablets UCB	
Pepto-Bismol* Proctor and Gamble		
Sine-Off* Hogil Pharmaceutical	*Para conservar el espacio en nuestra lista, hemos enumerado productos que no necesitan receta por marca solamente.	
St. Joseph* Schering-Plough	Por favor recuerde que estos productos vienen en muchas formas, fuerzas y sabores. Asegúrese de revisar la etiqueta para saber si hay advertencias que se relacionen con el Síndrome de Reye's o cualquiera de los nombres de los ingredientes enumerados en el párrafo antedicho.	
Vanquish* Bayer		
YSP* Carlsbad Technology		

Los siguientes productos, están enumerados porque también pueden contener alguna forma de Salicylates. Aunque estos productos no se injieren a través de la boca, ciertos ingredientes se pueden absorber mediante la piel y por lo tanto es posible que tenga riesgos para personas con el Síndrome de Reye's. Asegúrese de revisar la etiqueta y los ingredientes. Estos productos no se injieren y por lo tanto no se requiere que tengan aviso de advertencia de aspirina.

Astringentes	El Acné Bate	Limpiadores Del Acné
Bloque Del Sol	El Facial Friega	Masques Faciales
Champú De la Caspa	Frotaciones Del Dolor De la Artritis	Removedores De la Verruga
Crema hidratante De Exfoliating	La Relevación Del Dolor Del Músculo Bate	Aceites Perfumados De Wintergreen

Para más información, contacte a:
 National Reye's Syndrome Foundation, 426 N. Lewis Street, PO Box 829, Bryan, OH 43506-0829
 Llamada gratis: (800) 233-7393 O llame por teléfono: (419) 924-9000 Fax: (419) 924-9999
 Web: www.reyessyndrome.org E-Mail: nrsf@reyessyndrome.org

Los Sigüientes Productos

Los siguientes productos, estan enumerandolos porque tambien pueden contener alguna forma de Salicylates. Aunque estos productos no se injieren a traves de la boca, ciertos ingredientes se pueden absorber mediante la piel y por lo tanto es possible que tenga riesgos para personas con el Síndrome de Reye's. Asegurese de revisar la etiqueta y los ingredientes. Estos productos no se injieren y por lo tanto no se requiere que tengan aviso de advertencia de aspirina.

Marca de fábrica	Nombre Del Producto	Nombre Del Producto
Aveeno	Aveeno Daily Moisturizer Clear Complexion	Aveeno Clear Complexion Cleansing Bar
Avon	Avon Sun Baby Lotion SPF 40 Avon Sun Baby Sunscreen Lotion SPF 40 Avon Sun Body Block Cream SPF 30 Avon Sun Care General Protection Lotion SPF 30 Avon Sun Care General Protection SPF 40 Avon Sun Care Kids Disappearing Color Lotion SPF 40 Avon Sun-Soft Bug Guard Mosquito Repellant Spray SPF 15 W/P Avon Sun Kids SPF 40 Lotion Avon Sun Wand Blue Blast Skin-S-Soft Moisturizing Suncare Disappearing Color Mosquito, Flea & Deer Tick Repellant Avon Sun Care Sport Sunscreen Spray SPF 30 Skin-So-Soft Bug Guard Mosquito Repellant Moisturizing Lotion for Kids Skin-So-Soft Bug Guard Mosquito Repellant Moisturizing Sunblock Spray Skin-So-Soft Bug Guard Plus Insect Repellant Lotion Skin-So-Soft Insect Repellant Spray Skin-So-Soft Kids Sunblock SPF 40 Sun-So-Soft Skin-So-Soft Moisturizing Suncare Plus SPF 30 Skin-So-Soft Sunscreen Lotion SPF 30 UVA/UVB Protection Skin-So-Soft Sunscreen Lotion For Kids SPF 40 UVA/UVB Protection Skin-So-Soft Sunscreen Stick UVA/UVB Protection Becoming Luminous See Spot Go Acne Treatment	Anew Perfecting Complex for Face Anew Perfecting Lotion for Problem Skin Clear Finish Great Complexion Pressed Powder Clearskin 2 Oil-Skin Moisture Supplement Clearskin Overnight Acne Treatment Clear Finish Oil-Free Foundation Anti-Acne with Salicylic Acid Anew Pure 02 Oxygenating Youth Complex SPF 15 Clearskin Daily Multi-Benefit Balancer Clear Finish Concealer Anti-Acne Treatment Clear Finish Great Complexion Foundation Clearskin Extra Strength Astringent Cleansing Lotion Clearskin Extra Strength Cleansing Pads Clearskin Maximum Strength Astringent Cleansing Lotion Clearskin Body Wash Clearskin Medicated Body Scrub Clearskin Medicated Gel Wash Clearskin Targeted Blemish Remover Clearskin Thursday Night Medicated Mask Moisture Lift Protective Cream SPF 15 Moisture Lift Protective Lotion SPF 15 Soothing Therapeutic Cream for Achy Feet and Muscles Cold Season Rub
Bayer	Bayer Muscle & Joint Cream	
Beiersdorf	Mediplast	
Bioglan	Occlusal-HP	
Biore	Biore Blemish Fighting Cleansing Clothes	Biore Blemish Fighting Cleanser
Blistex	Stri-Dex Clear Gel Maximum Strength Stri-Dex Sensitive Skin Pads Stri-Dex Super Scrub Pads	Stri-Dex Regular pads Stri-Dex Pads maximum Strength Mediplast
Boots Health Care	Clearasil Total Control Deep Pore Cream Cleanser StayClear Zone-Controlled Clearstick	StayClear Deep Cleaning Pads
Bristol Meyes Squibb	Fostex Medicated Bar Sebucare Lotion Sebutone Sebulex with Conditioners	Fostex Medicated Cream Pernox Scrub Sebulex
Chattem, Inc.	Aspercreme Icy Hot Cream Icy Hot Stick	Flexall Plus Sportscreme
Covey	DHS Sal Shampoo	
CVS	CVS Acne Body Wash CVS Muscle Rub CVS Arthricream Cream Rub CVS Artic Heat Pain Relief Balm Extra Strength CVS Muscle Rub Ultra Strength CVS Daily Renewal Cream	CVS Antacid and Pain Reliever Tablets Effervescent Original CVS Wart Remover CVS Plantar Wart Remover CVS Wart Remover For Hands
Del	Propa pH Peel-Off Acne Mask Propa pH Astringent Cleanser Propa pH Maximum Strength Astrigent Cleanser	Propa pH Cleanser Propa pH Foaming Face Wash Off-Ezy Wart Remover
Doak	Trans-Ver-Sal	
Dr. Scholl's	Dr. Scholl's Clear Away Clear Wart Remover	Dr. Scholl's Clear Away Remover Discs
GlxoSmith	Deep Cleansing Shower Gel	Oxy Balance Daily Cleansing Pads
Kline	Oxy Balance Maximum Cleaning pads	Multi-Action Astringent
Gordon	Gordofilm	
Healthpoint	Ionil Plus	Ionil T
Hope	Versiclear	
IVAX	P&S	
Johnson & Johnson	Clean & Clear Astringent Clean & Clear Dual Action Moisturizer Clean & Clear Overnight Acne Patches Clean & Clear Invisible Blemish Treatment Clean & Clear Concealing Treatment Stick	Clean & Clear Blackhead Clearing Scrub Clean & Clear Deep Action Cream Cleanser Clean & Clear Deep Action Cleansing Wipes Clean & Clear Advantage Acne Cleanser Clean & Clear Clearing Lotion

Marca de fábrica	Nombre Del Producto	Nombre Del Producto
L'Oreal	L'Oreal Pure Zone Pore Unclogging Scrub L'Oreal Pure Zone Pore Tightening Astringent	L'Oreal Pure Zone Cleansing Clothes
Mary Kay	Velocity Facial Cleanser Velocity Lightweight Moisturizer Blemish Control Toner Daily Protection Moisturizer with Sunscreen SPF 15 Oil Mattifier	Sun Essentials Ultimate Protection Sunblock SPF 30 Terme D'Isola Moisturizing Body Wash Terma D'Isola Body Smoothing Scrub Terme D'Isola Hydrating Body Lotion Timewise Visibly Fit Body Lotion
Medtech	Compound W Gel Freezone Pads	Compound W Liquid
Neutrogena	Neutrogena Oil Free Acne Wash Neutrogena Oil Free Acne Wash Cream Cleanser Neutrogena Oil Free Acne Wash Cleansing Cloths Neutrogena 60 Second Mask Scrub Neutrogena Clear Gel Pore Treatment	Neutrogena Blackhead Eliminating Daily Scrub Neutrogena Blackhead Eliminating Astringent Neutrogena Blackhead Eliminating Treatment Mask Neutrogena Clear Pore Oil-Controlling Astringent Neutrogena T/Sal Maximum Strength
Pedinol	Hydrisalic Sal-Plant Gel	Sal-Acid
Pfizer	Wart-Off	
Proctor & Gamble	Oil of Olay Age Defying Series Daily Renewal Cleanser with Gentle Microbeac Noxema 2-in-1 Pads Extra Strength	Olay Total Effects Anti-aging Wet Clothes Noxema 2-in-1 Astringent
Rite Aid	Rite Aid Deep Cleansing Wash, Facial Cleanser Rite Aid Wart Liquid	Rite Aid Corn & Callus Remover
Schering-Plough	Clear Away Gel Clear Away Plantar System DuoFilm	DuoPlant Gel Clear Away Liquid
Sirius	Meted (Improved)	
St. Ives	St. Ives Apricot Scrub St. Ives Clear Pore Cleanser	St. Ives Hydroxy Masque
Stiefel	Salicylic Acid Cleansing Bar	Salicylic Acid and Sulfur Soap
Summers	SalAc Acne Medication-Cleanser	Tarsum
Triton	MG 217 Sal-Acid	MG 217 Medicated Tar-Free Shampoo

Artículos Misceláneos Que Contienen Los Salicylates

Antisépticos	Bebidas	Caramelos	Cosméticos	Goma	Enjuague	Crema dental
Perfumes	Champú	Bloque Del Sol	Losanjes	Aceite De Wintergreen		



Alimentos y plantas que contienen los salicylates

Albaricoques	Almendras	Manzanas	Acacia	Álamos tembloses	Teaberry	Grosellas espinosas
Calycanthus	Camellia	Cerezas	Pasas	Sauces	Melocotones	Ciruelos
Maravilla	Nectarinas	Naranjas	Abedules	Uvas	Álamos	Spiraea
Zarzamoras	Jacinto					

Varios Compuestos Salicílicos

Acetyl Salicylic Acid	Calcium Acetyl Salicylate	Methyl Salicylate	Santyl (Santaly Salicylate)	Salicylamide
Aluminum Acetyl Salicylate	Choline Salicylate	Procaine Salicylate	Sodium Salicylate	Methylene disalicylic acid
Ammonium Salicylate	Ethyl Salicylate	Sal Ethyl Carbonate	Stroncyate	Salicylanilide
Arthropan	Lithium Salicylate	Salicylsalicylic acid	Strontium Salicylate	Sulfosalicylic Acid

Suggestions for Distributing RS Information



There is another way you can promote awareness of Reye's Syndrome, raise much needed funds for the Foundation, and encourage volunteer involvement among your students. Help your students organize a bake sale, dance off, bowl-a-thon, or a fundraiser of their choice to raise awareness and money for the National Reye's Syndrome Foundation.

For 20+ years, Lake Park High School Cooperative Education students in Chicago, Illinois have successfully organized a Bowl-A-Thon, which has generated interest in Reye's Syndrome and thousands of dollars. Not to mention, it has helped the students feel a sense of pride knowing they have given back not just on a community level, but a national level! Feel free to call the NRSF for help to get started.

