

Hand Soap PRODUCT INFORMATION

FOAMING LUXURY HAND SOAP **Dye & Fragrance Free**

Foaming Luxury Hand Soap Dye & Fragrance Free, is the same great formula as Foaming Luxury Hand Soap without any added dye or fragrance. The rich soft foam quickly cleans away light to medium soils and is ideal for any environment.

Features and Benefits

- Effective general purpose hand soap
- Clear with no added fragrance
- · Soft, rich foam cleans light to medium soils
- Contains Aloe and Vitamin E to help nourish the skin
- Green Seal[™] Certified
- Ideal for any environment

Directions for Use

Apply a sufficient amount of product to hands. Add water, lather for 20 seconds, and rinse.

Certifications



E1 Nonfood Compounds Program Listed: E1 Registration Number: 152462

Chemical and Physical Properties

Product Type
Color
Clarity Clear
Fragrance None
pH (as is) 25°C 6.5 Typical
Freeze Thaw Stable Yes (3 cycles)
% Surfactants Below 10%
Viscosity at 25°C \ldots 5 CPS Typical
CA prop 65 compliant Yes

Market Segments

- General Office/Restrooms
- Public Restrooms
- Offices
- Retail
- Education
- K-12 Schools
- Colleges/Universities
- Daycare
- Healthcare
 - Doctor's/Dentist's Offices
 - Hospitals
 - Nursing Homes

Ingredients

Sports/Hospitality/Leisure Casinos/Hotels Stadiums

Industrial & Manufacturing

Fitness Facilities

Food Service

Water, Ammonium Lauryl Sulfate, Sodium Laureth Sulfate, Disodium Cocamido MIPA Sulfosuccinate, DMDM Hydantoin, Glycerin, Polyquaternium-7, Citric Acid, Aloe Barbadensis Leaf Juice, Tocopheryl Acetate (Vitamin E).



ITEM #	DESCRIPTION	DISPENSER	SIZE	PACK
68609	Foaming Luxury Hand Soap Dye & Fragrance Free	Pour Top Gallon	1 gallon	4
68631	Foaming Luxury Hand Soap Dye & Fragrance Free	EZ FOAM [®] Counter Mount	1000 mL	4
68641	Foaming Luxury Hand Soap Dye & Fragrance Free	Designer Series/EZ FOAM [®] Wall Mount	1000 mL	6
68644	Foaming Luxury Hand Soap Dye & Fragrance Free	Designer Series/EZ FOAM® No Touch	1000 mL	4



Manufactured in the USA in a LEED[®] Silver Certified facility.

LEED and the related logo is a trademark owned by the U.S. Green Building Council and is used with permission.

KUTOL Products Co. / 100 Partnership Way / Cincinnati, OH 45241 / 513-527-5500 / 800 543-4641 / www.kutol.com



Formula 686

102 Glass Cleaner

TECHNICAL DATA

This product meets Green Seal[™] Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging and protective limits on: VOCs and human & environmental toxicity. GreenSeal.org.

CAUTION: KEEP OUT OF THE REACH OF CHILDREN. EYE IRRITANT. MAY CAUSE SKIN IRRITATION. Avoid contact with eyes and skin. Wash thoroughly after handling. Harmful if swallowed. Do not mix with chlorine bleach, ammonia or any other cleaning products. Do not reuse container. Keep container closed when not in use.

FIRST AID: For eyes: flush with plenty of water for at least 15 minutes. If irritation persists, get medical attention. For Skin: Remove contaminated clothing. Wash skin area with plenty of water. Get medical attention if irritation persists. Ingestion: drink plenty of water. Get medical attention. Never try to give water to an unconscious person.

SAFETY PRECAUTIONS: Protective gloves and evewear are recommended but not required when used as directed.

INTEGRATED SYSTEM

Use the Product Central chemical cartridges with the

- Express Wall Mount Dispenser
- Express Portable Dispenser

User Friendly

- Simply choose the appropriate chemical.
- Insert the cartridge into the dispenser.
- button or the bulk
- , machines, etc.
- ally dilutes the
- th its own dilution
- keeps pressure ate dilution.
- cts the water supply.
- labels
- w proper usage



cannuge	Lo-Flow	1:200	Select the spray bottle fill
Dilution 3 liter	Hi-Flow	1:256	fill button.
cartridge	Lo-Flow	1:64	• Fill spray bottles, buckets,
Yield half-gallon	Hi-Flow	100 gallons	The dispenser automatica
cartridge	Lo-Flow	400 quarts	product.
Yield 3 liter	Hi-Flow	202 gallons	Built-in Features
cartridge	Lo-Flow	202 quarts	Each cartridge comes with
pH as supplied	12-13		control mechanism.
Color	Blue		 A flow reduction washer k constant, assuring accura
Odor	Lavender		Air gap technology protect
Weight per gallon	8.72 lbs.		
Packaging	1/2 gallon and	d 3 liter cartridge	Smart Packaging
Shelf Life	1 year		Color and number coded I Labels have icons to show

1:200



Product Central 102 Glass Cleaner is a premium product in a quick drying formula. Leaves glass, mirrors and other hard surfaces clean and streak-free. Cleans easily with a soft cloth or paper towel. Streak-free on the first wipe. Biodegradable and phosphate free.

EASY TO USE (DILUTE WITH COLD WATER)

- Dispense automatically with the Product Central Express Dispenser.
- Spray and wipe or apply with a window brush and squeegee off.
- · For use on all glass and mirror surfaces.

Dilution half-gallon

oortridaa

• Use on all washable surfaces including plastic, porcelain, plexiglass, stainless steel, ceramic, and glazed tiles, display cases, vinyl upholstery, and appliances.

Disposal: Surfactants biodegradable. Diluted product may be flushed down sewer. Check with local water treatment plant. Recycling container recommended.

Disposición: Surfactants biodegradable. El producto diluido puede ser limpiado abajo alcantarilla. Verifique con planta local de tratamiento de agua. El reciclaje recomendó para el contenedor.

The consequences of improper use or improper dilution are residue buildup or reduced effectiveness, as well as an increased risk of adverse health effects.

SPECIFICATIONS

Hi-Flow

Product Central 103 Disinfectant 256 is a one-step, Hospital Use disinfectant cleaner that is effective against a broad spectrum of bacteria, is virucidal* including HIV-1, Hepatitis B Virus, Hepatitis C Virus, *Herpes Simplex Virus Type 1, *Herpes Simplex Virus Type 2, *Human Coronavirus, *Influenza Virus Type A/Brazil, *Influenza Virus Type A/Hong Kong, *Norwalk Virus [Norovirus], *Respiratory Syncytial Virus, *Rotavirus, *SARS Associated Coronavirus, *Vaccinia Virus, fungicidal, and inhibits the growth of mold and mildew, and their odors, when used as directed. Cross-contamination is of major housekeeping concern. this product has been formulated to aid in the reduction of cross-contamination not only in hospitals, but in schools, institutions and industry.

As a disinfectant, this product kills: Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella enteric, Campylobacter jejuni, Enterobacter aerogenes, Enterococcus faecalis- Vancomycin Resistant, Escherichia coli, Klebsiella pneumonia, Legionella pneumophilia, Listeria monocytogenes, Pseudomonas cepacia, Salmonella schottmuelleri, Salmonella typhi, Shigella dysenteriae, Staphylococcus aureus [MRSA], Staphylococcus aureus-Vancomycin Intermediate Resistant, Streptococcus pyogenes.

EASY TO USE

- Dispense automatically with the Product Central Express Dispenser.
- For floor cleaning use with a wet mopping system.
- For general cleaning use wiith sprayers, wipers, sponges, and pails.

1			
SPECIFICATIONS			
Dilution 1/2-gallon cartridge	High/Low Flow	1:256	
Dilution 2 liter cortridge	High Flow	1:256	
Dilution 3 liter cartridge	Low Flow	1:64	
Yield 1/2-gallon cartridge	High/Low Flow	128 gallons	
	High Flow	202 gallons	
Yield 3 liter cartridge	Low Flow	202 quarts	
рН	10 - 13		
Color	Opalescent green		
Odor	Floral		
Weight per gallon	8.41 lbs.		
Packaging	1/2 gallon and 3 liter cartridge		
Shelf Life	1 year		

Disinfectant

103 Disinfectant 256 TECHNICAL DATA

DANGER. Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin, or on clothing. Wear protective eyewear (goggles, face shield or safety glasses), protective clothing and protective (rubber or chemical resistant) gloves if eye or skin contact is likely. Harmful if swallowed and/or if absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. If swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. Note to physician: Probable mucosal damage may contraindicate the use of gastric lavage. Call a poison control center or label with you when calling poison control center or doctor or going for treatment.

INTEGRATED SYSTEM

Use Product Central chemical cartridges with the

- Express Wall Mount Dispenser
- Express Portable Dispenser
- Express Portable Foaming Gun

User Friendly

- Simply choose the appropriate chemical.
- Insert the cartridge into the dispenser.
- Select the spray bottle fill button or the bulk fill button.
- Fill spray bottles, buckets, machines, etc.
- The dispenser automatically dilutes the product.

Built-in Features

- Each cartridge comes with its own dilution control mechanism.
- A flow reduction washer keeps pressure constant, assuring accurate dilution.
- Air gap technology protects the water supply.

Smart Packaging

- Color and number coded labels
- · Labels have icons to show proper usage

Product Central 103 Disinfectant 256 EPA Reg. No. 6836-78-1674 · EPA Est. No. 1674-MA-01

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DISINFECTION/VIRUCIDAL*/FUNGICIDAL/MOLD AND MILDEW CONTROL DIRECTIONS:

Apply use-solution to hard, nonporous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer or by immersion. Treated surfaces must remain wet for 10 minutes. Wipe dry with a cloth, sponge or mop or allow to air dry. For heavily soiled areas, a preliminary cleaning is required.

For sprayer applications, use a coarse spray device. Spray 6 - 8 inches from the surface; rub with a brush, sponge or cloth. Do not breathe spray.

Rinse all surfaces that come in contact with food such as countertops, exteriors of appliances, tables and stovetops with potable water before reuse. Do not use on utensils, glassware and dishes.

For fungicidal activity, PC103 is an effective fungicide against Trichophyton mentagrophytes [the athlete's foot fungus] in areas such as locker rooms, dressing rooms, shower and bath areas and exercise facilities. PC103 is a one-step fungicide at ½ oz. per gallon in 200 ppm hard water and 5% serum.

For mold and mildew, At ½ oz. per gallon, PC103 will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

BACTERICIDAL STABILITY OF USE-DILUTION: the use solution of this product, when stored in a sealed container such as a spray bottle, remains effective for up to 1 year. If product becomes visibly dirty or contaminated, the use-dilution must be discarded and fresh product prepared. Always use clean, properly labeled containers when diluting this product. Bactericidal stability of the use-dilution does not apply to open containers such as buckets or pails.

This product is not for use on medical device surfaces.

*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OB-JECTS PREVIOUSLY SOILED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 [HIV-1] [associated with AIDS] or Hepatitis B Virus [HBV] or Hepatitis C Virus [HCV].

Special Instructions for Cleaning and Decontamination against HIV-1 or HBV or HCV on Surfaces / Objects Soiled With Blood / Body Fluids.

Personal protection: Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

Cleaning procedure: Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of PC103.

Contact time: Leave surface wet for 1 minute [60 seconds] for HIV-1 and 10 minutes for HBV and HCV with ½ oz. per gallon use-solution. Use a 10-minute contact time for disinfection against all other viruses, bacteria and fungi claimed.

Disposal of infectious material: Blood, body fluids, cleaning materials and clothing must be autoclaved and disposed of according to local regulations for infectious waste disposal.

NON-ACID TOILET BOWL [AND URINAL] DISINFECTANT/CLEANER DIRECTIONS:

Remove gross filth prior to disinfection. Empty toilet bowl [or urinal] and apply ½ oz. per gallon use-solution to exposed surfaces and under the rim with a cloth, mop, sponge or mechanical spray. Brush or swab thoroughly. Allow to stand for 10 minutes and flush.

DISINFECTION OF WHIRLPOOL BATHS:

After using the bath, drain and refill with fresh water to cover the highest jet. Add ½ oz. PC103 for each gallon of fresh water added. Start the pump to circulate the solution. Wash down the sides, deck, seat of chair lift, and any uncovered surfaces on the unit with a clean swab, brush or sponge. Treated surfaces must remain wet for 10 minutes. After the bath has been thoroughly disinfected, drain the solution and rinse the disinfected surfaces with fresh water. Wipe dry with a clean sponge or cloth or allow to air dry. Repeat for heavily soiled units.

FOR USE ON FINISHED FLOORS: To limit gloss reduction use PC103 at ½ oz. per gallon. Apply with a damp mop or autoscrubber. Allow surface to remain wet for 10 minutes. Wipe or allow to air dry.

VETERINARY/ANIMAL CARE FACILITIES DISINFECTION/VIRUCIDAL* DIRECTIONS:

For cleaning and disinfecting hard nonporous surfaces: equipment used for feeding or watering animals, utensils, instruments, cages, kennels, stables, catteries, pens, stalls and etc. Remove all animals and feeds from premises, animal transportation vehicles, crates, pens, stalls and etc. Remove all litter, droppings and manure from floors, walls and surfaces of facilities occupied or traversed by animals. Empty all feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use-solution of ½ oz. of PC103 per gallon of water for a period of 10 minutes. Wipe or allow to air dry. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used to remove litter and manure. Thoroughly scrub all treated surfaces, then rinse all surfaces that come in contact with food, including equipment used for feeding or watering, with potable water before reuse. Ventilate buildings, animal enclosures, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set or dried.

TO CLEAN AND DEODORIZE: Use ½ oz of PC103 per gallon of water to clean and deodorize surfaces. Apply using a cloth, mop, sponge or sprayer. Wipe or allow to air dry.

Carpets: ½ oz. per gallon of shampoo solution eliminates odors associated with urine, vomit, smoke, and mildew. Reapply after cleaning for freshening effects. Allow to dry.

Effective against the following pathogens:

[Bacteria:] Pseudomonas aeruginosa] Staphylococcus aureus Salmonella enterica

Acinetobacter baumannii Brevibacterium ammoniagenes Campylobacter jejuni Enterobacter aerogenes Enterococcus faecalis] Enterococcus faecalis- Vancomycin Resistant [VRE] Escherichia coli [E. coli] ESBL Escherichia coli Klebsiella pneumoniae Legionella pneumophilia Listeria monocytogenes [Listeria] Pseudomonas cepacia [Pseudomonas] Salmonella schottmuelleri [Salmonella] Salmonella typhi [Salmonella] Serratia marcescens [Serratia] Shigella dysenteriae [Shigella] Staphylococcus aureus [Community Associated Methicillin-Resistant] Staphylococcus aureus - Methicillin-Resistant [MRSA] Staphylococcus aureus - Multi-Drug Resistant [resistant to tetracycline, penicillin, streptomycin and erythromycin Staphylococcus aureus-Vancomycin Intermediate Resistant] Streptococcus pyogenes [Strep] Vibrio cholerae

[Viruses:]

*Hepatitis B Virus [HBV] *Hepatitis C Virus [HCV] *Herpes Simplex Virus Type 1 *Herpes Simplex Virus Type 2 *HIV-1 [AIDS Virus] *Human Coronavirus *Influenza Virus Type A / Brazil [Influenza] *Influenza Virus Type A / Hong Kong [Influenza] *Norwalk Virus [Feline Calicivirus] [Norovirus] *Respiratory Syncytial Virus [RSV] *Rotavirus *SARS Associated Coronavirus [SARS] *Vaccinia Virus [Pox Virus]

Kills Pandemic 2009 H1N1 influenza A virus (formerly swine flu).

PC103 is effective against the following animal viruses: Avian Influenza Virus (H3N2) Avian Influenza Virus (H5N1) Avian Infectious Bronchitis Virus Canine Distemper Virus Feline Calicivirus Newcastle's Disease Virus Pseudorabies Virus

[Fungi:] Aspergillus niger Trichophyton mentagrophytes [the Athlete's Foot Fungus]

+ FOOD SERVICE + NO RINSE + +

Product Central 105 Sanitizer is a concentrated water-based solution composed of dual quaternary ammonium chlorides. Sanitizer is recommended for use where only sanitizing is needed, especially, in food preparation areas. A potable water rinse is not required when Sanitizer is used as a final sanitizing rinse on clean hard surfaces. Sanitizer is ideal for use in meat and poultry processing and handling facilities, supermarkets, food handlers, food processors, restaurants, hotels, schools, colleges, veterinary and kennel facilities, dairy facilities, public transportation, public buildings, hospitals, nursing homes and institutions. Sanitizer is EPA registered for use in federally inspected meat, poultry, rabbit and egg plants.

EASY TO USE

- Dispense automatically with the Product Central Express Dispenser into sink, spray bottle, bucket or pail.
- For sanitizing pre-cleaned, non-porous food contact surfaces.
- Spray, flood or submerge items or surfaces to be sanitized.
- If necessary, drain excess solution.
- Allow to air dry.

SPECIFICATIONS		
Dilution	1:512	
Yield/cartridge	256 gallons	
рН	7.2	
Color	Clear	
Odor	Characteristic	
Weight per gallon	8.30 lbs.	
Packaging	1/2 gallon cartridge	
Shelf Life	1 year	

Food Safe Sanitizer

105 Sanitizer TECHNICAL DATA

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER: KEEP OUT OF THE REACH OF CHILDREN. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves, and protective clothing. Harmful if swallowed. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

For emergency medical treatment information, call 1-800-535-5053

INTEGRATED SYSTEM

Use the Product Central chemical cartridges with the

- Express Wall Mount Dispenser
- Express Portable Dispenser

User Friendly

- Simply choose the appropriate chemical.
- Insert the cartridge into the dispenser.
- Select the spray bottle fill button or the bulk fill button.
- Fill spray bottles, buckets, machines, etc.
- The dispenser automatically dilutes the product.

Built-in Features

- Each cartridge comes with its own dilution control mechanism.
- A flow reduction washer keeps pressure constant, assuring accurate dilution.
- Air gap technology protects the water supply.

Smart Packaging

- Color and number coded labels
- · Labels have icons to show proper usage





+ SUSPENDS SOIL + + EMULSIFIES + +

Product Central 107 EP Heavy Duty Degreaser is a fast-acting, environmentally preferable degreaser fortified with organic and inorganic sequestering agents, and a soil suspending agents that works on many kinds of grease soils. Phosphate-free and glycol ether EB-free. Biodegradable, non-corrosive and non-flammable.

EASY TO USE

- Dispense automatically with the Product Central Express Dispenser.
- Use with sprayers, automatic scrubbers, mop and buckets, sponges and pails.
- Ideal for removing hardened layers and deposits of animal fat, grease, protein substances, carbon, embedded soil and food stuff.
- It may also be used on concrete floors, air filters, locker room and pool floors.
- It is rust inhibited for metal cleaning but should not be used on polished aluminum, magnesium, painted, varnished or polished surfaces.

SPECIFICATIONS			
Dilution half-gallon	Hi-Flow	1:200	
cartridge	Lo-Flow	1:64	
Dilution 3 liter	Hi-Flow	1:256	
cartridge	Lo-Flow	1:64	
Yield half-gallon cartridge	Hi-Flow	100 gallons	
	Lo-Flow	128 quarts	
Yield 3 liter	Hi-Flow	202 gallons	
cartridge	Lo-Flow	202 quarts	
рН	8.8 - 9.6		
Color	Green		
Odor	Citrus		
Weight per gallon	8.81 lbs.		
Packaging	1/2 gallon and 3 liter cartridge		
Shelf Life	1 year		

107 EP Heavy Duty Degreaser TECHNICAL DATA

CAUTION: KEEP OUT OF THE REACH OF CHILDREN. Harmful if swallowed, inhaled, or in contact with skin. Causes skin irritation. May cause long lasting harmful effects to aquatic life.

FIRST AID: If swallowed: Harmful if swallowed. Rinse mouth. DO NOT induce vomiting. Call Poison Center, 911 or emergency medical service. **If on skin:** Remove contaminated clothing and wash before reuse. Rinse affected areas with plenty of soap and water or shower. If skin irritation occurs, get medical advice/attention. **If inhaled:** Remove person to fresh air and keep comfortable for breathing. **If in eyes:** Rinse carefully with water for several minutes. Remove contact lenses, if easy to do, then continue rinsing.

SAFETY PRECAUTIONS: Protective eyewear, clothing and nitrile gloves are required.

INTEGRATED SYSTEM

Use the Product Central chemical cartridges with the

- Express Wall Mount Dispenser
- Express Portable Dispenser

User Friendly

- Simply choose the appropriate chemical.
- Insert the cartridge into the dispenser.
- Select the spray bottle fill button or the bulk fill button.
- Fill spray bottles, buckets, machines, etc.
- The dispenser automatically dilutes the product.

Built-in Features

- Each cartridge comes with its own dilution control mechanism.
- A flow reduction washer keeps pressure constant, assuring accurate dilution.
- Air gap technology protects the water supply.

Smart Packaging

- Color and number coded labels
- · Labels have icons to show proper usage



Revised November 2018

Product Central 117 Winterclean 365 is a neutralizing floor cleaner, suitable for use year-round, specially formulated to remove residues from harmful and unsightly de-icing salts. Safe for use on all types of floors. Built-in detergent fortifiers aid in the removal of winter grime and soil without damaging the floor finish. Winterclean 365 can also be used as a fail-safe neutralizer after stripping a floor and prior to coating with floor finish. No rinsing is required.

EASY TO USE

- Dispense automatically with any Product Central Dispenser or EZ Fill container.
- Dilute with cold water.
- Wash the floor using an autoscrubber or wet mopping system.
- Change solution as needed.
- When preparing a floor finish application, use **Product Central 117 Winterclean 365** with an autoscrubber or wet mopping system prior to applying floor finish.



This product meets Green Seal[™] Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging and protective limits on: VOCs and human & environmental toxicity. GreenSeal.org.

SPECIFICATIONS				
Dilution holf college contridue	Hi-Flow	1:300		
Dilution half-gallon cartridge	Lo-Flow	1:300		
Dilution 2 liter cortridge	Hi-Flow	1:256		
Dilution 3 liter cartridge	Lo-Flow	1:64		
	Hi-Flow	150 gallons		
Yield half-gallon cartridge	Lo-Flow	600 quarts		
Madel O Barris entrieles	Hi-Flow	202 gallons		
Yield 3 liter cartridge	Lo-Flow	202 quarts		
рН	11-12			
Color	Blue			
Odor	Mint			
Weight per gallon	8.43 lbs.			
Packaging	1/2 gallon and 3 liter cartridge			
Shelf Life 1 year				

Floor Cleaner

117 Winterclean **TECHNICAL DATA**

This product does not contain hazardous ingredients as defined in OSHA 29 CFR 1910.1200

Disposal: Surfactants biodegradable. Diluted product may be flushed down sewer. Check with local water treatment plant. Recycling container recommended. Dispose of unused concentrate in accordance with local, state, and federal regulations.

Disposición: Surfactants biodegradable. El producto diluido puede ser limpiado abajo alcantarilla. Verifique con planta local de tratamiento de agua. El reciclaje recomendó para el contenedor. Deseche el concentrado no usado de acuerdo con las regulaciones locales, estatales y federales.

SAFETY PRECAUTIONS: Protective gloves and eyewear are recommended but not required when used as directed.

The consequences of improper use or improper dilution are residue buildup or reduced effectiveness, as well as an increased risk of adverse health effects.

INTEGRATED SYSTEM

- Use the Product Central chemical cartridges with the
- Express Wall Mount Dispenser
- Express Portable Dispenser

User Friendly

- Simply choose the appropriate chemical.
- Insert the cartridge into the dispenser.
- Select the spray bottle fill button or the bulk fill button.
- Fill spray bottles, buckets, machines, etc.
- The dispenser automatically dilutes the product.

Built-in Features

- Each cartridge comes with its own dilution control mechanism.
- A flow reduction washer keeps pressure constant, assuring accurate dilution.
- Air gap technology protects the water supply.

Smart Packaging

- Color and number coded labels
- · Labels have icons to show proper usage



Revised August 2017

Floor wax stripper (remover) **118 EPS** Environmentally Preferable Stripper **TECHNICAL DATA**

Product Central 118 EPS (Environmentally Preferable Stripper) is a concentrated floor stripper, designed to penetrate fast and easily remove green, non-zinc cross-linked floor finishes. Does not contain caustic soda or caustic potash. EPS is formulated to meet Green Seal's GS-40 standard when used at the prescribed dilution. EPS is available in ½-gallon cartridges for use in the Product Central Express Dispensing System.



This product meets Green Seal[™] Standard GS-40 based on effective performance and protective limits on VOCs and human & environmental toxicity. GreenSeal.org.

Disposal: Surfactants biodegradable. Diluted product may be flushed down sewer. Check with local water treatment plant. Recycling container recommended.

Personal Protection Equipment: Protective nitrile gloves and safety eyewear are required.

SPECIFICATIONS		
Dilution	1:10	
Yield/cartridge	20 gallons	
pH at concentrate	12-13	
pH at use dilution	10-11	
Color	Green transparent liquid	
Odor	Mild characteristic, no fragrance added	
Weight per gallon	8.34 lbs.	
Packaging	1/2 gallon cartridge	
Shelf Life	1 year	

August 2016

FIRST AID: IF SWALLOWED: Harmful if swallowed. Rinse mouth. DO NOT induce vomiting. Call Poison Center, 911 or emergency medical service. IF ON SKIN: Take off contaminated clothing and wash it before reuse. Rinse skin and affected areas with plenty of soap and water or shower. If skin irritation occurs, get medical advice/attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

EASY TO USE (USE COLD WATER)

- For floor stripping use with a wet mopping system or automatic equipment.
- For general heavy-duty cleaning use at with sprayers, wipers, sponges, and pails.

INTEGRATED SYSTEM

Use the Product Central chemical cartridges with the

- Express Wall Mount Dispenser
- Express Portable Dispenser

User Friendly

- Simply choose the appropriate chemical.
- Insert the cartridge into the dispenser.
- Select the spray bottle fill button or the bulk fill button.
- Fill spray bottles, buckets, machines, etc.
- The dispenser automatically dilutes the product.

Built-in Features

- Each cartridge comes with its own dilution control mechanism.
- A flow reduction washer keeps pressure constant, assuring accurate dilution.
- Air gap technology protects the water supply.

Smart Packaging

- Color and number coded labels
- · Labels have icons to show proper usage



Product Central 120 Peroxide Multisurface Cleaner is a multi-purpose cleaning product for use on carpets, grouted tile, floors, glass and other hard surfaces.

EASY TO USE (DILUTE WITH COLD WATER)

Carpet Cleaning

Extraction Method: Dispense low flow into a pump-up or electric sprayer. Liberally spray carpet or upholstery and let soak for 10 minutes. Rinse extract using **PC#114 Rinse Agent**. Do not use extraction shampoo. **Rotary Spin Cleaning:** Dispense high flow into a bucket. Submerge spin cleaning pad into the bucket. Wring out excess liquid then spin clean carpet area.

Spot Removal: Dispense low flow into a spray bottle. Liberally spray the spot directly. Tamp area then rinse extract or blot. Refer to spotting guide. **Note:** Use a carpet dryer after each method.

Hard Surface Cleaning

Grouted Floors: Dispense high flow into bucket. Mop on then scrub with buffer or deck brush. Wet vac or squeegee into drain.

Hard Surfaces: Dispense low flow into spray or squirt bottle, or dispense directly with the Product Central Foaming Gun. Apply to walls, furniture, doors, showers, counters, drinking fountains, restroom fixtures and almost any hard surface. Wipe the surface using a sponge, wiper or paper towel.

Glass/Mirrors: Dispense low flow into a spray bottle. Apply sparingly to the glass or mirror. For best results remove with a microfiber cloth or pad.

SPECIFICATIONS			
Dilution half-gallon	High Flow	1:256	
cartridge	Low Flow	1:128	
Dilution 3 liter	High Flow	1:256	
cartridge	Low Flow	1:64	
Yield half-gallon	High Flow	128 gallons	
cartridge	Low Flow	256 quarts	
Yield 3 liter cartridge	High Flow	202 gallons	
	Low Flow	202 quarts	
рН	4 - 5		
Color	None		
Odor	Wintergreen		
by Special Order	Citrus or no fragrance added		
Weight per gallon	8.70 lbs.		
Packaging	1/2 gallon and 3 liter cartridge		
Shelf Life 1 year			

Peroxide cleaner (restrooms/carpets) 120 Peroxide Multisurface Cleaner TECHNICAL DATA



This product meets Green Seal[™] Standard GS-37 based on effective performance, concentrated volume, minimized/recycled packaging and protective limits on: VOCs and human & environmental toxicity. GreenSeal.org.

Recommended Personal Protection: Wear eye and skin protection. Nitrile gloves are recommended.

Improper Use: May cause eye and skin irritation. May increase the risk of health effects. Avoid eye and skin contact.

Improper Dilution: May affect product effectiveness or leave a residue.

Disposal: Surfactants biodegradable. Diluted product may be flushed down sewer. Check with local water treatment plant. Recycling container recommended. Dispose of unused concentrate in accordance with local, state, and federal regulations.

Disposición: Surfactants biodegradable. El producto diluido puede ser limpiado abajo alcantarilla. Verifique con planta local de tratamiento de agua. El reciclaje recomendó para el contenedor. Deseche el concentrado no usado de acuerdo con las regulaciones locales, estatales y federales.

INTEGRATED SYSTEM

Use the Product Central chemical cartridges with the

- Express Wall Mount Dispenser
- Express Portable Dispenser

User Friendly

- Simply choose the appropriate chemical.
- Insert the cartridge into the dispenser.
- Select the spray bottle fill button or the bulk fill button.
- Fill spray bottles, buckets, machines, etc.
- The dispenser automatically dilutes the product.

Built-in Features

- Each cartridge comes with its own dilution control mechanism.
- A flow reduction washer keeps pressure constant, assuring accurate dilution.
- · Air gap technology protects the water supply.

Smart Packaging

- Color and number coded labels
- · Labels have icons to show proper usage

Revised August 2017





Enzyme Cleaner

121 Pro-Zyme TECHNICAL DATA

◆ APC ◆ ODOR CONTROL ◆ WASTE DEGRADER ◆

Product Central 121 PRO-ZYME is a live bacteria emulsion which attacks grease, fats, proteins and carbohydrates, breaking down uric acid molecules quickly while digesting the source of odors with no environmental impact. Liquefies and cleans organic waste, paper, grease, fat and other wastes from drains, pipes and grease traps. Restores normal biological activity to septic tanks and sewage treatment

plants. Add to recreational vehicle and marine holding tanks, port a-toilets and outhouses to deodorize and aid in digestion. Also effective for odor control, carpet spotting and general hard surface cleaning.



CAUTION: Keep out of reach of children. Harmful if swallowed. May cause eye irritation.

PRECAUCIÓN: Mantenga fuera del alcance de los niños. Nocivo si és ingerido. Puede causa irritación de los ojos.

FIRST AID: In case of eye contact, rinse thoroughly with water. If irritation persists, see a physician.

PRIMEROS AUXILIOS: En caso de contacto con los ojos enjuague completamente con agua. Si irritación persiste consulte a su doctor.

Yield/Cartridge Hi-Flow	90 gallons
Yield/Cartridge Lo-Flow	16 gallons
Color	Milky
Odor	Light Floral
Weight per gallon	8.50
рН	7.5 - 8.0
Packaging	1/2 gallon cartridge
Shelf life	1 year

SAFETY PRECAUTIONS: Wear protective gloves and safety goggles when handling this or any other cleaning product.

INTEGRATED SYSTEM

Use the Product Central chemical cartridges with the

- Express Wall Mount Dispenser
- Express Portable Dispenser

User Friendly

- Simply choose the appropriate chemical.
- Insert the cartridge into the dispenser.
- Select the spray bottle fill button or the bulk fill button.
- Fill spray bottles, buckets, machines, etc.
- The dispenser automatically dilutes the product.

Built-in Features

- Each cartridge comes with its own dilution control mechanism.
- A flow reduction washer keeps pressure constant, assuring accurate dilution.
- Air gap technology protects the water supply.

Smart Packaging

- Color and number coded labels
- Labels have icons to show proper usage

See reverse side for directions.





DIRECTIONS FOR USE

LOW FLOW DISPENSING:

ODOR CONTROL

Pre-clean organic matter (vomit, feces, etc.) from soiled surfaces. Spray PRO-ZYME directly onto surfaces where odors are a problem. Spray around areas where odors originate. Agitate, if necessary. Reapply mixture and allow surface to remain moist for at least 15 minutes.

Carpet and upholstery: Spray PRO-ZYME directly onto carpet, upholstery, and fabric to eliminate smoke and perspiration odors.

<u>Garbage Collection Areas</u>: To eliminate foul odors in garbage collection areas and on loading docks, spray PRO-ZYME directly into dumpsters and on surfaces where decaying or rotting food particles collect. **<u>Restrooms</u>**: To control odors in public restrooms, spray PRO-ZYME around urinals and toilets to eliminate urine odors.

Locker Rooms and Fitness Facilities: To eliminate perspiration odors in fitness facilities, spray PRO-ZYME directly onto sports equipment and in areas where odors linger such as locker rooms, steam rooms, and around urinals and toilets.

GENERAL PURPOSE HARD SURFACE CLEANING

Spray PRO-ZYME directly onto the surface to be cleaned. Wipe with a clean cloth.

SPOT REMOVAL ON CARPET

Test carpet or fabric for color-fastness in an area that does not show. Remove excess solids or liquid. Saturate the stain with PRO-ZYME and allow 2 - 3 minutes dwell time. Blot with a clean, absorbent cloth. For more difficult stains, scrub gently with a brush. Repeat as necessary.

LAUNDRY PRE-SPOTTER

Apply PRO-ZYME to soiled areas prior to washing.

CLEAN AND TREAT WASTES FROM DRAINS, PIPES AND GREASE TRAPS

For initial Treatment: 1qt. (32 oz.). Add PRO-ZYME to opening closest to trap prior to its longest non-use period. (Large traps may require additional amounts.) Pour 4 to 8 oz. directly into floor or sink drains, twice per week. For grease traps, 20 cubic feet capacity, pour 8 oz. into drain daily. Time application for when drains are least used. For septic tanks, use 16 oz. for initial treatment then 8 oz. per week thereafter. **Large Grease Traps:** 200 gallon traps use 10 oz. per day, 500-1500 gallon traps use 18-20 oz. per day, 1500+ gallon traps use 32-40 oz. per day.

Bathtubs, Showers, Sinks: Add 4 oz. of PRO-ZYME twice weekly to drains. Vary amount and frequency according to usage and size of drain.

Garbage Disposal: Add 2 oz. of PRO-ZYME weekly for digestion and deodorizing.

HIGH FLOW DISPENSING:

FLOOR CLEANING

Directly fill equipment from the dispenser. Apply with mop, spray or high pressure washer. Mop/scrub as needed.

CARPET CLEANING

Test carpet or fabric for color-fastness in an area that does not show. Directly fill equipment from the dispenser. For deep penetration of carpets and upholstery, apply with hypodermic type injector/applicator.

Floor wax

M.D. STETSON

UNIVERSAL FLOOR FINISH

Using state-of-the-art thermo-fusion technology to combine several polymers, we have formed the strongest bond possible in a removable floor finish. Stronger than finishes that use metal crosslink bonds, Universal is extremely durable, resistant to scratching and black-heel marks, and highly responsive to buffing at all speeds. This finish performs as both a sealer and finish on almost any hard floor surface including VCT, terrazzo, rubber, linoleum, marmoleum, and concrete. Only damp mopping or autoscrubbing with a neutral cleaner, periodic mopping with a restorer, and buffing is necessary to continually restore its "wet look" gloss. Routine maintenance and a periodic scrub and recoat is all that is needed for up to three years.

DIRECTIONS FOR USE:

M.D. STETSON

- 1. **Preparation:** Strip or scrub floor removing the desired amount of finish using a Stetson stripper or Winterclean 365 for scrubbing. Thoroughly rinse the floor using Winterclean 365. Application of **Universal** should be on completely clean floor.
- 2. **Optional:** If surface is in worn condition or porous, use **Universal** or a Stetson sealer first to seal the floor.
- 3. **Application:** Do not dilute **Universal**. Apply with a clean finish mop, microfiber pad or applicator, spreading evenly. Apply medium coats. If finish is to be maintained with a high speed buffing program, a base film of 4 to 6 coats of finish is recommended. Allow each coat to dry before applying the next coat. Application should not exceed more than 4 coats of finish in one day. Dry time will range from 20-45 minutes per coat depending on atmospheric conditions. On highly humid days extend dry times and reduce the number of coats applied per day.
 - Always wait 24 hours before buffing newly applied finish.
 - Never use a stripper or a high pH cleaner for routine maintenance.

Maintenance:

- 1. Sweep or dry mop floors on a daily basis.
- 2. Damp mop or autoscrub with a Stetson neutral floor cleaner or a germicidal cleaner daily. Substitute Winterclean in the winter to remove de-icing salt residues.
- 3. If a high speed buffing program is used, damp mop or autoscrub with one of Stetson's premium finish restorers prior to buffing. The result will be a sensational "wet look" gloss, increased slip-resistance, and an extended life for the finish.
- 4. Worn or soiled areas can be recoated with 1 or 2 coats of **Universal** as needed. Prior to application, scrub the floor with Winterclean using an autoscrubber or floor machine and the appropriate floor machine pad.

COVERAGE: 2000-3000 square feet, depending on the method of application and the porosity of the floor.

SPECIFICATIONS:

Solids	
Weight/gallon	8.7 lbs/gal.
рН	
Viscosity	
Surfactant	Non-APE
Heat stability	
Freeze-Thaw stability	passes 3 cycles
Appearance	milky white

This product does not contain hazardous ingredients as defined in OSHA 29 CFR 1910.1200. Contains Right-To-Know chemical 2-(2-Ethoxyethoxy)ethanol (CAS #111-90-0).

Refer to the Safety Data Sheet (SDS) for detailed safety, health and environmental information.



This product meets Green Seal[™] Standard GS-40 based on effective performance and protective limits on VOCs and human & environmental toxicity. GreenSeal.org.

Disposal: Surfactants biodegradable. Diluted product may be flushed down sewer. Check with local water treatment plant. Recycling container recommended.

Disposición: Surfactants biodegradable. El producto diluido puede ser limpiado abajo alcantarilla. Verifique con planta local de tratamiento de agua. El reciclaje recomendó para el contenedor.

Personal Protection: Protective gloves and safety eye-wear recommended.

Protección Personal: Guantes de protección y gafas de seguridad recomendadas.

Please refer to Stetson's "Catch the Training" Strip & Refinish, Daily Floorcare or Scrub & Recoat training guides for detailed instructions.

PACKAGING:

Available in 1 gallon jugs, 5 gallon plastic pails, and 55 gallon drums.

KSS/FK ING MATERIALS AS TO SLIP RESISTANCE ONLY. 3NRJ

December 2017



92 York Avenue • Randolph, MA 02368 • www.mdstetson.com TEL: 781-986-6161 • 800-255-8651 • FAX: 781-961-1764