FARMING An X-brace on a rectangular barn door is both decorative and functional. It helps to prevent the door from warping over time.

If  $ST = 3\frac{13}{16}$  feet, PS = 7 feet, and

 $m \angle PTQ = 67$ , find each measure.



## 1. *QR*

SOLUTION:

The opposite sides of a rectangle are parallel and congruent. Therefore, QR = PS = 7 ft.

## 2. *SQ*

## SOLUTION:

The diagonals of a rectangle bisect each other. So, SQ = 2(ST)

$$= 2\left(\frac{61}{16}\right)$$
$$= \frac{61}{8}$$
$$= 7\frac{5}{8}$$

3.  $m \angle TQR$ 

# SOLUTION:

The diagonals of a rectangle are congruent and bisect each other. So,  $\Delta TQR$  is an isosceles triangle. Then,  $\angle TQR \cong \angle TRQ$ . By the Exterior Angle Theorem,  $m \angle TQR + m \angle TRQ = m \angle PTQ = 67$ .

Therefore,  $m \angle TQR = \frac{1}{2} (m \angle PTQ) = \frac{1}{2} (67) = 33.5.$ 

4.  $m \angle TSR$ 

# SOLUTION:

The diagonals of a rectangle are congruent and bisect each other. So,  $\Delta TSR$  is an isosceles triangle. Then,  $\angle TSR \cong \angle TRS$ . By the Vertical Angle Theorem,  $m \angle STR = m \angle PTQ = 67$ .

Therefore, 
$$m \angle TSR = \frac{1}{2}(180 - m \angle STR) = \frac{1}{2}(113) = 56.5.$$

## ALGEBRA Quadrilateral DEFG is a rectangle.



5. If FD = 3x - 7 and EG = x + 5, find *EG*.

## SOLUTION:

The diagonals of a rectangle are congruent to each other. So, FD = EG. 3x - 7 = x + 5

$$3x - 7 = x + 3$$
  

$$2x = 12$$
  

$$x = 6$$
  
Use the value of x to find EG.  

$$EG = 6 + 5 = 11$$

6. If  $m \angle EFD = 2x - 3$  and  $m \angle DFG = x + 12$ , find  $m \angle EFD$ .

## SOLUTION:

All four angles of a rectangle are right angles. So,  $m\angle EFD + m\angle DFG = 90$ .

2x - 3 + x + 12 = 90 3x = 81 x = 27  $m\angle EFD = 2(27) - 3$ = 51 7. **PROOF** If *ABDE* is a rectangle and  $\overline{BC} \cong \overline{DC}$ ,



## SOLUTION:

You need to walk through the proof step by step. Look over what you are given and what you need to prove. You are given *ABDE* is a rectangle and  $\overline{BC} \cong \overline{DC}$ . You need to prove  $\overline{AC} \cong \overline{EC}$ . Use the properties that you have learned about rectangles to walk through the proof.



1. ABDE is a rectangle;  $\overline{BC} \cong \overline{DC}$ . (Given) 2. ABDE is a parallelogram. (Def. of rectangle) 3.  $\overline{AB} \cong \overline{DE}$  (Opp. sides of a  $\square$  are  $\cong$ .)

- 4.  $\angle B$  and  $\angle D$  are right angles.(Def. of rectangle)
- 5.  $\angle B \cong \angle D$  (All rt  $\angle s$  are  $\cong$ .)
- 6.  $\triangle ABC \cong \triangle EDC$  (SAS)

7. 
$$\overline{AC} \cong \overline{EC}$$
 (CPCTC)

#### COORDINATE GEOMETRY Graph each quadrilateral with the given vertices. Determine whether the figure is a rectangle. Justify your answer using the indicated formula.

8. W(-4, 3), X(1, 5), Y(3, 1), Z(-2, -2); Slope Formula

## SOLUTION:



Use the slope formula to find the slope of the sides of the quadrilateral.

$$m_{WX} = \frac{5-3}{1-(-4)} = \frac{2}{5}$$
$$m_{XY} = \frac{1-5}{3-1} = -2$$
$$m_{YZ} = \frac{-2-1}{-2-3} = \frac{3}{5}$$
$$m_{WZ} = \frac{-2-3}{-2-(-4)} = -\frac{5}{2}$$

There are no parallel sides, so *WXYZ* is not a parallelogram. Therefore, *WXYZ* is not a rectangle.

9. *A*(4, 3), *B*(4, -2), *C*(-4, -2), *D*(-4, 3); Distance Formula

SOLUTION:



First, Use the Distance formula to find the lengths of the sides of the quadrilateral.

$$AB = \sqrt{(4-4)^2 + (-2-3)^2} = \sqrt{0 + (-5)^2} = \sqrt{25} = 5$$
  

$$BC = \sqrt{(-4-4)^2 + (-2-(-2))^2} = \sqrt{(-8)^2 + 0} = \sqrt{64} = 8$$
  

$$CD = \sqrt{(-4-(-4))^2 + (3-(-2))^2} = \sqrt{0+5^2} = \sqrt{25} = 5$$
  

$$AD = \sqrt{(-4-4)^2 + (3-3)^2} = \sqrt{(-8)^2 + 0} = \sqrt{64} = 8$$
  

$$AB = 5 = CD, BC = 8 = AD, \text{ so } ABCD \text{ is a}$$

parallelogram.

A parallelogram is a rectangle if the diagonals are congruent. Use the Distance formula to find the lengths of the diagonals.

 $AC = \sqrt{(-4-4)^2 + (-2-3)^2} = \sqrt{(-8)^2 + (-5)^2} = \sqrt{64+25} = \sqrt{89}$   $BD = \sqrt{(-4-4)^2 + (3-(-2))^2} = \sqrt{(-8)^2 + (5)^2} = \sqrt{64+25} = \sqrt{89}$ So the diagonals are congruent. Thus, *ABCD* is a rectangle.

FENCING X-braces are also used to provide support in rectangular fencing. If AB = 6 feet, AD = 2 feet, and  $m \angle DAE = 65$ , find each measure.



10. *BC* 

## SOLUTION:

The opposite sides of a rectangle are parallel and congruent. Therefore, BC = AD = 2 ft.

11. *DB* 

## SOLUTION:

All four angles of a rectangle are right angles. So,  $\Delta BCD$  is a right triangle. By the Pythagorean Theorem,  $DB^2 = BC^2 + DC^2$ .

$$BC = AD = 2$$
  

$$DC = AB = 6$$
  

$$DB^{2} = (2)^{2} + (6)^{2} = 40$$
  

$$DB = \sqrt{40} \approx 6.3$$

## 12. m\_CEB

## SOLUTION:

The diagonals of a rectangle are congruent and bisect each other. So,  $\Delta AED$  is an isosceles triangle.

Then, 
$$\angle DAE \cong \angle ADE$$
  
 $m \angle AED = 180 - (m \angle DAE + m \angle ADE)$   
 $= 180 - (65 + 65)$   
 $= 50$   
By the Vertical Angle Theorem,

 $m \angle CEB = m \angle AED = 50.$ 

## 13. m∠EDC

## SOLUTION:

The diagonals of a rectangle are congruent and bisect each other. So,  $\Delta AED$  is an isosceles triangle.

Then,  $m \angle ADE = m \angle DAE = 50$ . All four angles of a rectangle are right angles.  $m \angle EDC = 90 - m \angle ADE$ 

CCSS REGULARITY Quadrilateral WXYZ is a rectangle.



14. If ZY = 2x + 3 and WX = x + 4, find *WX*.

## SOLUTION:

The opposite sides of a rectangle are parallel and congruent. So, ZY = WX. 2x + 3 = x + 4x = 1Use the value of *x* to find *WX*. WX = 1 + 4 = 5.

15. If PY = 3x - 5 and WP = 2x + 11, find *ZP*.

## SOLUTION:

The diagonals of a rectangle bisect each other. So, PY = WP. 3x-5=2x+11

x = 16

The diagonals of a rectangle are congruent and bisect each other. So,  $\Delta ZPW$  is an isosceles triangle. ZP = WP

=2(16)+11= 43

16. If  $m \angle ZYW = 2x - 7$  and  $m \angle WYX = 2x + 5$ , find  $m \angle ZYW$ .

SOLUTION:

All four angles of a rectangle are right angles. So,  $m \angle ZYW + m \angle WYX = 90.$ 

2x - 7 + 2x + 5 = 90 4x = 92 x = 23  $m \angle ZYW = 2(23) - 7$ = 39 17. If ZP = 4x - 9 and PY = 2x + 5, find ZX.

## SOLUTION:

The diagonals of a rectangle are congruent and bisect each other. So, ZP = PY. 4x - 9 = 2x + 52x = 14

x = 7Then ZP = 4(7) - 9 = 19. Therefore, ZX = 2(ZP) = 38.

18. If  $m \angle XZY = 3x + 6$  and  $m \angle XZW = 5x - 12$ , find  $m \angle YXZ$ .

## SOLUTION:

All four angles of a rectangle are right angles. So,  $m \angle YZX + m \angle XZW = 90$ . 3x + 6 + 5x - 12 = 90 8x = 96 x = 12 $m \angle YXZ = m \angle XZW = 5(12) - 12 = 48$ 

19. If  $m \angle ZXW = x - 11$  and  $m \angle WZX = x - 9$ , find  $m \angle ZXY$ .

## SOLUTION:

All four angles of a rectangle are right angles. So,  $\Delta ZWX$  is a right triangle. Then,  $m \angle ZXW + m \angle WZX = 90$ . x - 11 + x - 9 = 902x = 110

x = 55

Therefore,  $m \angle WZX = 55 - 9$  or 46. Since  $\overline{ZX}$  is a transversal of parallel sides  $\overline{ZY}$  and  $\overline{WX}$ , alternate interior angles  $\angle WZX$  and  $\angle ZXY$  are congruent. So,  $m \angle ZXY = m \angle WZX = 46$ .

#### PROOF Write a two-column proof.

20. Given: *ABCD* is a rectangle.

**Prove:** 
$$\Delta ADC \cong \Delta BCD$$



#### SOLUTION:

You need to walk through the proof step by step. Look over what you are given and what you need to prove. Here, you are given *ABCD* is a rectangle. You need to prove  $\triangle ADC \cong \triangle BCD$ . Use the properties that you have learned about rectangles to walk through the proof.

Given: ABCD is a rectangle.

Prove:  $\Delta ADC \cong \Delta BCD$ 

Proof:

Statements (Reasons)

1. ABCD is a rectangle. (Given)

- 2. ABCD is a parallelogram. (Def. of rectangle)
- 3.  $AD \cong BC$  (Opp. sides of a  $\square$  are  $\cong$ .)
- 4.  $\overline{DC} \cong \overline{CD}$  (Refl. Prop.)
- 5.  $AC \cong BD$  (Diagonals of a rectangle are  $\cong$ .)
- 6.  $\Delta ADC \cong \Delta BCD$  (SSS)

21. Given: *QTVW* is a rectangle.



**Prove:**  $\Delta SWQ \cong \Delta RVT$ 

## SOLUTION:

You need to walk through the proof step by step. Look over what you are given and what you need to prove. Here, you are given QTVW is a rectangle and  $\overline{QR} \cong \overline{ST}$ . You need to prove  $\Delta SWQ \cong \Delta RVT$ . Use the properties that you have learned about rectangles to walk through the proof.

Given: QTVW is a rectangle.



**COORDINATE GEOMETRY Graph each** quadrilateral with the given vertices. Determine whether the figure is a rectangle. Justify your answer using the indicated formula.

22. W(-2, 4), X(5, 5), Y(6, -2), Z(-1, -3); Slope Formula

SOLUTION:



Use the slope formula to find the slope of the sides of the quadrilateral.

$$m_{WX} = \frac{5-4}{5-(-2)} = \frac{1}{7}$$
$$m_{XY} = \frac{-2-5}{6-5} = -7$$
$$m_{YZ} = \frac{-3-(-2)}{-1-6} = \frac{1}{7}$$
$$m_{WZ} = \frac{-3-4}{-1-(-2)} = -7$$

The slopes of each pair of opposite sides are equal. So, the two pairs of opposite sides are parallel. Therefore, the quadrilateral *WXYZ* is a parallelogram. The products of the slopes of the adjacent sides are -1. So, any two adjacent sides are perpendicular to each other. That is, all the four angles are right angles. Therefore, *WXYZ* is a rectangle. 23. *J*(3, 3), *K*(-5, 2), *L*(-4, -4), *M*(4, -3); Distance Formula

#### SOLUTION:



First, Use the Distance formula to find the lengths of the sides of the quadrilateral.

$$JK = \sqrt{(-5-3)^2 + (2-3)^2} = \sqrt{(-8)^2 + (-1)^2} = \sqrt{64+1} = \sqrt{65}$$
  

$$KL = \sqrt{(-4-(-5))^2 + (-4-2)^2} = \sqrt{1^2 + (-6)^2} = \sqrt{37}$$
  

$$LM = \sqrt{(4-(-4))^2 + (-3-(-4))^2} = \sqrt{8^2 + 1^2} = \sqrt{65}$$
  

$$JM = \sqrt{(4-3)^2 + (3-(-3))^2} = \sqrt{1^2 + 6^2} = \sqrt{37}$$
  

$$JK = \sqrt{65} = LM, KL = 8 = JM, \text{ so } JKLM \text{ is a parallelogram.}$$

A parallelogram is a rectangle if the diagonals are congruent. Use the Distance formula to find the lengths of the diagonals.

#### $\mathcal{KM} = \sqrt{(4 - (-5))^2 + (-3 - 2)^2} = \sqrt{9^2 + (-5)^2} = \sqrt{81 + 25} = \sqrt{106}$

 $JL = \sqrt{(-4-3)^2 + (-4-3)^2} = \sqrt{(-7)^2 + (-7)^2} = \sqrt{49+49} = \sqrt{98}$ 

So the diagonals are not congruent. Thus, *JKLM* is not a rectangle.

24. *Q*(-2, 2), *R*(0, -2), *S*(6, 1), *T*(4, 5); Distance Formula



First, use the Distance Formula to find the lengths of the sides of the quadrilateral.

$$QR = \sqrt{(0 - (-2))^2 + (-2 - 2)^2} = \sqrt{2^2 + (-4)^2} = \sqrt{4 + 16} = \sqrt{20}$$

$$RS = \sqrt{(6 - 0)^2 + (1 - (-2))^2} = \sqrt{6^2 + 3^2} = \sqrt{36 + 9} = \sqrt{45}$$

$$ST = \sqrt{(4 - 6)^2 + (5 - 1)^2} = \sqrt{(-2)^2 + 4^2} = \sqrt{4 + 16} = \sqrt{20}$$

$$QT = \sqrt{(4 - (-2))^2 + (5 - 2)^2} = \sqrt{6^2 + 3^2} = \sqrt{36 + 9} = \sqrt{45}$$

$$QR = \sqrt{20} = ST, RS = \sqrt{45} = QT, \text{ so } QRST \text{ is a parallelogram}$$

parallelogram.

A parallelogram is a rectangle if the diagonals are congruent. Use the Distance Formula to find the lengths of the diagonals.

 $QS = \sqrt{(6 - (-2))^2 + (2 - 1)^2} = \sqrt{8^2 + 1^2} = \sqrt{64 + 1} = \sqrt{65}$ RT =  $\sqrt{(4 - 0)^2 + (5 - (-2))^2} = \sqrt{4^2 + 7^2} = \sqrt{16 + 49} = \sqrt{65}$ So the diagonals are congruent. Thus, *QRST* is a rectangle. 25. *G*(1, 8), *H*(-7, 7), *J*(-6, 1), *K*(2, 2); Slope Formula *SOLUTION:* 



First, use the slope formula to find the lengths of the sides of the quadrilateral.

$$m_{GH} = \frac{7-8}{-7-1} = \frac{1}{8}$$
$$m_{HJ} = \frac{1-7}{-6-(-7)} = -6$$
$$m_{JK} = \frac{2-1}{2-(-6)} = \frac{1}{8}$$
$$m_{GK} = \frac{2-8}{2-1} = -6$$

The slopes of each pair of opposite sides are equal. So, the two pairs of opposite sides are parallel. Therefore, the quadrilateral *GHJK* is a

parallelogram.

None of the adjacent sides have slopes whose product is -1. So, the angles are not right angles. Therefore, *GHJK* is not a rectangle.

# Quadrilateral *ABCD* is a rectangle. Find each measure if $m \angle 2 = 40$ .



26. *m*∠1

# SOLUTION:

All four angles of a rectangle are right angles. So,  $m \ge 1 + m \ge 2 = 90$ .  $m \ge 1 = 90 - 40$ 

$$= 50$$

#### 27. *m*∠7

#### SOLUTION:

The measures of angles 2 and 3 are equal as they are alternate interior angles. Since the diagonals of a rectangle are congruent and

bisect each other, the triangle with the angles 3, 7 and 8 is an isosceles triangle. So,  $m \ge 7 = m \ge 3$ . Therefore,  $m \ge 7 = m \ge 2 = 40$ .

28. *m*∠3

#### SOLUTION:

The measures of angles 2 and 3 are equal as they are alternate interior angles.

Therefore,  $m \angle 3 = m \angle 2 = 40$ .

#### 29. *m*∠5

#### SOLUTION:

All four angles of a rectangle are right angles. So,  $m \ge 1 + m \ge 2 = 90$ .  $m \ge 1 = 90 - 40$ 

\_1-50

= 50

The measures of angles 1 and 4 are equal as they are alternate interior angles.

Therefore,  $m \angle 4 = m \angle 1 = 50$ .

Since the diagonals of a rectangle are congruent and bisect each other, the triangle with the angles 4, 5 and 6 is an isosceles triangle. So,  $m \ge 6 = m \ge 4 = 50$ . The sum of the three angles of a triangle is 180. Therefore,  $m \ge 5 = 180 - (50 + 50) = 80$ .

30. *m*∠6

#### SOLUTION:

All four angles of a rectangle are right angles. So,  $m \angle 1 + m \angle 2 = 90$ .

 $m \angle 1 = 90 - 40$ 

The measures of angles 1 and 4 are equal as they are alternate interior angles.

Therefore,  $m \angle 4 = m \angle 1 = 50$ .

Since the diagonals of a rectangle are congruent and bisect each other, the triangle with the angles 4, 5 and 6 is an isosceles triangle. Therefore,  $m \ge 6 = m \ge 4 = 50$ .

#### 31. *m*∠8

#### SOLUTION:

The measures of angles 2 and 3 are equal as they are alternate interior angles. Since the diagonals of a rectangle are congruent and bisect each other, the triangle with the angles 3, 7 and 8 is an isosceles triangle. So,  $m \ge 3 = m \ge 7 = 40$ . The sum of the three angles of a triangle is 180. Therefore,  $m \ge 8 = 180 - (40 + 40) = 100$ .

32. **CCSS MODELING** Jody is building a new bookshelf using wood and metal supports like the one shown. To what length should she cut the metal supports in order for the bookshelf to be *square*, which means that the angles formed by the shelves and the vertical supports are all right angles? Explain your reasoning.



#### SOLUTION:

In order for the bookshelf to be square, the lengths of all of the metal supports should be equal. Since we know the length of the bookshelves and the distance between them, use the Pythagorean Theorem to find the lengths of the metal supports.

Let *x* be the length of each support. Express 3 feet as 36 inches.

$$15^{2} + 36^{2} = x^{2}$$
$$1521 = x^{2}$$
$$\sqrt{1521} = x$$
$$39 = x$$
Therefore, the m

Therefore, the metal supports should each be 39 inches long or 3 feet 3 inches long.

## PROOF Write a two-column proof.

33. Theorem 8.13

## SOLUTION:

You need to walk through the proof step by step. Look over what you are given and what you need to prove. Here, you are given *WXYZ* is a rectangle with diagonals  $\overline{WY}$  and  $\overline{XZ}$ . You need to prove

 $\overline{WY} \cong \overline{XZ}$ . Use the properties that you have learned about rectangles to walk through the proof.

Given: *WXYZ* is a rectangle with diagonals  $\overline{WY}$  and  $\overline{XZ}$ .

Prove:  $\overline{WY} \cong \overline{XZ}$ 





1. WXYZ is a rectangle with diagonals  $\overline{WY}$  and  $\overline{XZ}$ . (Given)

2.  $\overline{WX} \cong \overline{ZY}$  (Opp. sides of a  $\square$  are  $\cong$  .)

3.  $WZ \cong WZ$  (Refl. Prop.)

4.  $\angle XWZ$  and  $\angle YZW$  are right angles. (Def. of rectangle)

- 5.  $\angle XWZ \cong \angle YZW$  (All right  $\angle s$  are  $\cong$  .)
- 6.  $\Delta XWZ \cong \Delta YZW$  (SAS)
- 7.  $\overline{WY} \cong \overline{XZ}$  (CPCTC)

34. Theorem 8.14

## SOLUTION:

You need to walk through the proof step by step. Look over what you are given and what you need to prove. Here, you are given

 $WX \cong YZ, XY \cong WZ$ , and  $WY \cong XZ$ . You need to prove that WXYZ is a rectangle. Use the properties that you have learned about rectangles to walk through the proof.

Given:  $\overline{WX} \cong \overline{YZ}, \overline{XY} \cong \overline{WZ}$ , and  $\overline{WY} \cong \overline{XZ}$ Prove: WXYZ is a rectangle.



Proof:

- 1.  $WX \cong YZ, XY \cong WZ$ , and  $WY \cong XZ$  (Given)
- 2.  $\Delta WZX \cong \Delta XYW$  (SSS)

3.  $\angle ZWX \cong \angle YXW$  (CPCTC)

4.  $m \angle ZWX = m \angle YXW$  (Def. of  $\cong \angle s$ )

5. *WXYZ* is a parallelogram. (If both pairs of opp. sides are  $\cong$ , then quad. is  $\square$ .)

6.  $\angle ZWX$  and  $\angle YXW$  are supplementary. (Cons.  $\angle s$  of  $\Box$  are suppl.)

7.  $m \angle ZWX + m \angle YXW = 180$  (Def of suppl.)

- 8.  $\angle ZWX$  and  $\angle YXW$  are right angles. (If
- $2 \angle$  are  $\cong$  and suppl., each  $\angle$  is a rt.  $\angle$ .)

9.  $\angle WZY$  and  $\angle XYZ$  are right angles. (If a  $\square$  has 1

rt.  $\angle$ , it has 4 rt.  $\angle$ s.)

10. WXYZ is a rectangle. (Def. of rectangle)

# **PROOF** Write a paragraph proof of each statement.

35. If a parallelogram has one right angle, then it is a rectangle.

# SOLUTION:

You need to walk through the proof step by step. Look over what you are given and what you need to prove. Here, you are given a parallelogram with one right angle. You need to prove that it is a rectangle. Let *ABCD* be a parallelogram with one right angle. Then use the properties of parallelograms to walk through the proof.



ABCD is a parallelogram, and  $\angle B$  is a right angle. Since ABCD is a parallelogram and has one right angle, then it has four right angles. So by the definition of a rectangle, ABCD is a rectangle.

36. If a quadrilateral has four right angles, then it is a rectangle.

# SOLUTION:

You need to walk through the proof step by step. Look over what you are given and what you need to prove. Here, you are given a quadrilateral with four right angles. You need to prove that it is a rectangle. Let *ABCD* be a quadrilateral with four right angles. Then use the properties of parallelograms and rectangles to walk through the proof.



*ABCD* is a quadrilateral with four right angles. *ABCD* is a parallelogram because both pairs of opposite angles are congruent. By definition of a rectangle, *ABCD* is a rectangle.

37. **CONSTRUCTION** Construct a rectangle using the construction for congruent segments and the construction for a line perpendicular to another line through a point on the line. Justify each step of the

construction.

## SOLUTION:

Sample answer: **Step 1:** Graph a line and place points *P* and *Q* on the line.

**Step 2:** Place the compass on point *P*. Using the same compass setting, draw an arc to the left and

right of *P* that intersects

**Step 3:** Open the compass to a setting greater than the distance from P to either point of intersection. Place the compass on each point of intersection and

draw arcs that intersect above  $\overrightarrow{PQ}$ .

**Step 4:** Draw line *a* through point *P* and the intersection of the arcs drawn in step 3.

Step 5: Repeat steps 2 and 3 using point Q.

**Step 6:** Draw line *b* through point *Q* and the intersection of the arcs drawn in step 5.

**Step 7:** Using any compass setting, put the compass at P and draw an arc above it that intersects line a. Label the point of intersection R.

**Step 8:** Using the same compass setting, put the compass at *Q* and draw an arc above it that intersects line *b*. Label the point of intersection *S*.

Step 9: Draw RS.



Since  $\overline{RP} \perp \overline{PQ}$  and  $\overline{SQ} \perp \overline{PQ}$ , the measure of angles *P* and *Q* is 90 degrees. Lines that are perpendicular to the same line are parallel, so

 $\overline{RP} \parallel \overline{SQ}$ . The same compass setting was used to

#### **8-4 Rectangles**

locate points *R* and *S*, so  $\overline{RP} \cong \overline{SQ}$ . If one pair of opposite sides of a quadrilateral is both parallel and congruent, then the quadrilateral is a parallelogram. A parallelogram with right angles is a rectangle. Thus, *PRSQ* is a rectangle.

38. SPORTS The end zone of a football field is 160 feet wide and 30 feet long. Kyle is responsible for painting the field. He has finished the end zone. Explain how Kyle can confirm that the end zone is the regulation size and be sure that it is also a rectangle using only a tape measure.

#### SOLUTION:

Sample answer: If the diagonals of a parallelogram are congruent, then it is a rectangle. He should measure the diagonals of the end zone and both pairs of opposite sides. If both pairs of opposite sides are congruent, then the quadrilateral is a parallelogram. If the diagonals are congruent, then the end zone is a rectangle.

#### ALGEBRA Quadrilateral WXYZ is a rectangle.



39. If XW = 3, WZ = 4, and XZ = b, find YW.

## SOLUTION:

The diagonals of a rectangle are congruent to each other. So, YW = XZ = b. All four angles of a rectangle are right angles. So,  $\Delta XWZ$  is a right triangle. By the Pythagorean Theorem,  $XZ^2 = XW^2 + WZ^2$ .

$$b^{2} = (3)^{2} + (4)^{2} = 25$$
  
 $b = \sqrt{25} = 5$   
Therefore,  $YW = 5$ .

40. If XZ = 2c and ZY = 6, and XY = 8, find WY.

#### SOLUTION:

The diagonals of a rectangle are congruent to each other. So, WY = XZ = 2c. All four angles of a rectangle are right angles. So,  $\Delta XYZ$  is a right triangle. By the Pythagorean Theorem,  $XZ^2 = XY^2 + ZY^2$ .  $(2c)^2 = (6)^2 + (8)^2$  $4c^2 = 100$  $c^2 = 25$  $c = \sqrt{25} = 5$ Therefore, WY = 2(5) = 10.

41. **SIGNS** The sign below is in the foyer of Nyoko's school. Based on the dimensions given, can Nyoko be sure that the sign is a rectangle? Explain your reasoning.



#### SOLUTION:

Both pairs of opposite sides are congruent, so the sign is a parallelogram, but no measure is given that can be used to prove that it is a rectangle. If the diagonals could be proven to be congruent, or if the angles could be proven to be right angles, then we could prove that the sign was a rectangle.

# **PROOF** Write a coordinate proof of each statement.

42. The diagonals of a rectangle are congruent.

## SOLUTION:

Begin by positioning quadrilateral *ABCD* on a coordinate plane. Place vertex *D* at the origin. Let the length of the bases be *a* units and the height be *b* units. Then the rest of the vertices are A(0, b), B(a, b), and C(a, 0). You need to walk through the proof step by step. Look over what you are given and what you need to prove. Here, you are given *ABCD* is a rectangle and you need to prove  $\overline{AC} \cong \overline{DB}$ . Use the properties that you have learned about rectangles to walk through the proof.

Given: *ABCD* is a rectangle. Prove:  $\overline{AC} \cong \overline{DB}$ 



#### Proof:

Use the Distance Formula to find the lengths of the diagonals.

$$AC = \sqrt{(0-a)^2 + (b-0)^2} = \sqrt{a^2 + b^2}$$
$$BD = \sqrt{(a-0)^2 + (b-0)^2} = \sqrt{a^2 + b^2}$$

The diagonals, *AC* and *BD* have the same length, so they are congruent.

43. If the diagonals of a parallelogram are congruent, then it is a rectangle.

## SOLUTION:

Begin by positioning parallelogram *ABCD* on a coordinate plane. Place vertex *A* at the origin. Let the length of the bases be *a* units and the height be *c* units. Then the rest of the vertices are B(a, 0), C(b + a, c), and D(b, c). You need to walk through the proof step by step. Look over what you are given and what you need to prove. Here, you are given  $\Box ABCD$  and  $\overline{AC} \cong \overline{BD}$  and you need to prove that *ABCD* is a rectangle. Use the properties that you have learned about rectangles to walk through the proof.

Given:  $\square ABCD$  and  $AC \cong BD$ 



$$AC = BD.$$
 So,

$$(a+b)^{2} + c^{2} = (b-a)^{2} + c^{2}$$

$$a^{2} + 2ab + b^{2} + c^{2} = b^{2} - 2ab + a^{2} + c^{2}$$

$$2ab = -2ab$$

$$4ab = 0$$

$$a = 0 \text{ or } b = 0$$

Because *A* and *B* are different points,  $a \neq 0$ . Then b = 0. The slope of  $\overline{AD}$  is undefined and the slope of  $\overline{AB} = 0$ . Thus,  $\overline{AD} \perp \overline{AB} \perp \overline{AB} \perp \overline{AB}$  is a right angle and *ABCD* is a rectangle. 44. MULTIPLE REPRESENTATIONS In the

problem, you will explore properties of other special parallelograms.

**a. GEOMETRIC** Draw three parallelograms, each with all four sides congruent. Label one

parallelogram ABCD, one MNOP, and one WXYZ. Draw the two diagonals of each parallelogram and label the intersections R.

**b. TABULAR** Use a protractor to measure the appropriate angles and complete the table below.

Parallelogram	ABCD		MNOP		W302	
Angle	∠ARB	∠ <i>BR</i> C	∠MRN	_ <nro< th=""><th>ZWRX</th><th>2000</th></nro<>	ZWRX	2000
Angle Measure						

**c. VERBAL** Make a conjecture about the diagonals of a parallelogram with four congruent sides.

# SOLUTION:

a. Sample answer:



**b.** Use a protractor to measure each angle listed in the table.

Parallelogram	ABCD		MNOP		WXYZ	
Angle	ZAR8	∠BRC	∠MRN	∠NR0	ZWRX	LXRY
Angle Measure	98*	96*	90"	90*	90"	90*

**c.** Sample answer: Each of the angles listed in the table are right angles. These angles were each formed by diagonals. The diagonals of a parallelogram with four congruent sides are perpendicular.

#### 45. CHALLENGE In rectangle ABCD,

 $m \angle EAB = 4x + 6, m \angle DEC = 10 - 11y$ , and  $m \angle EBC = 60$  Find the values of x and y.



# SOLUTION:

All four angles of a rectangle are right angles. So,  $m\angle EBC + m\angle EBA = 90$ .

 $60 + m \angle EBC = 90$ 

 $m\angle EBC = 30$ 

The diagonals of a rectangle are congruent and bisect each other. So,  $\triangle EAB$  is an isosceles triangle with  $\angle A \cong \angle B$ . So,  $m \angle EAB = 30$ . 4x + 6 = 304x = 24x = 6The sum of the angles of a triangle is 180. So,  $m \angle AEB = 180 - (30 + 30) = 120$ . By the Vertical Angle Theorem,  $\angle AEB \cong \angle DEC$ .  $m \angle DEC = 10 - 11y = 120$ -11y = 110y = -10 46. **CCSS CRITIQUE** Parker says that any two congruent acute triangles can be arranged to make a rectangle. Tamika says that only two congruent right triangles can be arranged to make a rectangle. Is either of them correct? Explain your reasoning.

## SOLUTION:

When two congruent triangles are arranged to form a quadrilateral, two of the angles are formed by a single vertex of a triangle.



In order for the quadrilateral to be a rectangle, one of the angles in the congruent triangles has to be a right angle.



So, Tamika is correct.

47. **REASONING** In the diagram at the right, lines *n*, *p*, *q*, and *r* are parallel and lines *l* and *m* are parallel. How many rectangles are formed by the intersecting lines?



#### SOLUTION:

Let the lines *n*, *p*, *q*, and *r* intersect the line *l* at the points *A*, *B*, *C*, and *D* respectively. Similarly, let the lines intersect the line *m* at the points *W*, *X*, *Y*, and *Z*.



Then the rectangles formed are *ABXW*, *ACYW*, *BCYX*, *BDZX*, *CDZY*, and *ADZW*. Therefore, 6 rectangles are formed by the intersecting lines.

48. **OPEN ENDED** Write the equations of four lines having intersections that form the vertices of a rectangle. Verify your answer using coordinate geometry.

#### SOLUTION:

Sample answer:

A rectangle has 4 right angles and each pair of opposite sides is parallel and congruent. Lines that run parallel to the *x*-axis will be parallel to each other and perpendicular to lines parallel to the *y*-axis. Selecting y = 0 and x = 0 will form 2 sides of the rectangle. The lines y = 4 and x = 6 form the other 2 sides.



The length of  $\overline{AB}$  is 6 – 0 or 6 units and the length of  $\overline{CD}$  is 6 – 0 or 6 units. The slope of AB is 0 and the slope of DC is 0. Since a pair of sides of the quadrilateral is both parallel and congruent, by Theorem 6.12, the quadrilateral is a parallelogram.

Since AB is horizontal and BC is vertical, the lines are perpendicular and the measure of the angle they form is 90. By Theorem 6.6, if a parallelogram has one right angle, it has four right angles. Therefore, by definition, the parallelogram is a rectangle.

49. WRITING IN MATH Explain why all rectangles are parallelograms, but all parallelograms are not rectangles.

#### SOLUTION:

Sample answer: A parallelogram is a quadrilateral in which each pair of opposite sides are parallel. By definition of rectangle, all rectangles have both pairs of opposite sides parallel. So rectangles are always parallelograms.

Parallelograms with right angles are rectangles, so some parallelograms are rectangles, but others with non-right angles are not. 50. If FJ = -3x + 5y, FM = 3x + y, GH = 11, and GM = 13, what values of *x* and *y* make parallelogram *FGHJ* a rectangle?



## SOLUTION:

The opposite sides of a parallelogram are congruent. So, FJ = GH. -3x + 5y = 11 FJ = GH

If the diagonals of a parallelogram are congruent, then it is a rectangle. Since *FGHJ* is a parallelogram, the diagonals bisect each other. So, if it is a rectangle, then  $\Delta GMF$  will be an isosceles triangle with  $GM \cong FM$ . That is, 3x + y = 13.

Add the two equations to eliminate the *x*-term and solve for *y*.

-3x + 5y = 11 3x + y = 136y = 24 Add to eliminate *x*-term.

v = 4 Divide each side by 6.

Use the value of *y* to find the value of *x*.

3x + 4 = 13	Substitute.
3x = 9	Subtract 4 from each side.
x = 3	Divide each side by 3.

So, x = 3, y = 4, the correct choice is A.

51. **ALGEBRA** A rectangular playground is surrounded by an 80-foot fence. One side of the playground is 10 feet longer than the other. Which of the following equations could be used to find *r*, the shorter side of the playground?

**F** 10r + r = 80 **G** 4r + 10 = 80 **H** r(r + 10) = 80**J** 2(r + 10) + 2r = 80

## SOLUTION:

The formula to find the perimeter of a rectangle is given by P = 2(l + w). The perimeter is given to be 8 ft. The width is *r* and the length is r + 10. So, 2r + 2 (r + 10) = 80.

Therefore, the correct choice is J.

## 52. SHORT RESPONSE What is the measure of



# SOLUTION:

The diagonals of a rectangle are congruent and bisect each other. So,  $\triangle PAD$  is an isosceles triangle with  $\angle A \cong \angle D$ .

So,  $m \angle PAD = 56$ . By the Exterior Angle Theorem,  $m \angle APB = m \angle PAD + m \angle PDA = 56 + 56 = 112$ . 53. **SAT/ACT** If *p* is odd, which of the following must also be odd?

**A** 
$$2p$$
  
**B**  $2p + 2$   
**C**  $\frac{p}{2}$   
**D**  $2p - 2$   
**E**  $p + 2$ 

## SOLUTION:

Analyze each answer choice to determine which expression is odd when p is odd.

Choice A 2p

This is a multiple of 2 so it is even.

Choice B 2p + 2

This can be rewritten as 2(p + 1) which is also a multiple of 2 so it is even.

Choice C  $\frac{p}{2}$ 

If p is odd, is not a whole number.

Choice D 2p - 2

This can be rewritten as 2(p - 1) which is also a multiple of 2 so it is even.

Choice E p + 2

Adding 2 to an odd number results in an odd number. This is odd. The correct choice is E.

# **ALGEBRA** Find *x* and *y* so that the quadrilateral is a parallelogram.



1.

2)

# SOLUTION:

The opposite sides of a parallelogram are congruent. 2x + 7 = x + 9

$$x = 2$$

In a parallelogram, consecutive interior angles are supplementary.

$$y^{2} - 5 + 2y^{2} + 21 = 180$$
  
 $4y + 16 = 180$   
 $4y = 164$   
 $y = 41$ 



#### SOLUTION:

The opposite sides of a parallelogram are congruent. 4x - 17 = 2x - 1

$$2x = 16$$
  
 $x = 8$ 

The opposite sides of a parallelogram are parallel to each other. So, the angles with the measures  $(3y + 3)^{\circ}$  and  $(4y - 19)^{\circ}$  are alternate interior angles and hence they are equal. 3y+3=4y-19

$$-y = -22$$

$$y = 22$$



56.

## SOLUTION:

The diagonals of a parallelogram bisect each other. So, 4y - 9 = 2y + 5 and y + 3 = 2x + 6. Solve the first equation to find the value of y. 2y = 14

$$y = 7$$

Use the value of y in the second equation and solve for x.

- 7 + 3 = 2x + 64 = 2x
  - 2 = x

#### 57. COORDINATE GEOMETRY Find the

coordinates of the intersection of the diagonals of parallelogram *ABCD* with vertices A(1, 3), B(6, 2), C(4, -2), and D(-1, -1).

## SOLUTION:

The diagonals of a parallelogram bisect each other, so the intersection is the midpoint of either diagonal. Find the midpoint of  $\overline{AC}$  or  $\overline{BD}$ .

$$M = \left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2}\right) \quad \text{Midpoint Formula}$$
$$M_{\overline{AC}} = \left(\frac{1 + 4}{2}, \frac{3 + (-2)}{2}\right) \quad (x_1, y_1) = (1, 3), (x_2, y_2) = (4, -2)$$
$$= (2, 5, 0, 5) \qquad \text{Simplify.}$$

Therefore, the coordinates of the intersection of the diagonals are (2.5, 0.5).

#### Refer to the figure.



58. If  $\overline{AC} \cong \overline{AF}$ , name two congruent angles.

#### SOLUTION:

Since  $\overline{AC} \cong \overline{AF}$ ,  $\triangle ACF$  is an isosceles triangle. So,  $\angle ACF \cong \angle AFC$ .

59. If  $\angle AHJ \cong \angle AJH$ , name two congruent segments.

#### SOLUTION:

In a triangle with two congruent angles, the sides opposite to the congruent angles are also congruent. So,  $\overline{AH} \cong \overline{AJ}$ .

60. If  $\angle AJL \cong \angle ALJ$ , name two congruent segments.

#### SOLUTION:

In a triangle with two congruent angles, the sides opposite to the congruent angles are also congruent. So,  $\overline{AJ} \cong \overline{AL}$ .

61. If  $JA \cong KA$ , name two congruent angles.

#### SOLUTION:

Since  $\overline{JA} \cong \overline{KA}$ ,  $\Delta AJK$  is an isosceles triangle. So,  $\angle AJK \cong \angle AKJ$ .

## **8-4 Rectangles**

# Find the distance between each pair of points.

62. (4, 2), (2, -5)

SOLUTION:

Use the Distance Formula to find the distance between the two points.

$$D = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$
$$= \sqrt{(2 - 4)^2 + (-5 - 2)^2}$$
$$= \sqrt{53}$$

63. (0, 6), (-1, -4)

# SOLUTION:

Use the Distance Formula to find the distance between the two points.

$$D = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$
$$= \sqrt{(-1 - 0)^2 + (-4 - 6)^2}$$
$$= \sqrt{101}$$

64. (-4, 3), (3, -4)

#### SOLUTION:

Use the Distance Formula to find the distance between the two points.

$$D = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$
  
=  $\sqrt{(3 - (-4))^2 + (-4 - 3)^2}$   
=  $\sqrt{98}$   
=  $7\sqrt{2}$