

Chapter 5: How Ecosystems Work

5.1 Energy Flow in Ecosystems

Objectives

List two examples of ecological succession.

Explain how a pioneer species contributes to ecological succession.

Explain what happens during old-field succession.

Describe how lichens contribute to primary succession.

Life Depends on the Sun

Energy from the sun enters an ecosystem when plants use sunlight to make sugar molecules.

This happens through a process called photosynthesis.

Life Depends on the Sun

Photosynthesis is the process by which plants, algae, and some bacteria use sunlight, carbon dioxide, and water to produce carbohydrates and oxygen.



From Producers to Consumers

Because plants make their own food, they are called *producers*.

A **producer** is an organism that can make organic molecules from inorganic molecules.

Producers are also called autotrophs, or self-feeders.

From Producers to Consumers

Organisms that get their energy by eating other organisms are called *consumers*.

A **consumer** is an organism that eats other organisms or organic matter instead of producing its own nutrients or obtaining nutrients from inorganic sources.

Consumers are also called heterotrophs, or other-feeders.

From Producers to Consumers

Some producers get their energy directly from the sun by absorbing it through their leaves.

Consumers get their energy indirectly by eating producers or other consumers.

An Exception to the Rule

Deep-ocean communities of worms, clams, crabs, mussels, and barnacles, exist in total darkness on the ocean floor, where photosynthesis cannot occur.

The producers in this environment are bacteria that use hydrogen sulfide present in the water.

Other underwater organisms eat the bacteria or the organisms that eat the bacteria.

What Eats What?

Organisms can be classified by what they eat.

Types of Consumers:

Herbivores

Carnivores

Omnivores

Decomposers

What Eats What in an Ecosystem

	Energy source	Examples
Producer	makes its own food through photosynthesis or chemical sources	grasses, ferns, cactuses, flowering plants, trees, algae, and some bacteria
Consumer	gets energy by eating producers or other consumers	mice, starfish, elephants, turtles, humans, and ants

Types of Consumers in an Ecosystem

	Energy source	Examples
Herbivore	producers	cows, sheep, deer, and grasshoppers
Carnivore	other consumers	lions, hawks, snakes, spiders, sharks, alligators, and whales
Omnivore	both producers and consumers	bears, pigs, gorillas, rats, raccoons, cockroaches, some insects, and humans
Decomposer	breaks down dead organisms in an ecosystem and returns nutrients to soil, water, and air	fungi and bacteria

Burning the Fuel

An organism obtains energy from the food it eats.

This food must be broken down within its body.

The process of breaking down food to yield energy is called **cellular respiration**.

Cellular Respiration is the process by which cells produce energy from carbohydrates; atmospheric oxygen combines with glucose to form water and carbon dioxide.

Cellular respiration occurs inside the cells of most organisms.

Burning the Fuel

During cellular respiration, cells absorb oxygen and use it to release energy from food.

Through cellular respiration, cells use glucose (sugar) and oxygen to produce carbon dioxide, water, and energy. Part of the energy obtained through cellular respiration is used to carry out daily activities.

Excess energy is stored as fat or sugar.




Energy Transfer

Each time an organism eats another organism, an energy transfer occurs.

This transfer of energy can be traced by studying food chains, food webs, and trophic levels.

Food Chains


A **food chain** is a sequence in which energy is transferred from one organism to the next as each organism eats another organism.



Food Webs

Ecosystems, however, almost always contain more than one food chain.

A **food web** shows many feeding relationships that are possible in an ecosystem.




Trophic Levels

Each step in the transfer of energy through a food chain or food web is known as a trophic level.

A **trophic level** is one of the steps in a food chain or food pyramid; examples include producers and primary, secondary, and tertiary consumers.

Each time energy is transferred, some of the energy is lost as heat.

Therefore, less energy is available to organisms at higher trophic levels.



Trophic Levels

Each layer of the pyramid represents one trophic level.

Producers form the base of the energy pyramid, and therefore contain the most energy.

The pyramid becomes smaller toward the top, where less energy is available.

Energy Loss Affects

Ecosystems

Decreasing amounts of energy at each trophic level affects the organization of an ecosystem.

Energy loss affects the number of organisms at each level.

Energy loss limits the number of trophic levels in an ecosystem.

Chapter 5: How Ecosystems Work

5.2 The Cycling of Materials

Objectives

List the three stages of the carbon cycle.

Describe where fossil fuels are located.

Identify one way that humans are affecting the carbon cycle.

List the three stages of the nitrogen cycle.

Describe the role that nitrogen-fixing bacteria play in the nitrogen cycle.


Explain how the excess use of fertilizer can affect the nitrogen and phosphorus cycles.

The Carbon Cycle

The **carbon cycle** is the movement of carbon from the nonliving environment into living things and back

Carbon is the essential component of proteins, fats, and carbohydrates, which make up all organisms.

The Carbon Cycle



The Carbon Cycle

Carbon exists in air, water, and living organisms.

Producers convert carbon dioxide in the atmosphere into carbohydrates during photosynthesis.

Consumers obtain carbon from the carbohydrates in the producers they eat.

During cellular respiration, some of the carbon is released back into the atmosphere as carbon dioxide.

Some carbon is stored in limestone, forming one of the largest “carbon sinks” on Earth.

The Carbon Cycle

Carbon stored in the bodies of organisms as fat, oils, or other molecules, may be released into the soil or air when the organisms dies.

These molecules may form deposits of coal, oil, or natural gas, which are known as fossil fuels.

Fossil fuels store carbon left over from bodies of organisms that dies millions of years ago.

How Humans Affect the Carbon Cycle

Humans burn fossil fuels, releasing carbon into the atmosphere.

The carbon returns to the atmosphere as carbon dioxide.

Increased levels of carbon dioxide may contribute to global warming.

Global warming is an increase in the temperature of the Earth.

The Nitrogen Cycle

The **nitrogen cycle** is the process in which nitrogen circulates among the air, soil, water, plants, and animals in an ecosystem.

All organisms need nitrogen to build proteins, which are used to build new cells.

Nitrogen makes up 78 percent of the gases in the atmosphere.

The Nitrogen Cycle

Nitrogen must be altered, or fixed, before organisms can use it.

Only a few species of bacteria can fix atmospheric nitrogen into chemical compounds that can be used by other organisms.

These bacteria are known as “nitrogen-fixing” bacteria.

The Nitrogen Cycle


Nitrogen-fixing bacteria are bacteria that convert atmospheric nitrogen into ammonia.

These bacteria live within the roots of plants called legumes, which include beans, peas, and clover.

The bacteria use sugar provided by the legumes to produce nitrogen containing compounds such as nitrates.

Excess nitrogen fixed by the bacteria is released into the soil.

The Nitrogen Cycle



Decomposers and the Nitrogen Cycle

Nitrogen stored within the bodies of living things is returned to the nitrogen cycle once those organisms die.

Decomposers break down decaying plants and animals, as well as plant and animal wastes.

After decomposers return nitrogen to the soil, bacteria transform a small amount of the nitrogen into nitrogen gas, which then returns to the atmosphere to complete the nitrogen cycle.


The Phosphorus Cycle

Phosphorus is an element that is part of many molecules that make up the cells of living organisms.

Plants get the phosphorus they need from soil and water, while animals get their phosphorus by eating plants or other animals that have eaten plants.

The **phosphorus cycle** is the cyclic movement of phosphorus in different chemical forms from the environment to organisms and then back to the environment.

The Phosphorus Cycle



The Phosphorus Cycle

Phosphorus may enter soil and water when rocks erode. Small amounts of phosphorus dissolve as phosphate, which moves into the soil.

Plants absorb phosphates in the soil through their roots.

Some phosphorus washes off the land and ends up in the ocean.

Because many phosphate salts are not soluble in water, they sink to the bottom and accumulate as sediment.

Fertilizers and the Nitrogen and Phosphorus Cycles

Fertilizers, which people use to stimulate and maximize plant growth, contain both nitrogen and phosphorus.

Excessive amounts of fertilizer can enter terrestrial and aquatic ecosystems through runoff.

Excess nitrogen and phosphorus can cause rapid growth of algae.

Excess algae can deplete an aquatic ecosystem of important nutrients such as oxygen, on which fish and other aquatic organisms depend.

Acid Precipitation

When fuel is burned, large amounts of nitric oxide is release into the atmosphere.

In the air, nitric oxide can combine with oxygen and water vapor to form nitric acid.

Dissolved in rain or snow, the nitric acid falls as acid precipitation.

Chapter 5: How Ecosystems Work

5.3 How Ecosystems Change

Objectives

List two examples of ecological succession.

Explain how a pioneer species contributes to ecological succession.

Explain what happens during old-field succession.

Describe how lichens contribute to primary succession.

Ecological Succession

Ecosystems are constantly changing.

Ecological succession is a gradual process of change and replacement of the types of species in a community.

Each new community that arises often makes it harder for the previous community to survive.

Ecological Succession

Primary succession is a type of succession that occurs on a surface where no ecosystem existed before. It begins in an area that previously did not support life.

Primary succession can occur on rocks, cliffs, or sand dunes.

Ecological Succession

Secondary succession occurs on a surface where an ecosystem has previously existed. It is the process by which one community replaces another community that has been partially or totally destroyed.

Secondary succession can occur in ecosystems that have been disturbed or disrupted by humans, animals, or by natural process such as storms, floods, earthquakes, or volcanic eruptions.

Ecological Succession

A **pioneer species** is a species that colonizes an uninhabited area and that starts an ecological cycle in which many other species become established.

Over time, a pioneer species will make the new area habitable for other species.

A **climax community** is the final, stable community in equilibrium with the environment.

Even though a climax community may change in small ways, this type of community may remain the same through time if it is not disturbed.

Ecological Succession

Natural fires caused by lightning are a necessary part of secondary succession in some communities.

Minor forest fires remove accumulations of brush and deadwood that would otherwise contribute to major fires that burn out of control.

Some animal species also depend on occasional fires because they feed on the vegetation that sprouts after a fire has cleared the land.

Ecological Succession

Old-field succession is a type of secondary succession that occurs when farmland is abandoned.

When a farmer stops cultivating a field, grasses and weeds quickly grow and cover the abandoned land.

Over time, taller plants, such as perennial grasses, shrubs, and trees take over the area.

Ecological Succession



Ecological Succession

Primary succession can occur on new islands created by volcanic eruptions

in areas exposed when a glacier retreats any other surface that has not previously supported life

Primary succession is much slower than secondary succession. This is because it begins where there is no soil.

Ecological Succession

The first pioneer species to colonize bare rock will probably be bacteria and lichens, which can live without soil.

The growth of lichens breaks down the rock, which with the action of water, begins to form soil.