Honors GSE Pre-Calculus Curriculum Map								
1 st Semester				2 nd Semester				
Unit 1	Unit 2	Unit 3	Unit 4	Unit 5	Unit 6	Unit 7	Unit 8	Unit 9
(3 – 4 weeks)	(3 - 4 weeks)	(3 – 4 weeks)	(2-3 weeks)	(4 – 5 weeks)	(2-3 weeks)	(4 – 5 weeks)	(3 – 4 weeks)	(3 – 4 weeks)
Introduction to	Trigonometric	Trigonometry	Trigonometric	Matrices	Conics	Vectors	Inferences &	Probability
Trigonometric	Functions	of General	Identities				Conclusions	_
Functions		Triangles					from Data	
MGSE9-12.F.IF.4	MCC9-12.F.BF.4	CC.9-12.G.SRTT.9	MCC9-12.F.TF.9	MCC9-12.N.VM.6	MCC9-12.G.GPE.2	MCC9-12.N.CN.3	MGSE9-12.S.ID.2	MCC9-12.S.CP.8
MGSE9-12.F.IF.7	MCC9-12.F.BF.4d	CC.9-12.G.SRTT.10		MCC9-12.N.VM.7	MCC9-12.G.GPE.3	MCC9-12.N.CN.4	MGSE9-12.S.ID.4	MCC9-12.S.CP.9
MGSE9-12.F.IF.7e	MCC9-12.F.TF.3	CC.9-12.G.SRTT.11		MCC9-12.N.VM.8	MCC9-12.A.REI.7	MCC9-12.N.CN.5	MGSE9-12.S.IC.1	MCC9-12.S.MD.1
MGSE9-12.F.TF.1	MCC9-12.F.TF.4			MCC9-12.N.VM.9		MCC9-12.N.CN.6	MGSE9-12.S.IC.2	MCC9-12.S.MD.2
MGSE9-12.F.TF.2	MCC9-12.F.TF.6			MCC9-12.N.VM.10		MCC9-12.N.VM.1	MGSE9-12.S.IC.3	MCC9-12.S.MD.3
MGSE9-12.F.TF.5	MCC9-12.F.TF.7			MCC9-12.N.VM.12		MCC9-12.N.VM.2	MGSE9-12.S.IC.4	MCC9-12.S.MD.4
MGSE9-12.F.TF.8				MCC9-12.A.REI.8		MCC9-12.N.VM.3	MGSE9-12.S.IC.5	MCC9-12.S.MD.5
				MCC9-12.A.REI.9		MCC9-12.N.VM4	MGSE9-12.S.IC.6	MCC9-12.S.MD.5a
						MCC9-12.N.VM4a		MCC9-12.S.MD.5b
						MCC9-12.N.VM4b		MCC9-12.S.MD.6
						MCC9-12.N.VM4c		MCC9-12.S.MD.7
						MCC9-12.N.VM.5		
						MCC9-12.N.VM.5a		
						MCC9-12.N.VM.5b		
						MCC9-12.N.VM.11		

These units were written to build upon concepts from prior units, so later units contain tasks that depend upon the concepts addressed in earlier units.

All units will include the Mathematical Practices and indicate skills to maintain.

*Revised standards indicated in bold red font.

NOTE: Mathematical standards are interwoven and should be addressed throughout the year in as many different units and tasks as possible in order to stress the natural connections that exist among mathematical topics. Grade 9-12 Key:

Number and Quantity Strand: RN = The Real Number System, Q = Quantities, CN = Complex Number System, VM = Vector and Matrix Quantities

Algebra Strand: SSE = Seeing Structure in Expressions, APR = Arithmetic with Polynomial and Rational Expressions, CED = Creating Equations, REI = Reasoning with Equations and Inequalities

Functions Strand: IF = Interpreting Functions, LE = Linear and Exponential Models, BF = Building Functions, TF = Trigonometric Functions

Geometry Strand: CO = Congruence, SRT = Similarity, Right Triangles, and Trigonometry, C = Circles, GPE = Expressing Geometric Properties with Equations, GMD = Geometric Measurement and Dimension,

MG = Modeling with Geometry

Statistics and Probability Strand: ID = Interpreting Categorical and Quantitative Data, IC = Making Inferences and Justifying Conclusions, CP = Conditional Probability and the Rules of Probability, MD = Using Probability to Make Decisions

Accelerated GSE Pre-Calculus Expanded Curriculum Map – 1st Semester											
Standards for Mathematical Practice											
 Make sense of problems and persevere in solv Reason abstractly and quantitatively. Construct viable arguments and critique the red Model with mathematics. 	ing them.	thematical Practice 5 Use appropriate tools strategically. 6 Attend to precision. 7 Look for and make use of structure. 8 Look for and express regularity in repeated reasoning.									
1st Semester											
Unit 1	Unit 2	Unit 3	Unit 4								
Introduction to Trigonometric	Trigonometric Functions	Trigonometry of General Triangles	Trigonometric Identities								
Functions											
Interpret functions that arise in applications in	Build new functions from existing functions	Apply trigonometry to general triangles	Prove and apply trigonometric identities								
Interpret functions that arise in applications in terms of the context MGSE9-12.F.IF.4 Using tables, graphs, and verbal descriptions, interpret the key characteristics of a function which models the relationship between two quantities. Sketch a graph showing key features including: intercepts; interval where the function is increasing, decreasing, positive, or negative; relative maximums and minimums; symmetries; end behavior; and periodicity. Analyze functions using different representations MGSE9-12.F.IF.7 Graph functions expressed algebraically and show key features of the graph both by hand and by using technology. MGSE9-12.F.IF.7e Graph exponential and logarithmic functions, showing intercepts and end behavior, and trigonometric functions, showing period, midline, and amplitude. Extend the domain of trigonometric functions using the unit circle MGSE9-12.F.TF.1 Understand radian measure of an angle as the length of the arc on the unit circle subtended by the angle. MGSE9-12.F.TF.2 Explain how the unit circle in the coordinate plane enables the extension of trigonometric functions to all real numbers, interpreted as radian measures of angles traversed counterclockwise around the unit circle. Model periodic phenomena with trigonometric functions to model periodic phenomena with specified amplitude, frequency, and midline. Prove and apply trigonometric identities MGSE9-12.F.TF.8 Prove the Pythagorean identity (sin A) ² + (cos A) ² = 1 and use it to find sin A, cos A, or tan A, given sin A, cos A, or tan A, and the quadrant of the angle.	Build new functions from existing functions MGSE9-12.F.BF.4 Find inverse functions. MGSE9-12.F.BF.4d Produce an invertible function from a non-invertible function by restricting the domain. MGSE9-12.F.TF.3 Use special triangles to determine geometrically the values of sine, cosine, tangent for $\pi/3$, $\pi/4$ and $\pi/6$, and use the unit circle to express the values of sine, cosine, and tangent for π - x, π + x, and 2π - x in terms of their values for x, where x is any real number. MGSE9-12.F.TF.4 Use the unit circle to explain symmetry (odd and even) and periodicity of trigonometric functions. MGSE9-12.F.TF.6 Understand that restricting a trigonometric function to a domain on which it is always increasing or always decreasing allows its inverse to be constructed. MGSE9-12.F.TF.7 Use inverse functions to solve trigonometric equations that arise in modeling contexts; evaluate the solutions using technology, and interpret them in terms of the context.	Apply trigonometry to general triangles MGSE9-12.G.SRT.9 Derive the formula A = (1/2)ab sin(C) for the area of a triangle by drawing an auxiliary line from a vertex perpendicular to the opposite side. MGSE9-12.G.SRT.10 Prove the Laws of Sines and Cosines and use them to solve problems. MGSE9-12.G.SRT.11 Understand and apply the Law of Sines and the Law of Cosines to find unknown measurements in right and non-right triangles (e.g., surveying problems, resultant forces).	Prove and apply trigonometric identities MGSE9-12.F.TF.9 Prove addition, subtraction, double and half-angle formulas for sine, cosine, and tangent and use them to solve problems.								

Accelerated GSE Pre-Calculus Expanded Curriculum Map – 2 nd Semester									
Standards for Mathematical Practice									
1 Make sense of problems and persev 2 Reason abstractly and quantitatively 3 Construct viable arguments and crit 4 Model with mathematics.	ere in solving them.	5 Use appropriate tools strategically. 6 Attend to precision. 7 Look for and make use of structure. 8 Look for and express regularity in repeated reasoning.							
2 nd Semester									
Unit 5	Unit 6	Unit 7	Unit 8	Unit 9					
Matrices	Conics	Vectors	Inferences & Conclusions	Probability					
			from Data						
Perform operations on matrices and use matrices in applications MGSE9-12.N.VM.6 Use matrices to represent and manipulate data, e.g., transformations of vectors. MGSE9-12.N.VM.7 Multiply matrices by scalars to produce new matrices. MGSE9-12.N.VM.8 Add, subtract, and multiply matrices of appropriate dimensions. MGSE9-12.N.VM.9 Understand that, unlike multiplication of numbers, matrix multiplication for square matrices is not a commutative operation, but still satisfies the associative and distributive properties. MGSE9-12.N.VM.10 Understand that the zero and identity matrices play a role in matrix addition and multiplication similar to the role of 0 and 1 in the real numbers. The determinant of a square matrix is nonzero if and only if the matrix has a multiplicative inverse. MGSE9-12.N.VM.12 Work with 2 X 2 matrices as transformations of the plane, and interpret the absolute value of the determinant in terms of area. Solve systems of equations MGSE9-12.A.REI.8 Represent a system of linear equations as a single matrix equation in a vector variable MGSE9-12.A.REI.9 Find the inverse of a matrix if it exists and use it to solve systems of linear equations (using technology for matrices of dimension 3 × 3 or greater).	Translate between the geometric description and the equation for a conic section MGSE9-12.G.GPE.2 Derive the equation of a parabola given a focus and directrix. MGSE9-12.G.GPE.3 Derive the equations of ellipses and hyperbolas given the foci, using the fact that the sum or difference of distances from the foci is constant. Solve systems of equations MGSE9-12.A.REI.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line $y = -3x$ and the circle $x^2 + y^2 = 3$.	Use properties of rational and irrational numbers MGSE9-12.N.CN.3 Find the conjugate of a complex number; use the conjugate to find the absolute value (modulus) and quotient of complex numbers. Represent complex numbers and their operations on the complex plane MGSE9-12.N.CN.4 Represent complex numbers on the complex plane in rectangular and polar form (including real and imaginary numbers), and explain why the rectangular and polar forms of a given complex number represent the same number. MGSE9-12.N.CN.5 Represent addition, subtraction, multiplication, and conjugation of complex numbers geometrically on the complex plane; use properties of this representation for computation. For example, $(-1 + \sqrt{3}i)^3 = 8$ because $(-1 + \sqrt{3}i)$ has modulus 2 and argument 120°. MGSE9-12.N.CN.6 Calculate the distance between numbers in the complex plane as the modulus of the difference, and the midpoint of a segment as the average of the numbers at its endpoints. Represent and model with vector quantities. MGSE9-12.N.VM.1 Recognize vector quantities as having both magnitude and direction. Represent vector quantities by directed line segments, and use appropriate symbols for vectors and their magnitudes (e.g., ν , $ \nu $, $ \nu $, ν). MGSE9-12.N.VM.2 Find the components of a vector by subtracting the coordinates of an initial point from	Summarize, represent, and interpret data on a single count or measurement variable MGSE9-12.S.ID.2 Use statistics appropriate to the shape of the data distribution to compare center (median, mean) and spread (interquartile range, mean absolute deviation, standard deviation) of two or more different data sets. MGSE9-12.S.ID.4 Use the mean and standard deviation of a data set to fit it to a normal distribution and to estimate population percentages. Recognize that there are data sets for which such a procedure is not appropriate. Use calculators, spreadsheets, and tables to estimate areas under the normal curve. Understand and evaluate random processes underlying statistical experiments MGSE9-12.S.IC.1 Understand statistics as a process for making inferences about population parameters based on a random sample from that population. MGSE9-12.S.IC.2 Decide if a specified model is consistent with results from a given data-generating process, e.g., using simulation. For example, a model says a spinning coin falls heads up with probability 0. 5. Would a result of 5 tails in a row cause you to question the model? Make inferences and justify conclusions from sample surveys, experiments, and observational studies MGSE9-12.S.IC.3 Recognize the purposes of and differences among sample surveys, experiments, and observational studies; explain how randomization relates to each.	Use the rules of probability to compute probabilities of compound events in a uniform probability model MGSE9-12.S.CP.8 Apply the general Multiplication Rule in a uniform probability model, P(A and B) = [P(A)]x[P(B A)] = [P(B)]x[P(A B)], and interpret the answer in terms of the model. MGSE9-12.S.CP.9 Use permutations and combinations to compute probabilities of compound events and solve problems. Calculate expected values and use them to solve problems MGSE9-12.S.MD.1 Define a random variable for a quantity of interest by assigning a numerical value to each event in a sample space; graph the corresponding probability distribution using the same graphical displays as for data distributions. MGSE9-12.S.MD.2 Calculate the expected value of a random variable; interpret it as the mean of the probability distribution. MGSE9-12.S.MD.3 Develop a probability distribution for a random variable defined for a sample space in which theoretical probabilities can be calculated; find the expected value. For example, find the theoretical probability distribution for the number of correct answers obtained by guessing on all five questions of a multiple-choice test where each question has four choices, and find the expected grade under various grading schemes. MGSE9-12.S.MD.4 Develop a probability distribution for a random variable defined for a sample space in					

the coordinates of a terminal point. MGSE9-12.S.IC.4 Use data from a which probabilities are assigned MGSE9-12.N.VM.3 Solve problems empirically: find the expected value. For sample survey to estimate a population involving velocity and other quantities mean or proportion; develop a margin of example, find a current data distribution that can be represented by vectors. error through the use of simulation on the number of TV sets per household Perform operations on vectors models for random sampling. in the United States, and calculate the MGSE9-12.N.VM.4 Add and subtract MGSE9-12.S.IC.5 Use data from a expected number of sets per household. vectors. randomized experiment to compare two How many TV sets would you expect to MGSE9-12.N.VM4a Add vectors endfind in 100 randomly selected treatments; use simulations to decide if households? to-end, component-wise, and by the differences between parameters are parallelogram rule. Understand that the significant. Use probability to evaluate outcomes magnitude of a sum of two vectors is MGSE9-12.S.IC.6 Evaluate reports of decisions typically not the sum of the magnitudes. based on data. For example. MGSE9-12.S.MD.5 Weigh the possible determining quantitative or categorical MGSE9-12.N.VM4b Given two vectors outcomes of a decision by assigning in magnitude and direction form, data; collection methods; biases or probabilities to payoff values and finding determine the magnitude and direction of expected values. flaws in data. MGSE9-12.S.MD.5a Find the expected their sum. MGSE9-12.N.VM4c Understand vector payoff for a game of chance. For subtraction v - w as v + (-w), where (-w)example, find the expected winnings from is the additive inverse of w, with the a state lottery ticket or a game at a fastsame magnitude as w and pointing in the food restaurant. MGSE9-12.S.MD.5b Evaluate and opposite direction. Represent vector subtraction graphically by connecting the compare strategies on the basis of tips in the appropriate order, and perform expected values. For example, compare vector subtraction component-wise. a high-deductible versus a low-MGSE9-12.N.VM.5 Multiply a vector deductible automobile insurance policy by a scalar. using various, but reasonable, chances of MGSE9-12.N.VM.5a Represent scalar having a minor or a major accident. multiplication graphically by scaling MGSE9-12.S.MD.6 Use probabilities to vectors and possibly reversing their make fair decisions (e.g., drawing by direction; perform scalar multiplication lots, using a random number generator). MGSE9-12.S.MD.7 Analyze decisions component-wise, e.g., as $c(v_x, v_y) = (cv_x, v_y)$ and strategies using probability concepts MGSE9-12.N.VM.5b Compute the (e.g., product testing, medical testing, magnitude of a scalar multiple cv using pulling a hockey goalie at the end of a ||cv|| = |c|v. Compute the direction of cvgame). knowing that when |c|v = 0, the direction of cv is either along v (for c > 0) or against v (for c < 0). MGSE9-12.N.VM.11 Multiply a vector (regarded as a matrix with one column) by a matrix of suitable dimensions to produce another vector. Work with matrices as transformations of vectors.