
MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION



SEALER OR ULTRA SEA Product Use:				WHMIS Classifica	ation: SLIGHT		
Indoor Floor Sealant							
Manufacturer's Name: ULTRA CHEM USA INC.				Suppliers Name	e		
Street Address: 1462 E. MISSION BOULE	VARD			Street Address			
^{City:} POMONA	Province:/ State CA			City			Province
Zip Code: 91766	Emergency Telephor 1-800-535-50			Postal Code		Emergency Teleph	hone
Date MSDS Prepared: JANUARY 2013		MSDS Prepared by:	ULTRA CH	EM USA I	NC.	Phone Number: 909-620-0949	
SECTION 2 - COMPO	DSITION / I	NFORMATI		NGRED	IENTS		
Hazardous Ingredients (specific)		%	CAS Number			Ingredient cies and route)	LC 50 of Ingredient (specify species)
PROPYLENE GL	YCOL	1.9	57-55-6		20 g/kg (oral, rat)		N/AV
TRIBUTOXYETHYL PH PLASTICISEF		1.1	78-	51-3	3000 mg/k	g (oral, rat)	> 20 mg/L
ALIPHATIC ACRYLIC	ALIPHATIC ACRYLIC POLYMER		NAV		NAV		NAV
WATER		79	7732	2-18-5	N/AV		N/AV
SECTION 3 - HAZAR		IFICATION					
Route of Entry Skin Col	ntact 🗖 Sk	kin Absorption	Eve	Contact	🗇 inhalat	ion 📕	Ingestion
		ctive gloves an	1				

[WHMIS Symbols]

[Potential Health Effects]

Skin and eye irritant. Harmful if swallowed.

SECTION 4 - FIRST AID MEASURES

Ŧ

Skin Contact

Wash with soap and water. If irritation persists seek medical attention Eye Contact

Flush with copious amounts of potable water. Seek medical attention immediately.

Inhalation

Ingestion

Drink 3-4 glasses of MILK or WATER. If swallowed, induce vomiting. Seek Medical Attention

Page 2/4

SECTION 5 - FIRE FIGHTING MEASURES

Flammable . □ Yes ■ No	If yes, under which conditions?	
Means of Extinction As for surrounding Fire. Normal Fire - F	ighting Procedures	
Flashpoint (°C) and Method None	Upper Flammable Limit (% by volume) N/AP	Lower Flammable Limit (% by volume) N/AP
Autoignition Temperature (°C) None	Explosion Data - Sensitivity to Impact	Explosion Data - Sensivity to Static Discharge
Hazardous Combustion Products Oxides of Carbon		
[NFPA] NONE		

SECTION 6 - ACCIDENTAL RELEASE MEASURES

	and	Coill	Droooduroo	
сеак а	anu	эрш	Procedures	

Large spill: dike with absorbent, collect in drum, then dispose. Rinse with water and let dry.

SECTION 7 - HANDLING AND STORAGE

Handling Procedures and Equipment

Normal handling procedures, avoid skin and eye contact.

Storage Requirements

Store in well ventilated area. Recommended temperature 15°C

SECTION 8 - EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure Limits . N/AV	đ	ACGIH TLV	🗇 OSHA F	PEL		đ		Other (specify)			
Specific Engineering (Normal ventil		ch as ventilation encle	osed process)								
Personal Protective E . B Gloves	0 R	espirator	Eye		Footwear		٥	Clothing	đ	Other	
If checked, please spo Neoprene or Chemical spla Impervious	rubber	-									

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State Emulsion		Odour Threshold (ppm) N/AV
Specific Gravity 1.035	Vapour Density (air = 1) < 1	Vapour Pressure (mmHg) 17 mmHg
Evaporation Rate > 1	Boiling Point (°C) >100°C	Freezing Point (°C) <0°C
_₽ н 8.5 <u>+</u> 0.5	Coefficient of Water / Oil Distribution 100% water soluble	[Solubility in Water] 100%

SECTION 10 - STABILITY AND REACTIVITY

			If no, under which conditions?
Chemical Stability			
. 🗗 Yes	٥	No	
Incompatibility with Other Substances			If yes, which ones?
. 📕 Yes	۵	No	Strong oxidizing agents
Reactivity, and under what conditions?			
None			
Hazardous Decomposition Products			
None			

SECTION 11 - TOXICOLOGICAL INFORMATION

Effects of Acute Exposure	
eye, skin contact may cause irritation. Harmful if swallowed	
Effects of Chronic Exposure	
Prolonged or repeated exposure may cause skin drying.	
Irritancy of Product	
contact with eyes / skin	
	Respiratory Sensitization
N/AV	N/AP
Carcinogenicity -IARC	Carcinogenicity - ACGIH
No	No
Reproductive Toxicity	Teratogenicity
	N/A
Embryotoxicity	Mutagenicity
	N/A
Name of Synergistic Products / Effects	
N/A	

Product Identifier SEALER OR ULTRA SEAL

Page 4/4

SECTION 12 - ECOLOGICAL INFORMATION

Aquatic Toxicity Molibity= N/A

Persistence= N/A

Bioaccumulative = N/A

Aquatic Toxicity: Low potential affect on Aquatic organism and secondary waste treatment microbial respiration. When diluted with a large amount of water, this material is released directly or indirectly into the environment is not expected a THOD (G Oxygen G)= -1.9 COD (G Oxygen (G) = 1.9 BOD5 (G Oxygen (ML) = 0.14

Acute Aquatic effects Data: 24 hrs LC $_{50}$ (Goldfish) mg/L 75,000 mg/L 96 hrs LC $_{50}$ (Blue Gill Sunfish) mg/L 710,000 mg/L

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste Disposal

According to local, state and federal government requirements

SECTION 14 - TRANSPORT INFORMATION

Special Shipping Information:			
Normal procedures. Keep from fre	ezing.		
		PIN	
		N/A	
TDG:	[DOT]	-	
N/A	N/A		
[IMO]	[ICAO]		
N/A	N/A		

SECTION 15 - REGULATORY INFORMATION

Effecto (T)	ioshaj N/A			
[sera] N/A	[TSCA] N/A			
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by CPR				

SECTION 16 - OTHER INFORMATION

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.