×	Spartan Chemical Material Safet		• • · ·	
Hide details for SEC	TION I: PRODUCT INFORMATION	SECT	ION I: PRODUCT INF	ORMATION
Product Name or Numb SHINELINE EMU Product Number: 0084	per (as it appears on label): J LSIFIER PLUS		Product Division: Janitorial	
Spartan Chemical Co	mpany, Inc.	oduct/T	Cechnical 1-(800)-537-899 prmation:	0
1110 Spartan Drive Media Maumee OH 43537 Chern		dical Emergency:1-(888)-314-6171 (24 hours) emical Leak/Spil Emergency: 3, UN 1760, II, (contains sodium hydroxide)		
NFPA Ratings:			HMIS Ratings:	
Health: 3	3 - Serious		Health:	*3 - Serious; Chronic Hazard
Fire:) - Minimal		Fire:	0 - Minimal
Reactivity:) - Minimal		Reactivity:	0 - Minimal
			Pers. Prot. Equip.:	See Section VIII
(Listed when present at	TION II: HAZARDOUS INGREDIENT 1% or greater, carcinogens at 0.19 aventory" of chemical substances r	SEC % or gre	-	micals are listed or exempted from

			Table Z- 1 - A		NTP, IARC	
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m ³	STEL mg/m ³	CELING mg/m ³	or OSHA Carcinogen
*2-Butoxyethanol	20-30	111-76-2	240 (skin) 96	Not Established	Not Established	No
Monoethanolamine	5-10	141-43-5	7.5	15	Not Established	No
Sodium xylene sulfonate	1-5	1300-72-7	Not Established	Not Established	Not Established	No
Sodium metasilicate	1-5	6834-92-0	Not Established	Not Established	Not Established	No
Sodium hydroxide	1-5	1310-73-2	2	Not Established	Not Established	No
Ethoxylated alcohols phosphate ester	1-5	68130-47-2	Not Established	Not Established	Not Established	No

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

Hide details for SECTION III:		II: PHYSICAL DATA		
Boiling Point:	1	Vapor Pressure:	Unknown	
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete	
pH:	13.5-13.7	Specific Gravity (H ₂ O=1):		
Evaporation Rate (but.ace.=1):	<1	Percent Solid by Weight:	8-9	
Physical State:	Liquid			
Appearance & Odor	Clear liquid, fresh fragrance			
Hide details for SECTION IV:	FIRE & EXPLOSIVE HAZARD DA		E & EXPLOSIVE HAZARD	
Flash Point	> 200°F	Method Us	ed: ASTM-D56	
Flammable Limits		Flame Extensi		
Special Fire Fightin	: Carbon dioxide, dry chemical, synthetic foam or water. g Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool : fire-exposed containers with water spray.			
	losive Combustion products are toxic.			
Hide details for SECTION V:	Hide details for SECTION V: HEALTH HAZARD DATA			
Threshold Limit Value:	Not Established	Primary Routes of En	try: Inhalation, Skin Contact, Eyes & Oral	
Effects of Overexposure Conditions to Avoid	 HARMFUL TO EYES: Ca pain, redness, swelling of damage. HARMFUL TO SKIN: Cau pain, redness and chemic pain. Repeated contact me the skin. HARMFUL OR FATAL IF esophagus and mucous me and diarrhea. Aspiration of vomiting, resulting in lung HARMFUL IF INHALED: damage of the respiratory with chest pain and cough Contains 2-butoxyethanol with symptoms such as he to 2-butoxyethanol may ca animal data. Contains monoethanolami repeated exposure. Do not get in eyes, on si 	the conjunctiva and posi- uses severe skin damag al burns. Harmful conta- ay cause a dermatitis. F SWALLOWED: Cause membranes with sympto- f product into the lungs injury. Breathing product vapo tract, with symptoms of ing. which may cause centre adache; dizziness; nau- ause blood cell; liver and ine which may cause liver kin or clothing. Avoid	ge or irritation with symptoms of ssible permanent corneal ge or irritation with symptoms of ct may not cause immediate Harmful if absorbed through as damage or chemical burns to ms of pain, nausea, vomiting may occur during ingestion or r or mist may cause irritation or f nasal discomfort and discharge al nervous system depression isea and drowsiness. Exposure d kidney damage based on ver and kidney damage with breathing product vapor or lation. Wash thoroughly after	
Conditions Aggravated by Us	e: Use of this product may aggr		e and respiratory disorders	
Emergency & First Aid Proce	including asthma and dermat	itis.		

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Call a poison control center or doctor for treatment advice.
Immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a poison control center or doctor for treatment advice. wash contaminated clothing before reuse. Destroy contaminated shoes.
Call a poison control center or doctor immediately for treatment advice. Do not induce vomiting. Drink one or two glasses of water to dilute product. Do not give anything by mouth to an unconscious person.
In case of respiratory irritation or dizziness; move person to fresh air. If not breathing; give artificial respiration. If breathing is difficult; give oxygen. Call a poison control center or doctor for treatment advice.

MSDS Document for SHINELINE EMULSIFIER PLUS

SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Materials: Strong acids and oxidizing agents
Hazardous Decomposition	Hazardous Will Not Occur
Products:	Polymerization:

× Hide details for SECTION VII: SPILL OR LEAK PROCEDURES

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in Case	Contain large spills and transfer the material to appropriate containers for reclamation or
Material is Released or Spilled:	disposal. Absorb remaining material or small spills with an inert material and dispose of
	in accordance with federal, state and local regulations. Keep spill out of sewers streams or
	other bodies of water.

Waste Disposal Method: Assure conformance with federal, state and local regulations.

Hide details for SECTION VIII: SPECIAL PROTECTION INFORMATION x

SECTION VIII: SPECIAL PROTECTION

INFORMATION

	Not normally required when good general ventilation is provided. However if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered.
	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
	Solvent/alkali resistant gloves such as neoprene, nitrile or natural rubber/ latex are recommended.
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.
	Solvent /alkali resistant boots are recommended. Use of impervious apron, face shield and other protective equipment should be considered in order to prevent or minimize contact with this product. Eye wash stations and washing facilities should be readily accessible. See 29 CFR 1910.132-138.

Hide details for SECTION IX: SPECIAL PRECAUTIONS

SECTION IX: SPECIAL PRECAUTIONS

	Keep container tightly closed. Store in a cool, dry area. Do not freeze. Do not store above 120°F. Do not mix with other chemicals.
Other Precautions:	Keep out of reach of children.

© SCC 06/01/2007 SHINELINE EMULSIFIER PLUS

Ronald T. Cook Effective 06/01/2007

Title: Supercedes:

Manager, Regulatory Affairs 01/05/2006

Ref: 29 CFR 1910.1200 (OSHA) Changes: Update Section II

Name:

Date:

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.