
#### **EOCT Question of the Day**

Sarah's younger siblings are always bothering her when she does her homework, and she begins to wonder whether other students have the same trouble. She surveys 25 of her fellow juniors and records the number of siblings and the homework grades for each of them.

According to the scatterplot Sarah produced from this data, which conclusion is MOST justified? [Note: x is the number of siblings, y is the homework grade.]

- A) Siblings have little or no effect on homework performance.
- B) Siblings have a positive effect on homework performance.
- C) Siblings have a negative effect on homework performance.
- D) Siblings have a mixed effect on homework performance.



#### **EOCT Question of the Day**

The equation y = 2x + 1 is changed to y = 2x - 1. How does this change the graph of the line?

- A) The original line will shift down I unit.
- B) The original line will shift left I unit.
- C) The original line will shift left 2 units.
- D) The original line will shift down 2 units.

## Coordinate Algebra EOCT REVIEW


## UNIT 3 — Linear & Exponential Functions

Is this a function? (-1, 2), (8, -4), (12, 3), (12, -3)

No, I2 has two outputs.

#### Function vs. Relation

#### Is this a function?



Yes, each input has one output...

Evaluate 
$$f(x) = 5(3^x) + 1$$
  
for  $x = 3$ .

136

#### **Combining Functions**

If 
$$f(x) = 6x^2 - 3x + 5$$
 and  $g(x) = 4x^2 + 5x - 8$ , find  $(g-f)(x)$ .

$$-2x^2 + 8x - 13$$


## Each term in a sequence is exactly ½ of the previous term.

**Exponential.** 

This function is decreasing at a constant rate.



## What is happening to y as x increases for the graph?



y decreases

#### Find the rate of change:

$$f(x) = -2x + 4$$
 when  $x_1 = 2$  and  $x_2 = -3$ 

$$ROC = -2$$

Write an explicit and recursive rule for the nth term. Find  $a_{50}$ .


1, 5, 9, 13, ...

explicit: 
$$a_n = 4n - 3$$
  
recursive:  $a_1 = 1$ ,  $a_n = a_{n-1} + 4$   
 $a_{50} = 197$ 

Write an explicit and recursive rule for the nth term. Find a<sub>8</sub>.
8, 16, 32, 64,...


explicit: 
$$a_n = 8(2)^{n-1}$$
  
recursive:  $a_1 = 8$ ,  $a_n = 2a_{n-1}$   
 $a_8 = 1024$ 

#### Describe the domain:




$$-\infty,\infty$$

## What is the asymptote for the function?




$$y = -2$$

### Compare the y-intercepts of the following two functions.



g(x) has a smaller y – intercept at (0,1) and f(x) has a greater y – intercept at (0,5)

#### Is this function discrete or continuous?



discrete

Ely decides to join a gym. Buff Bodies charges \$50 sign-up fee plus \$30 a month. Mega Muscles charges \$10 sign-up fee plus \$40 a month.

Write a function for the cost of each gym membership.

$$B(x) = 30x + 50$$
  
 $M(x) = 40x + 10$ 

Ely decides to join a gym. Buff Bodies charges \$50 sign-up fee plus \$30 a month. Mega Muscles charges \$10 sign-up fee plus \$40 a month.

Will these two functions ever intersect? If so, where? What does this mean?

(4,170)

After 4 months, they will charge the same amount.

For Christmas you get an iPhone 5 worth \$800. Every month the value decreases by 5% with all the new products coming out.

Write an exponential equation describing the situation.

How much is the phone worth in 3 years?

$$y = 800(1 - .05)^{x}$$
  
\$685.90

Matt made \$3,000 last summer coach tennis camps. He wants to continue this business in the following years. He hopes that his profit will increase 12% each year.

Write an equation to describe this situation.

What is the growth/decay factor?

How much will he make in 4 years?

$$y = 3000(1+.12)^{x}$$
  
Growth Factor:1.12

#### Describe the transformations

$$g(x) = -4x - 12$$

reflection stretch by a factor of 4 shift down 12 units

#### Describe the transformations

$$g(x) = \frac{1}{4}(3)^{x-2} + 5$$

shrinkby a factor of 1/4 shift right two units shift up five units

A manufacturer keeps track of her monthly costs by using a "cost function" that assigns a total cost for a given number of manufactured items, x. The function is C(x) = 5,000 + 1.3x.

- a. Can any value be in the domain for this function?

  No, because you can't have a negative amount of items.
- b. What is the cost of 2,000 manufactured items?
- c. If costs must be kept below \$10,000 this month, what is the greatest number of items she can manufacture?

If 
$$f(x) = 2x^2 - 4x - 7$$
,  $g(x) = -x^2 - 3x + 5$ , and  $h(x) = 4x^2$  find  $2g(x) + 3f(x)$ .

$$4x^2 - 18x + 11$$

If 
$$f(x) = 2x^2 - 4x - 7$$
,  $g(x) = -x^2 - 3x + 5$ , and  $h(x) = 4x^2$  find  $h(x) \bullet f(x)$ .

$$8x^4 - 16x^3 - 28x^2$$

#### Work

# Worksheet Unit 3