



State Price Quote Specification
TYPE A— GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: _____
SCHETKY NW SALES INC
Mfr.: COLLINS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Seating Capacity	Maximum passenger capacity based upon an average center-to-center seat spacing of at least 27.5" with a lap-shoulder belt for each seating position.	Gas	Propane
		Capacity w/o lift <u>24</u>	Capacity w/o lift <u>N/A</u>
		Capacity w/lift <u>19</u>	Capacity w/lift <u>N/A</u>
Alternator	145 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Mfr. <u>OEM</u>	
		Amps output w/o lift or A.C. <u>220</u>	
		Amps output w/lift or A.C. <u>220</u>	
Auxiliary Automatic Transmission Cooler	10,000 lb. Hayden or equal.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Lbs. rating <u>10,000</u>	Lbs. rating _____
Axle—Front	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Lbs. rating <u>4,300</u>	Lbs. rating _____
		Indepen. suspens. ☒	Indepen. suspens. ☐
Axle—Rear	Manufacturer's recommendation.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Capacity <u>8,600</u>	Capacity _____
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Gas	Propane
		Ratio <u>3.73</u>	Ratio _____
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ☒ Diameter <u>4"</u> Other: ☐ Square inches _____	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: _____
 SCHETKY NW SALES INC
 Mfr. COLLINS BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery(ies)	535 CCA 12 volt minimum for gas and propane w/o lift. 1070 CCA 12 volt minimum for any bus w/lift.	Gas/Propane w/o lift CCA <u>1320</u>	Any bus w/lift CCA <u>1320</u>
Brakes	Hydraulic: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Gas Front Disc ☒ Drum ☐ Rear Disc ☒ Drum ☐ Drum Size _____	Propane Front Disc ☐ Drum ☐ Rear Disc ☐ Drum ☐ Drum Size _____
Doors, Service	Power operated.	☐ Air ☐ Folding ☒ Electric ☒ Split, Outward Opening ☐ Other _____	
Engine	Gas and Propane—3.5 liters minimum.	Gas Engine mfr. <u>GM</u> H.P. <u>401</u>	Propane Engine mfr. <u>N/A</u> Liters _____
Fuel Tank	Gas—25-gallon minimum. Propane—largest available.	Gas Capacity <u>33</u>	Propane Capacity <u>N/A</u>
Heaters	Front—manufacturer's standard. Rear—40,000 B.T.U. minimum.	Rear B.T.U. w/o lift <u>60,000</u> Rear B.T.U. w/lift <u>60,000</u>	
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ☒ If not, explain. _____ _____ _____	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

PART I (cont.)

Vendor: SCHETKY NW SALES INC

Mfr.: COLLINS

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>DELPHI</u>	
		Model No. <u>85586031</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>135"</u> w/lift <u>152"</u>	
		Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>27.5</u> w/lift <u>27.5</u>	
Steering Wheel	Tilt.	Check if as specified ☐	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>KOROSEAL</u>	
Tires	6 first quality, radial ply.	Mfr. <u>OEM</u>	
		Size <u>LT225/75/16</u>	
		Load range <u>E</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>4.95</u>	
Transmission	Automatic—manufacturer's standard compatible with H.P. and torque rating of engine bid.	Gas	Propane
		Mfr. <u>GM</u>	Mfr. <u>N/A</u>
		Model no. <u>6L90</u>	Model no. _____
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. <u>MOTOROLA</u>	
		Model No. <u>CM300D</u>	
Wheels	6 to be compatible with tire size.	Size <u>16"</u>	
		Rim width <u>6.5"</u>	

State Price Quote Specification
TYPE A—GAS & PROPANE

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: _____
 SCHETKY NW SALES INC
 Mfr.: COLLINS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift— Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. <u>BRAUN</u> Model No. <u>NCL919FIB-2</u>
Wheelchair/Occupant Tie-down System— Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>SLIDE "N" CLICK</u>
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery.	Check if as specified ☒
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at delivery.	Check if as specified ☒
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ☒
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery.	Check if as specified ☒
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ☒



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—GAS

VENDOR'S COMPANY NAME SCHETKY NW SALES INC	REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR 97220	Estimated delivery date to school district from time purchase order is received: <u>240-260</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>ANY GM</u> DEALER _____ Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY NW SALES</u>	

BODY

MAKE COLLINS BUS	Warranty: Years <u>1</u> Miles <u>12,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>136"</u> w/lift <u>152"</u>	Equipped seating capacity: w/o lift <u>24</u> w/lift <u>19</u>
MODEL DH400, DH416 W/LIFT	YEAR 2025	Seat color: <u>GRAY</u> Floor color: <u>GRAY</u>	Overall vehicle length (inches): w/o lift <u>242</u> w/lift <u>258</u>

CHASSIS

MAKE GM	Warranty: Years <u>3</u> Miles <u>36,000</u>	MANUFACTURER GM	Torque: <u>464</u> @ <u>4600</u> RPM H.P.: <u>401</u> @ <u>5400</u> RPM		
MODEL CG33303	YEAR 2025	Wheelbase: <u>139"</u>	MODEL VORTEC	YEAR NEW	Liters: <u>6.6</u> Fuel type: <u>GASOLINE</u>
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100,000</u>	Battery type/grp: <u>75</u> <u>75</u>		
MANUFACTURER GM	Speeds forward: <u>6</u>	Number of cylinders: <u>8</u> Inline _____ V-type <u>X</u>	Number batteries: <u>2</u> <u>2</u>		
MODEL 6L90	Warranty: Years <u>5</u> Miles <u>100,000</u>		Total CCA: <u>1320</u> <u>1320</u>		

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ 123,789.00

Gas Bid—w/lift \$ 134,310.00

VENDOR REPRESENTATIVE'S SIGNATURE

Scott Meyer

DATE

08/06/2024



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE A—PROPANE

VENDOR'S COMPANY NAME SCHETKY NW SALES INC	REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR 97220	Estimated delivery date to school district from time purchase order is received: _____ Firm where engine and chassis can be serviced or repaired, and parts obtained: _____ Firm where body can be serviced or repaired, and parts obtained: _____	

MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Seat color: _____ Floor color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____

CHASSIS			ENGINE		
MAKE	Warranty: Years _____ Miles _____	MANUFACTURER	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM		
MODEL	YEAR	Wheelbase: _____	MODEL	YEAR	Liters: _____ Fuel type: _____
TRANSMISSION			Warranty: Years _____ Miles _____		Battery type/grp: _____
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____		Number batteries: _____	
MODEL	Warranty: Years _____ Miles _____	Total CCA: _____			

QUOTED PRICE	
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).	
Propane Bid—w/o lift \$ <u>NO-BID</u>	Propane Bid—w/lift \$ <u>NO-BID</u>
VENDOR REPRESENTATIVE'S SIGNATURE _____ <i>Scott Meyer</i>	DATE _____ 08/06/2024

PART II

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Use this document to bid both non-lift and lift, gas and propane buses.

Vendor: _____
 SCHETKY NW SALES INC

Mfr.: COLLINS

ITEM	CHASSIS	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Small A	Type A bus—10,000 lbs. or under GVWR chassis.	Gas	Propane
		Deduct \$ <u>1,200.00</u>	Deduct <u>N/A</u>
		Mfr. <u>GM</u>	Mfr. _____
		Capacity w/o lift <u>14</u>	Capacity w/o lift _____
		Dual Wheel ☐	Dual Wheel ☐
		Single Wheel ☒	Single Wheel ☐
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>ACT 55K BTU SYSTEM</u> Cost \$ <u>6,200.00</u>	
Alternate Fuel ☒ Electric	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	Mfr. <u>OPTIMAL</u> ☒ Electric Cost \$ <u>181,700.00</u>	
Back-up Alarm		Must meet state specification.	Mfr. <u>SUPERIOR SIGNALS</u> Cost \$ <u>130.00</u>
Color	Exterior white roof.		Cost \$ <u>INCLUDED</u>
Steering Wheel	Tilt and telescoping column.	Cost \$ <u>INCLUDED</u>	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>SOUND OFF SIGNAL</u>	
		Model No. <u>CL3107HCC</u>	
		Cost \$ <u>260.00</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>CHECKMATE</u>	
		Model No. <u>EP1</u>	
		Cost \$ <u>425.00</u>	
Toolbox	Interior, manufacturer standard.	Cost \$ <u>85.00</u>	Deduct \$ <u>N/A</u>

PART II (cont.)

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS
TYPE A

Vendor: _____
 SCHETKY NW SALES INC
 Mfr.: COLLINS

Use this document to bid both non-lift and lift, gas and propane buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>SEON</u> Model No. <u>DH</u> Cost \$ <u>4,230.00</u> How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System Mfr. <u>SEON</u> Model No. <u>DH</u> Cost \$ <u>4,780.00</u> How many cameras <u>4</u>	Added to Interior System Mfr. <u>SEON</u> Model No. <u>HD3</u> Cost \$ <u>705.00</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent Cost \$ <u>N/A</u>	LED Lights Cost \$ <u>750.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>Q-STRAINT</u> Model No. <u>SLIDE "N" CLICK</u> Cost per station \$ <u>960.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>550.00</u> Rear Cost \$ <u>150.00</u> Both Cost \$ <u>700.00</u>	
Windows	Tinted.	Cost \$ <u>INCLUDED</u>	