



State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
DIESEL, GAS & PROPANE**

Vendor: _____

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity	48 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift _____ Capacity w/lift _____		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Diesel Mfr. _____ Max. amps output w/o lift or A.C. _____ Max. amps output w/lift or A.C. _____	Gas Mfr. _____ Max. amps output w/o lift or A.C. _____ Max. amps output w/lift or A.C. _____	Propane Mfr. _____ Max. amps output w/o lift or A.C. _____ Max. amps output w/lift or A.C. _____
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. _____		
Axle—Front	8,000 lb. minimum.	Diesel Mfr. _____ Capacity _____	Gas Mfr. _____ Capacity _____	Propane Mfr. _____ Capacity _____
Axle—Rear	17,500 lb. minimum.	Diesel Mfr. _____ Capacity _____	Gas Mfr. _____ Capacity _____	Propane Mfr. _____ Capacity _____
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Diesel Mfr. _____	Gas Mfr. _____	Propane Mfr. _____
Axle Ratio	Must comply with power and grade-ability formula. Refer to Washington State School Bus Specifications Manual.	Diesel Mfr. _____ Model no. _____	Gas Mfr. _____ Model no. _____	Propane Mfr. _____ Model no. _____
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input type="checkbox"/> Diameter _____ Other: <input type="checkbox"/> Square inches _____		

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

Vendor: _____

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
		<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.	Size/group w/o lift _____ CCA _____	Size/group w/o lift _____ CCA _____	Size/group w/o lift _____ CCA _____
	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/lift _____ CCA _____	Size/group w/lift _____ CCA _____	Size/group w/lift _____ CCA _____
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.		<input checked="" type="checkbox"/> Swing out	<input checked="" type="checkbox"/> Roll out
Brakes	Hydraulic disc. Refer to Washington State School Bus Specifications Manual.		Size Front _____	Rear _____
Door, Service	Power operated.		<input type="checkbox"/> Air <input type="checkbox"/> Electric <input type="checkbox"/> Other	<input type="checkbox"/> Folding <input type="checkbox"/> Split, Outward opening <input type="checkbox"/> Other
Engine	Diesel and Propane—180 H.P. minimum.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Engine mfr. _____	Engine mfr. _____	Engine mfr. _____
		Model or liters _____	Model or liters _____	Model or liters _____
	Gas—210 H.P. minimum.	Net torque ____ @ ____ R.P.M	Net torque ____ @ ____ R.P.M	Net torque ____ @ ____ R.P.M
		Net H.P. ____ @ ____ R.P.M	Net H.P. ____ @ ____ R.P.M	Net H.P. ____ @ ____ R.P.M
Engine Heater	Engine manufacturers recommended in-block heater.		Watts _____	Volts _____
			Mfr. _____	
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.		Mfr. _____	<input type="checkbox"/> Electronic
			<input type="checkbox"/> Fan clutch	<input type="checkbox"/> Shutters
Fuel Tank	Diesel and Gas—60-gallon minimum. Propane—largest available.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Capacity _____	Capacity _____	Capacity _____

Vendor: _____

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. _____ Center B.T.U. _____ Rear B.T.U. _____ Total B.T.U. _____
Hood	Tilt.	<input type="checkbox"/> Fiberglass <input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input type="checkbox"/> If not, explain. _____
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. _____ Model No. _____
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____ Mfg.'s C/C seat measurement of vehicle (inches): w/o lift _____ w/lift _____
Steering Wheel	Tilt and telescoping column.	Check if as specified <input type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. _____
Tires	6 first quality, radial ply. No low profile tires.	Mfr. _____ Size _____ Load range _____
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) _____

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

Vendor: _____

ITEM	STATE-SUPPORTED SPECIFICATIONS		VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		Price of items bid will establish the state cost.	
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Mfr. _____	Mfr. _____	Mfr. _____
		Model no. _____	Model no. _____	Model no. _____
		Net input _____	Net input _____	Net input _____
		Net input H.P. _____	Net input H.P. _____	Net input H.P. _____
Two-way Communications	45-watt, VHF, mil. spec.		Mfr. _____	
			Model No. _____	
Wheels	6 to be compatible with tire size.		Size _____	
			Rim width _____	
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY				
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".		Mfr. _____	
			Model No. _____	
Wheelchair/ Occupant Tie- down System— Installed	Must meet state specification.		Mfr. _____	
			Model No. _____	

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

Vendor: _____

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (DIESEL)

VENDOR'S COMPANY NAME		REPRESENTATIVE'S NAME		TELEPHONE NUMBER	
ADDRESS		Estimated delivery date to school district from time purchase order is received: _____			
		Firm where engine and chassis can be serviced or repaired, and parts obtained: _____			
		Firm where body can be serviced or repaired, and parts obtained: _____			
BODY					
MAKE		Warranty: Years _____ Miles _____		Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	
MODEL	YEAR	Seat color: _____ Floor color: _____		Equipped seating capacity: w/o lift _____ w/lift _____ Overall vehicle length (inches): w/o lift _____ w/lift _____	
CHASSIS			ENGINE		
MAKE		Warranty: Years _____ Miles _____		MANUFACTURER	
MODEL	YEAR	Wheelbase: _____		Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM	
TRANSMISSION			C.I.D. or Liters: _____		
MANUFACTURER		Speeds forward: _____		Fuel type: _____	
MODEL		Warranty: Years _____ Miles _____		Battery type/grp: _____	
		Number of cylinders: _____ Inline _____ V-type _____		Number batteries: _____	
				Total CCA: _____	
QUOTED PRICE					
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).					
Diesel Bid—w/o lift \$ _____ Diesel Bid—w/lift \$ _____					
VENDOR REPRESENTATIVE'S SIGNATURE				DATE	
_____				_____	



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (GAS)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____ Firm where engine and chassis can be serviced or repaired, and parts obtained: _____ Firm where body can be serviced or repaired, and parts obtained: _____	

BODY

MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Seat color: _____ Floor color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____

CHASSIS

MAKE	Warranty: Years _____ Miles _____	MANUFACTURER	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheelbase: _____	C.I.D. or Liters: _____ Fuel type: _____

TRANSMISSION

MANUFACTURER	Warranty: Years _____ Miles _____	Number of cylinders: _____ Inline _____ V-type _____	Battery type/grp: _____ Number batteries: _____ Total CCA: _____
MODEL	Speeds forward: _____		

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ _____ Gas Bid—w/lift \$ _____

VENDOR REPRESENTATIVE'S SIGNATURE	DATE
-----------------------------------	------



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGER (PROPANE)

VENDOR'S COMPANY NAME	REPRESENTATIVE'S NAME	TELEPHONE NUMBER
ADDRESS	Estimated delivery date to school district from time purchase order is received: _____ Firm where engine and chassis can be serviced or repaired, and parts obtained: _____ Firm where body can be serviced or repaired, and parts obtained: _____	

BODY

MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR	Seat color: _____ Floor color: _____	Overall vehicle length (inches): w/o lift _____ w/lift _____

CHASSIS

MAKE	Warranty: Years _____ Miles _____	MANUFACTURER	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheelbase: _____	C.I.D. or Liters: _____ Fuel type: _____

TRANSMISSION

MANUFACTURER	Warranty: Years _____ Miles _____	Warranty: Years _____ Miles _____	Battery type/grp: _____ Number batteries: _____
MODEL	Warranty: Years _____ Miles _____	Number of cylinders: _____ Inline _____ V-type _____	Total CCA: _____

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ _____ Propane Bid—w/lift \$ _____

VENDOR REPRESENTATIVE'S SIGNATURE	DATE
-----------------------------------	------

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: _____

☐C60 ☐C77 ☐D60 ☐D84

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity _____	
		Cost \$ _____	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. _____	
		Cost \$ _____	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all the requirements of FMVSS No. 305.	Mfr. _____	
<input type="checkbox"/> Electric		<input type="checkbox"/> Cost \$ _____	
		<input type="checkbox"/> Electric Cost \$ _____	
Alternator	Available options.	Cost \$ _____ Capacity _____	
		Cost \$ _____ Capacity _____	
		Cost \$ _____ Capacity _____	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ _____	
		Type D: Cost \$ _____	
Back-up Alarm	Must meet state specification.	Mfr. _____	
		Cost \$ _____	
Brakes	4-wheel hydraulic disk brake.	Cost \$ _____	Deduct \$ _____
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ _____	Disc Deduct \$ _____
		Drum Cost \$ _____	Drum Deduct \$ _____
Color	Exterior white roof.	Cost \$ _____	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ _____	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air	Air
		Mfr. _____	Mfr. _____
		Cost \$ _____	Cost \$ _____
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. _____	
		Cost \$ _____	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ C60 ☐ C77 ☐ D60 ☐ D84

Use this document to bid both non-lift and lift buses.

Vendor: _____

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Floor Color	Nonstandard color.	Cost \$ _____	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: _____	Cost \$ _____
Fuel Tank	Larger fuel capacity (Propane only).	Size: _____	Cost \$ _____
Headlights	Halogen.	Cost \$ _____	
Headlights	L.E.D.	Cost \$ _____	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: _____	Model: _____
Noise Reduction	Exceeding minimum specifications.	Cost \$ _____	
Retarder	Manufacturer's standard.	Driver compartment	Cost \$ _____
		Engine compartment	Cost \$ _____
		Full acoustical headliner	Cost \$ _____
		Driveline <input type="checkbox"/>	Cost \$ _____
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Exhaust <input type="checkbox"/>	Cost \$ _____
		Transmission <input type="checkbox"/>	Cost \$ _____
		Cost \$ _____	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ _____	
		Capacity _____	
		3 by 2 Cost \$ _____	
		Capacity _____	
		3 by 3 Cost \$ _____	
		Capacity _____	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ **C60** ☐ **C77** ☐ **D60** ☐ **D84**

Use this document to bid both non-lift and lift buses.

Vendor: _____

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left side _____ cubic feet.	
		Cost \$ _____	
		Right-side _____ cubic feet.	
		Cost \$ _____	
		Push-thru _____ cubic feet.	
Strobe Light	Exterior roof mounted white strobe light.	Cost \$ _____	
		Mfr. _____	
		Model No. _____	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Cost \$ _____	
		Mfr. _____	
		Model No. _____	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ _____	Cost \$ _____
Toolbox	Interior, manufacturer standard.	Cost \$ _____	Deduct \$ _____
Traction Device	Automatic chains.	Mfr. _____	
		Cost \$ _____	
Traction Device	Sanders.	Capacity _____	
		Cost \$ _____	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. _____	
		Model No. _____	
		Cost \$ _____	
Vehicle Securement System	Must meet state specification.	Mfr. _____	Cost \$ _____

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ **C60** ☐ **C77** ☐ **D60** ☐ **D84**

Use this document to bid both non-lift and lift buses.

Vendor: _____

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. _____ Model No. _____ Cost \$ _____ How many cameras _____	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System Mfr. _____ Model No. _____ Cost \$ _____ How many cameras _____	Added to Interior System Mfr. _____ Model No. _____ Cost \$ _____ How many cameras _____
Warning Light Monitor	16 light monitoring system.	Incandescent Cost \$ _____	LED Lights Cost \$ _____
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. _____ Model No. _____ Cost per station \$ _____	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ _____ Rear Cost \$ _____ Both Cost \$ _____	
Windows	Tinted.	Cost \$ _____	
Windows	Thermal pane, left of driver and service door.	Cost \$ _____	