



State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
DIESEL, GAS & PROPANE**

Vendor: SCHETKY NW
SALES INC
THOMAS BUILT BUS

Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Seating Capacity	48 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift <u>60</u> Capacity w/lift <u>34</u>		
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer recommended capacity.	Diesel Mfr. <u>LEECE-NEVILLE</u> Max. amps output w/o lift or A.C. <u>200</u> Max. amps output w/lift or A.C. <u>240</u>	Gas Mfr. <u>LEECE-NEVILLE</u> Max. amps output w/o lift or A.C. <u>200</u> Max. amps output w/lift or A.C. <u>240</u>	Propane Mfr. <u>N/A</u> Max. amps output w/o lift or A.C. _____ Max. amps output w/lift or A.C. _____
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. <u>BERGSTROM</u>		
Axle—Front	8,000 lb. minimum.	Diesel Mfr. <u>DETROIT</u> Capacity <u>8K</u>	Gas Mfr. <u>DETROIT</u> Capacity <u>8K</u>	Propane Mfr. <u>N/A</u> Capacity _____
Axle—Rear	17,500 lb. minimum.	Diesel Mfr. <u>DETROIT</u> Capacity <u>17.5K</u>	Gas Mfr. <u>DETROIT</u> Capacity <u>17.5K</u>	Propane Mfr. <u>N/A</u> Capacity _____
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Diesel Mfr. <u>CR</u>	Gas Mfr. <u>CR</u>	Propane Mfr. <u>N/A</u>
Axle Ratio	Must comply with power and grade-ability formula. Refer to Washington State School Bus Specifications Manual.	Diesel Mfr. <u>DETROIT</u> Model no. <u>5.88</u>	Gas Mfr. <u>DETROIT</u> Model no. <u>5.88</u>	Propane Mfr. <u>N/A</u> Model no. _____
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: ☐ Diameter _____ Other: ☒ Square inches <u>22</u>		

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

PART I (cont.)

Vendor: SCHETKY NW SALES INC

THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
		<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.	Size/group w/o lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>31</u> CCA <u>1900</u>	Size/group w/o lift <u>N/A</u> CCA _____
	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/lift <u>31</u> CCA <u>1900</u>	Size/group w/lift <u>31</u> CCA <u>1900</u>	Size/group w/lift _____ CCA _____
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.		☐ Swing out	☒ Roll out
Brakes	Hydraulic disc. Refer to Washington State School Bus Specifications Manual.		Size Front <u>2.60"</u>	Rear <u>2.60"</u>
Door, Service	Power operated.		☐ Air ☒ Electric ☐ Other	☐ Folding ☒ Split, Outward opening ☐ Other
Engine	Diesel and Propane—180 H.P. minimum.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Engine mfr. <u>DETROIT</u>	Engine mfr. <u>CUMMINS</u>	Engine mfr. <u>N/A</u>
		Model or liters <u>DD5</u>	Model or liters <u>OCTANE</u>	Model or liters _____
	Gas—210 H.P. minimum.	Net torque <u>560</u> @ <u>1400</u> R.P.M	Net torque <u>600</u> @ <u>2600</u> R.P.M	Net torque _____ @ _____ R.P.M
		Net H.P. <u>200</u> @ <u>2200</u> R.P.M	Net H.P. <u>220</u> @ <u>3400</u> R.P.M	Net H.P. _____ @ _____ R.P.M
Engine Heater	Engine manufacturers recommended in-block heater.		Watts <u>750</u>	Volts <u>12</u>
			Mfr. <u>PHILLIPS</u>	
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.		Mfr. <u>EATON</u>	☐ Electronic
			☒ Fan clutch	☐ Shutters
Fuel Tank	Diesel and Gas—60-gallon minimum. Propane—largest available.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Capacity <u>60</u>	Capacity <u>60</u>	Capacity <u>N/A</u>

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

Vendor: SCHETKY NW SALES INC
THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U. <u>50,600</u> Center B.T.U. <u>84,000</u> Rear B.T.U. <u>84,000</u> Total B.T.U. <u>218,600</u>	
Hood	Tilt.	☒ Fiberglass	☐ Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ☒ If not, explain. _____ _____	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. <u>DELPH</u> Model No. <u>DEA700</u>	
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>307.1"</u> w/lift <u>247.1"</u> Mfg.'s C/C seat measurement of vehicle (inches): w/o lift <u>30</u> w/lift <u>30</u>	
Steering Wheel	Tilt and telescoping column.	Check if as specified ☒	
Step Tread	Studded or pebbled top tread covering.	Mfr. <u>KOROSEAL</u>	
Tires	6 first quality, radial ply. No low-profile tires.	Mfr. <u>HANKOOK</u> Size <u>11R22.5</u> Load range <u>G</u>	
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) <u>8.9</u>	

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

Vendor: SCHETKY NW SALES INC
THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS		VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.		Price of items bid will establish the state cost.	
Transmission	Diesel and Propane: Automatic—Allison, PTS 2500 or equal. Gas: Automatic— manufacturer's standard compatible with H.P. and torque rating of engine bid.	<i>Diesel</i>	<i>Gas</i>	<i>Propane</i>
		Mfr. <u>ALLISON</u>	Mfr. <u>ALLISON</u>	Mfr. <u>N/A</u>
		Model no. <u>2500PTS</u>	Model no. <u>2500PTS</u>	Model no. _____
		Net input <u>600</u>	Net input <u>600</u>	Net input _____
		Net input H.P. <u>220</u>	Net input H.P. <u>220</u>	Net input H.P. _____
Two-way Communications	45-watt, VHF, mil. spec.		Mfr. <u>MOTOROLA</u>	
			Model No. <u>CM300D</u>	
Wheels	6 to be compatible with tire size.		Size <u>22.5"</u>	
			Rim width <u>8.25"</u>	
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY				
Wheelchair Lift— Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".		Mfr. <u>BRAUN</u>	
			Model No. <u>NCL917IB-2</u>	
Wheelchair/ Occupant Tie- down System— Installed	Must meet state specification.		Mfr. <u>SURE-LOK</u>	
			Model No. <u>FF627S-4C-3</u>	

State Price Quote Specification
**TYPE C60—BID AS 48 PASSENGER,
 DIESEL, GAS & PROPANE**

Use this document to bid both non-lift and lift buses for 35–60 capacity.

PART I (cont.)

Vendor: SCHETKY NW SALES
THOMAS BUILT BUS

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified ☒
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified ☒
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified ☒
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery.	Check if as specified ☒
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified ☒



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGERS (DIESEL)

VENDOR'S COMPANY NAME SCHETKY NW SALES INC		REPRESENTATIVE'S NAME SCOTT MEYER		TELEPHONE NUMBER 509-579-6267	
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR 97220		Estimated delivery date to school district from time purchase order is received: 240-260____			
		Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>SCHETKY</u>			
		Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY</u>			
BODY					
MAKE THOMAS BUILT BUS		Warranty: Years <u>3</u> Miles <u>50,000</u>		Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>307.1</u> w/lift <u>247.1</u>	
MODEL 221TS LIFT, 281TS NO LIFT		YEAR 2025		Equipped seating capacity: w/o lift <u>60</u> w/lift <u>34</u>	
		Seat color: <u>GRAY</u> Floor color: <u>BLACK</u>		Overall vehicle length (inches): w/o lift <u>419.7</u> w/lift <u>358</u>	
CHASSIS			ENGINE		
MAKE FREIGHTLINER		Warranty: Years <u>3</u> Miles <u>50,000</u>		MANUFACTURER 199"	
MODEL 221TS LIFT, 281TS NO LIFT		YEAR 2025		Torque: <u>560</u> @ <u>1400</u> RPM H.P.: <u>200</u> @ <u>2200</u> RPM	
		Wheelbase: <u>199", 238"</u>		MODEL DD5	
				YEAR NEW	
TRANSMISSION		Warranty: Years <u>5</u> Miles <u>100,000</u>		C.I.D. or Liters: <u>5.1L</u> Fuel type: <u>DIESEL</u>	
MANUFACTURER ALLISON		Speeds forward: <u>5</u>		Battery type/grp: <u>31</u> <u>31</u>	
MODEL 2500PTS		Warranty: Years <u>5</u> Miles <u>UNLIMI</u>		Number batteries: <u>2</u> <u>2</u>	
		Number of cylinders: <u>4</u> Inline <u>X</u> V-type _____		Total CCA: <u>1900</u> <u>1900</u>	
QUOTED PRICE					
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).					
Diesel Bid—w/o lift \$ <u>149,457.00</u> Diesel Bid—w/lift \$ <u>146,744.00</u>					
VENDOR REPRESENTATIVE'S SIGNATURE <u>Scott Meyer</u>			DATE <u>08/06/2024</u>		



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGERS (GAS)

VENDOR'S COMPANY NAME SCHETKY NW SALES INC	REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR 97220	Estimated delivery date to school district from time purchase order is received: <u>240-260</u> Firm where engine and chassis can be serviced or repaired, and parts obtained: <u>SCHETKY</u> Firm where body can be serviced or repaired, and parts obtained: <u>SCHETKY</u>	

BODY

MAKE THOMAS BUILT BUS	Warranty: Years <u>3</u> Miles <u>50,000</u>	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift <u>307.1</u> w/lift <u>247.1</u>	Equipped seating capacity: w/o lift <u>60</u> w/lift <u>34</u>
MODEL 221TS LIFT, 281TS NO LIFT	YEAR 2025	Seat color: <u>GRAY</u> Floor color: <u>BLACK</u>	Overall vehicle length (inches): w/o lift <u>419.7</u> w/lift <u>358</u>

CHASSIS

MAKE FREIGHTLINER	Warranty: Years <u>3</u> Miles <u>50,000</u>
MODEL 221TS LIFT, 281TS NO LIFT	YEAR 2025
Wheelbase: <u>199", 238"</u>	

ENGINE

MANUFACTURER CUMMINS	Torque: <u>660</u> @ <u>2600</u> RPM H.P.: <u>220</u> @ <u>3400</u> RPM
MODEL OCTANE	YEAR NEW
C.I.D. or Liters: <u>6.7L</u> Fuel type: <u>GASOLINE</u>	
Warranty: Years <u>5</u> Miles <u>100,000</u>	Battery type/grp: <u>31</u> <u>31</u>
Number of cylinders: <u>6</u> Inline <u>X</u> V-type <u> </u>	Number batteries: <u>2</u> <u>2</u>
Total CCA: <u>1900</u> <u>1900</u>	

TRANSMISSION

MANUFACTURER ALLISON	Speeds forward: <u>5</u>
MODEL 2500PTS	Warranty: Years <u>5</u> Miles <u>UNLIM</u>

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Gas Bid—w/o lift \$ 166,939.00

Gas Bid—w/lift \$ 164,327.00

VENDOR REPRESENTATIVE'S SIGNATURE

Scott Meyer

DATE

08/06/2024



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C60—BID AS 48 PASSENGERS (PROPANE)

VENDOR'S COMPANY NAME SCHETKY NW SALES INC	REPRESENTATIVE'S NAME SCOTT MEYER	TELEPHONE NUMBER 509-579-6267
ADDRESS 8430 NE LOMBARD ST. PORTLAND, OR 97220	Estimated delivery date to school district from time purchase order is received: _____ Firm where engine and chassis can be serviced or repaired, and parts obtained: _____ Firm where body can be serviced or repaired, and parts obtained: _____	

BODY

MAKE	Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____
MODEL	YEAR		Overall vehicle length (inches): w/o lift _____ w/lift _____
Seat color: _____ Floor color: _____			

CHASSIS

ENGINE

MAKE	Warranty: Years _____ Miles _____	MANUFACTURER	Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM
MODEL	YEAR	Wheelbase: _____	C.I.D. or Liters: _____ Fuel type: _____
TRANSMISSION		Warranty: Years _____ Miles _____	Battery type/grp: _____ Number batteries: _____
MANUFACTURER	Speeds forward: _____	Number of cylinders: _____ Inline _____ V-type _____	Total CCA: _____
MODEL	Warranty: Years _____ Miles _____		

QUOTED PRICE

Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).

Propane Bid—w/o lift \$ NO BID

Propane Bid—w/lift \$ NO BID

VENDOR REPRESENTATIVE'S SIGNATURE

Scott Meyer

DATE

08/06/2024

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: SCHETKY NW SALES
THOMAS BUILT BUS

☒ **C60** ☐ **C77** ☐ **D60** ☐ **D84**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity <u>40</u> Cost \$ <u>650.00 PER SEAT, REPLACE STD SEAT.</u>	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. <u>CARRIER AC-572MAX 70K BTU</u> Cost \$ <u>7,570.00</u>	
Alternate Fuel	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all the requirements of FMVSS No. 305.	Mfr. <u>N/A</u>	
☐ Electric		☐ Cost \$ <u> </u>	
		☐ Electric Cost \$ <u>SEPARATE BID</u>	
Alternator	Available options.	Cost \$ <u>964.00</u> Capacity <u>270AMP</u> Cost \$ <u>1,152.00</u> Capacity <u>320AMP</u> Cost \$ <u> </u> Capacity <u> </u>	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ <u>195.00</u> Type D: Cost \$ <u>375.00</u>	
Back-up Alarm	Must meet state specification.	Mfr. <u>THOMAS</u> Cost \$ <u>175.00</u>	
Brakes	4-wheel hydraulic disk brake.	Cost \$ <u>INCLUDED</u>	Deduct \$ <u>N/A</u>
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ <u>3,800.00</u> Drum Cost \$ <u>3,500.00</u>	Disc Deduct \$ <u>N/A</u> Drum Deduct \$ <u>N/A</u>
Color	Exterior white roof.	Cost \$ <u>690.00</u>	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ <u>350.00</u>	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air Mfr. <u>NATIONAL</u> Cost \$ <u>INCLUDED</u>	Air Mfr. <u>NATIONAL</u> Cost \$ <u>525.00</u>
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. <u>FOGMAKER</u> Cost \$ <u>6,300.00</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: SCHETKY NW SALES
THOMAS BUILT BUS

☒ **C60** ☐ **C77** ☐ **D60** ☐ **D84**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Floor Color	Nonstandard color.	Cost \$ <u>650.00</u>	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: <u>100 GALLON</u>	Cost \$ _____
Fuel Tank	Larger fuel capacity (Propane only).	Size: <u>N/A</u>	Cost \$ _____
Headlights	Halogen.	Cost \$ <u>N/A</u>	
Headlights	L.E.D.	Cost \$ <u>INCLUDED</u>	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: <u>WEBASTO</u>	Model: <u>PRO90</u>
Noise Reduction	Exceeding minimum specifications.	Cost \$ <u>5,500.00</u>	
Retarder	Manufacturer's standard.	Driver compartment	Cost \$ <u>160.00</u>
		Engine compartment	Cost \$ <u>195.00</u>
		Full acoustical headliner	Cost \$ <u>920.00</u>
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Driveline ☐	Cost \$ <u>N/A</u>
		Exhaust ☒	Cost \$ <u>175.00</u>
		Transmission ☐	Cost \$ <u>N/A</u>
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	Cost \$ <u>1,225.00</u>	
		2 by 2 Cost \$ <u>11,560.00</u>	
		Capacity <u>40</u>	
		3 by 2 Cost \$ <u>11,560.00</u>	
		Capacity <u>40</u>	
		3 by 3 Cost \$ <u>12,716.00</u>	
		Capacity <u>66</u>	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: SCHETKY NW SALES
THOMAS BUILT BUS

☒ **C60** ☐ **C77** ☐ **D60** ☐ **D84**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Storage Compartments	Largest available for unit bid.	Left side <u>29.7</u> cubic feet. Cost \$ <u>1,850.00</u>	Right-side <u>29.7</u> cubic feet. Cost \$ <u>1,850.00</u>
		Push-thru <u>N/A</u> cubic feet. Cost \$ _____	
Strobe Light	Exterior roof mounted white strobe light.	Mfr. <u>THOMAS</u> Model No. <u>DOUBLE FLASH</u> Cost \$ <u>295.00</u>	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. <u>THOMAS</u> Model No. <u>PASS-ADVISORY</u> Cost \$ <u>390.00</u>	
Suspension	Air ride (Air brake system only).	Front Cost \$ <u>N/A</u>	Rear Cost \$ <u>3,200.00</u>
Toolbox	Interior, manufacturer standard.	Cost \$ <u>85.00</u>	Deduct \$ <u>N/A</u>
Traction Device	Automatic chains.	Mfr. <u>ON-SPOT</u> Cost \$ <u>4,950.00</u>	
Traction Device	Sanders.	Capacity <u>158-LB</u> Cost \$ <u>6,100.00</u>	
Transmission	Automatic—Allison, PTS 3000 or equal.	Mfr. <u>ALLISON</u> Model No. <u>3000PTS</u> Cost \$ <u>7,390.00</u>	
Vehicle Securement System	Must meet state specification.	Mfr. <u>SAFETY BRAKE</u>	Cost \$ <u>2,150.00</u>

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: SCHETKY NW SALES
THOMAS BUILT BUS

☒ **C60** ☐ **C77** ☐ **D60** ☐ **D84**

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. <u>SEON</u> Model No. <u>DH</u> Cost \$ <u>4,230.00</u> How many cameras <u>3</u>	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System Mfr. <u>SEON</u> Model No. <u>DH</u> Cost \$ <u>4,780.00</u> How many cameras <u>4</u>	Added to Interior System Mfr. <u>SEON</u> Model No. <u>DH</u> Cost \$ <u>705.00</u> How many cameras <u>1</u>
Warning Light Monitor	16 light monitoring system.	Incandescent Cost \$ <u>N/A</u>	LED Lights Cost \$ <u>350.00</u>
Additional Wheelchair/Occupant Tie-down System—Installed	Must meet state specification.	Mfr. <u>SURE-LOK</u> Model No. <u>FF627S-4C-3</u> Cost per station \$ <u>960.00</u>	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ <u>695.00</u> Rear Cost \$ <u>395.00</u> Both Cost \$ <u>1,090.00</u>	
Windows	Tinted.	Cost \$ <u>550.00</u>	
Windows	Thermal pane, left of driver and service door.	Cost \$ <u>795.00</u>	