



State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
ELECTRIC**

PART I

Vendor: _____

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seating Capacity	71 passenger based upon an average center-to-center seat spacing of at least 27.5".	Capacity w/o lift _____ Capacity w/lift _____
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr. _____
Axle—Front	9,000 lb. minimum.	Mfr. _____ Capacity _____
Axle—Rear	19,000 lb. minimum.	Mfr. _____ Capacity _____
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Mfr. _____
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Mfr. _____ Capacity _____
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round: <input type="checkbox"/> Diameter _____ Other: <input type="checkbox"/> Square inches _____
Battery(ies) Low Voltage	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift. 1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Number of batteries _____ CCA _____
Battery(ies) Propulsion	Battery propulsion must meet a minimum of 130 kWh.	Number of batteries _____ kWh _____

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 ELECTRIC**

Vendor: _____

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.	
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	<input type="checkbox"/> Swing out	<input type="checkbox"/> Roll out
Brakes	Air: Drum or Disc. Refer to Washington State School Bus Specifications Manual.	Disc Front <input type="checkbox"/> Drum Front <input type="checkbox"/> Size Front _____	Rear <input type="checkbox"/> Rear <input type="checkbox"/> Rear _____
Door, Service	Power operated.	<input type="checkbox"/> Air <input type="checkbox"/> Electric <input type="checkbox"/> Other	<input type="checkbox"/> Folding <input type="checkbox"/> Split, Outward opening <input type="checkbox"/> Other
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors.	Front B.T.U. _____ Center B.T.U. _____ Rear B.T.U. _____ Total B.T.U. _____	
Hood	Tilt.	<input type="checkbox"/> Fiberglass	<input type="checkbox"/> Metal
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights—7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified <input type="checkbox"/> If not, explain. _____	
Motor	190 H.P. minimum.	Engine Mfr. _____ Model _____ Net torque _____ @ _____ R.P.M. Net H.P. _____ @ _____ R.P.M.	
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr. _____ Model No. _____	

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 ELECTRIC**

Vendor: _____

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____ Mfg.'s C/C seat measurement of vehicle (inches): w/o lift _____ w/lift _____
Steering Wheel	Tilt and telescoping column.	Check if as specified <input type="checkbox"/>
Step Tread	Studded or pebbled top tread covering.	Mfr. _____
Tires	6 first quality, radial ply. No low profile tires.	Mfr. _____ Size _____ Load range _____
Toolbox	Exterior, manufacturer standard.	Size (cubic feet) _____
Two-way Communications	45-watt, VHF, mil. spec.	Mfr. _____ Model No. _____
Wheels	6 to be compatible with tire size.	Size _____ Rim width _____
SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY		
Wheelchair Lift—Installed	Must meet state specification. Platform shall be a minimum of 32" x 52".	Mfr. _____ Model No. _____
Wheelchair/ Occupant Tie-down System—Installed	Must meet state specification.	Mfr. _____ Model No. _____

State Price Quote Specification
**TYPE C77—BID AS 71 PASSENGER,
 ELECTRIC**

Vendor: _____

Use this document to bid both non-lift and lift buses for 61–77 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
ADDITIONAL REQUIREMENTS—CHASSIS AND BODY		
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified <input type="checkbox"/>
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified <input type="checkbox"/>
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified <input type="checkbox"/>
Service and Cleaning	Cleaning and service by vendor prior to delivery will include: <ul style="list-style-type: none"> • Chassis lubrication. • Check fluid levels: verify all are at recommended full levels. • Cooling system protected at -20°F. • Interior and exterior will be clean (including glass). • All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery. • All components and accessories will be installed and operational at time of delivery. 	Check if as specified <input type="checkbox"/>
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified <input type="checkbox"/>



Washington Office of Superintendent of
PUBLIC INSTRUCTION
2024-2025

STUDENT TRANSPORTATION
Old Capitol Building
PO BOX 47200
Olympia, WA 98504-7200
(360) 725-6120 TTY (360) 664-3631

VEHICLE DATA SHEET AND OFFICIAL PRICE QUOTATION TYPE C77— BID AS 71 PASSENGER ELECTRIC

VENDOR'S COMPANY NAME		REPRESENTATIVE'S NAME		TELEPHONE NUMBER	
ADDRESS		Estimated delivery date to school district from time purchase order is received: _____			
		Firm where engine and chassis can be serviced or repaired, and parts obtained: _____			
		Firm where body can be serviced or repaired, and parts obtained: _____			
BODY					
MAKE		Warranty: Years _____ Miles _____	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift _____ w/lift _____	Equipped seating capacity: w/o lift _____ w/lift _____	
MODEL	YEAR			Overall vehicle length (inches): w/o lift _____ w/lift _____	
Seat color: _____		Floor color: _____			
CHASSIS					
MAKE		Warranty: Years _____ Miles _____	MOTOR		
MODEL	YEAR		Torque: _____ @ _____ RPM H.P.: _____ @ _____ RPM		
Wheelbase: _____		MANUFACTURER		C.I.D. or Liters: _____	
		MODEL		YEAR	
				Fuel type: _____	
BATTERIES					
12 Volt		Propulsion		Warranty: Years _____	
Battery type/grp: _____		Number batteries: _____		Miles _____	
Number batteries: _____		Total kWh: _____			
Total CCA: _____					
QUOTED PRICE					
Quoted price is based upon payment within 30 days after delivery to the school district (without sales tax).					
Electric Bid—w/o lift \$ _____			Electric Bid—w/lift \$ _____		
VENDOR REPRESENTATIVE'S SIGNATURE			DATE		

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

Vendor: _____

☐ C77 ☐ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity _____ Cost \$ _____	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr. _____ Cost \$ _____	
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ _____ Type D: Cost \$ _____	
Back-up Alarm	Must meet state specification.	Mfr. _____ Cost \$ _____	
Brakes	4-wheel hydraulic disk brake.	Cost \$ _____	Deduct \$ _____
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$ _____ Drum Cost \$ _____	Disc Deduct \$ _____ Drum Deduct \$ _____
Color	Exterior white roof.	Cost \$ _____	
Door Locks	Vandal lock system on all exterior doors.	Cost \$ _____	
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Non-Air Mfr. _____ Cost \$ _____	Air Mfr. _____ Cost \$ _____
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr. _____ Cost \$ _____	
Floor Color	Nonstandard color.	Cost \$ _____	
Headlights	Halogen.	Cost \$ _____	
Headlights	L.E.D.	Cost \$ _____	

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ C77 ☐ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

Vendor: _____

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	Brand: _____ Model: _____ Cost \$ _____
Noise Reduction	Exceeding minimum specifications.	Driver compartment Cost \$ _____ Engine compartment Cost \$ _____ Full acoustical headliner Cost \$ _____
Retarder	Manufacturer's standard.	Driveline <input type="checkbox"/> Cost \$ _____ Exhaust <input type="checkbox"/> Cost \$ _____ Transmission <input type="checkbox"/> Cost \$ _____
Seat Belt Ready Seat	3-passenger position seat with securement belts.	Cost \$ _____
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all positions.	2 by 2 Cost \$ _____ Capacity _____ 3 by 2 Cost \$ _____ Capacity _____ 3 by 3 Cost \$ _____ Capacity _____
Storage Compartments	Largest available for unit bid.	Left side _____ cubic feet. Cost \$ _____ Right-side _____ cubic feet. Cost \$ _____ Push-thru _____ cubic feet. Cost \$ _____
Strobe Light	Exterior roof mounted white strobe light.	Mfr. _____ Model No. _____ Cost \$ _____

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ C77 ☐ D84 – ELECTRIC

Use this document to bid both non-lift and lift buses.

Vendor: _____

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Student Protection System—Installed	Electronic system to insure driver post-trip inspection of passenger compartment.	Mfr. _____ Model No. _____ Cost \$ _____	
Suspension	Air ride (Air brake system only).	Front	Rear
		Cost \$ _____	Cost \$ _____
Toolbox	Interior, manufacturer standard.	Cost \$ _____	Deduct \$ _____
Traction Device	Automatic chains.	Mfr. _____ Cost \$ _____	
Traction Device	Sanders.	Capacity _____ Cost \$ _____	
Vehicle Securement System	Must meet state specification.	Mfr. _____	Cost \$ _____
Video Camera Systems—Installed	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr. _____ Model No. _____ Cost \$ _____ How many cameras _____	
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr. _____ Model No. _____ Cost \$ _____ How many cameras _____	Mfr. _____ Model No. _____ Cost \$ _____ How many cameras _____
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$ _____	Cost \$ _____

State Price Quote Specification
DISTRICT-SUPPORTED OPTIONS

☐ **C77** ☐ **D84 – ELECTRIC**

Use this document to bid both non-lift and lift buses.

Vendor: _____

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.
Additional Wheelchair/Occup ant Tie-down System—Installed	Must meet state specification.	Mfr. _____
		Model No. _____
		Cost per station \$ _____
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$ _____
		Rear Cost \$ _____
		Both Cost \$ _____
Windows	Tinted.	Cost \$ _____
Windows	Thermal pane, left of driver and service door.	Cost \$ _____