

### State Price Quote Specification TYPE D60—BID AS 48 PASSENGER

Vendor:		
-		

**DIESEL**Use this document to bid both non-lift and lift buses for 35–60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	Price of items bid will establish the state cost.	
Seating Capacity	48 passenger based upon an average center-to-center seat spacing of	Capacity w/o lift	
	at least 27.5".	Capacity w/lift	
Alternator	240 amp minimum. Lift-equipped or air-conditioned. Manufacturer	Mfr	
	recommended capacity.	Amps output w/o lift or A.C	
		Amps output w/lift or A.C.	
Auxiliary Fans	2 fans, 6" maximum, mounted to right and left windshield and service door.	Mfr	
Axle—Front	10,000 lb. minimum.	Mfr	
		Capacity	
Axle—Rear	19,000 lb. minimum.	Mfr.	
		Capacity	
Axle Oil Seals	Front and rear oil bath, or maintenance free sealed greased bearings.	Mfr	
Axle Ratio	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications Manual.	Ratio	
Back-up Lights	All required backup lights to be LED (Light Emitting Diode). Refer to Washington State School Bus Specification's Manual.	Round:   Diameter  Other:  Square inches	
Battery(ies)	1200 CCA 12 volt minimum to be mounted in body battery compartment w/o lift.	Size/group w/o lift CCA	
	1400 CCA 12 volt minimum to be mounted in body battery compartment w/lift.	Size/group w/lift CCA	
Battery Compartment	Battery storage tray must be large enough to accommodate batteries as specified in chassis section.	☐ Swing out ☐ Roll out	
Brakes	Hydraulic disc. Refer to Washington State School Bus Specifications Manual.	Size Front Rear	

	PART I (cont.)
Vendor:	
_	

### State Price Quote Specification TYPE D60—BID AS 48 PASSENGER DIESEL

Use this document to bid both non-lift and lift buses for 35-60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.		
Door, Service	Power operated.	□ Air     □ Folding       □ Electric     □ Split, Outward opening       □ Other     □ Other		
Engine	Diesel—180 H.P. minimum.	Engine mfr		
Engine Heater	Engine manufacturers recommended in-block heater.	Watts         Volts           Mfr		
Engine Temperature	To be controlled electronically, by fan clutch/drive, or shutters.	Mfr. ☐ Electronic ☐ Fan clutch ☐ Shutters		
Fuel Tank	60 gallon minimum.	Capacity		
Heaters	Minimum of 3 heaters; 1 front, 1 center, 1 rear. Shutoff valves at engine for all heaters. Two-speed motors. Must include recirculating pump.	Front B.T.U		
Lights	LED (Light Emitting Diode). Includes Clearance Lights, Stop Lights–7", Taillights, Turn Signals, Eight-Light System, and Dome-Light System.	Check if as specified ☐ If not, explain		
P.A. System	AM/FM/PA radio with 2 interior and 1 exterior speakers.	Mfr		
Seat Spacing	To permit specified passenger capacity based on an average center-to-center seat spacing of at least 27.5".	Inside measurement from rear of stepwell to appropriate point at rear of passenger seating area: w/o lift w/lift  Mfg.'s C/C seat measurement of vehicle (inches): w/o lift w/lift		

\ I	PART I (cont.)
Vendor:	

### State Price Quote Specification TYPE D60—BID AS 48 PASSENGER DIESEL

Use this document to bid both non-lift and lift buses for 35-60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
Steering Wheel	Tilt and telescoping column.	Check if as specified □
Step Tread	Studded or pebbled top tread covering.	Mfr
Tires	6 first quality, radial ply. No low profile tires.	MfrSizeLoad range
Toolbox	Exterior, manufacturer standard.	Size (cubic feet)
Transmission	Automatic—Allison, PTS 2500 or equal.	Mfr
Two-way Communications	45-watt, VHF, mil. spec.	Mfr
Wheels	6 to be compatible with tire size.	SizeRim width

	PART I (cont.)
Vendor:	

# State Price Quote Specification TYPE D60—BID AS 48 PASSENGER DIESEL

Use this document to bid both non-lift and lift buses for 35-60 capacity.

ITEM	STATE-SUPPORTED SPECIFICATIONS  Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the state cost.
	SPECIAL NEEDS REQUIREMENTS—CHASSIS AND BODY	
Wheelchair	Must meet state specification. Platform shall be a minimum of 32" x	Mfr
Lift—Installed	52".	Model No.
Wheelchair/	Must meet state specification.	Mfr.
Occupant Tie-down System—Installed		Model No.
	ADDITIONAL REQUIREMENTS—CHASSIS AND BODY	
Line Setting Ticket	Legible copy of manufacturer's Line Setting Ticket will be delivered with each vendor's packet at the time of delivery of the bus.	Check if as specified □
Owner's/Operator's Handbook	One copy of the chassis manufacturer's owner's/operator's handbook or manual will be furnished with each bus at time of delivery.	Check if as specified □
Repair Manuals	A complete set of chassis, engine, transmission, and body repair manuals, including wiring diagram for all components, will be made available at time of delivery, with instructions available on accessing repair materials.	Check if as specified □
Service and Cleaning	<ul> <li>Cleaning and service by vendor prior to delivery will include:</li> <li>Chassis lubrication.</li> <li>Check fluid levels: verify all are at recommended full levels.</li> <li>Cooling system protected at -20°F.</li> <li>Interior and exterior will be clean (including glass).</li> <li>All systems (electric, air, hydraulic, mechanical, and manual) be inspected to ensure proper operation at time of delivery.</li> <li>All components and accessories will be installed and operational at time of delivery.</li> </ul>	Check if as specified □
Warranty	A complete copy of all warranty agreements will be furnished at time of delivery.	Check if as specified □



STUDENT TRANSPORTATION Old Capitol Building PO BOX 47200 Olympia, WA 98504-7200 (360) 725-6120 TTY (360) 664-3631

#### VEHICLE DATA SHEET AND OFFICIAL DRICE OLIOTATION

	VEN		D AS 48 PASSENGER (DIESEL)	ION	
VENDOR'S COMPANY NAME		REPRES	ENTATIVE'S NAME	TELEPHONE NUMBER	
ADDRESS		Fetima	ated delivery date to school district from tin	ne nurchase order is received:	
			where engine and chassis can be serviced		
		Firm w	here body can be serviced or repaired, an	d parts obtained:	
		В	DDY		
MAKE	VEAD	Warranty: Years Miles	stepwell to appropriate point at	Equipped seating capacity:  w/o lift w/lift	
MODEL	YEAR	Seat color:	rear of passenger seating area: w/o lift w/lift		
	CHASSIS ENGINE				
MAKE		Warranty: Years	MANUFACTURER - -	Torque: @ RPM H.P.: @ RPM	
MODEL	YEAR	Wheelbase:	MODEL YEAR	C.I.D. or Liters: Fuel type:	
	TRANSMISSION		Warranty: Years	Battery type/grp:	
MANUFACTURER		Speeds forward:	Miles	Number batteries:	
MODEL		Warranty: Years Miles		Total CCA:	
		QUOTE	ED PRICE		
Quoted price is based up	on payment within 30 day	s after delivery to the school dis	strict (without sales tax).		
Bid—w/o lift \$		Bid—w/lift \$			
VENDOR REPRESENTATIVE'S SIG	NATURE		DATE		

D	Λ	DT	٠,	ı
ч	А	КΙ	- 1	ı

Vendor:

### State Price Quote Specification DISTRICT-SUPPORTED OPTIONS

□C60	□C77	□D60	□D84
------	------	------	------

ITEM	Vendor must meet or exceed these specifications. Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
Activity Securement Seating	2-passenger position seats with lap-shoulder belts in all passenger positions.	Passenger Capacity Cost \$	
Air Conditioning	To cool passenger compartment as required in the Washington State School Bus Specifications manual.	Mfr	
Alternate Fuel  ☐ Electric	Must comply with power and gradeability formula. Refer to Washington State School Bus Specifications manual. Must comply with all of the requirements of FMVSS No. 305.	∣ Mtr.	
Alternator	Available options.	Cost \$ Cost \$	Capacity
Anti-spray Device	Rubber fender extenders.	Type C: Cost \$ Type D: Cost \$	
Back-up Alarm	Must meet state specification.	Mfr. Cost \$	
Brakes	4-wheel hydraulic disk brake.	Cost \$	Deduct \$
Brakes	Air, Drum or Disc. Refer to Washington State School Bus Specifications manual.	Disc Cost \$	Disc Deduct \$
Color	Exterior white roof.	Cost \$	
Door Locks	Vandal lock system on all exterior doors.	Cost \$	
	Supposion type Guerradiustable with lumber adjustment. Clath	Non-Air	Air
Driver's Seat	Suspension type, 6-way adjustable, with lumbar adjustment. Cloth panel covers.	Mfr.	Mfr
	<b>'</b>	Cost \$	Cost \$
Fire Suppression System	Jomarr VT-6-E-NAF, or equal engine compartment fire suppression system of appropriate size to be installed according to manufacturer recommendation.	Mfr	
Floor Color	Nonstandard color.	Cost \$	

Vendor:	PART II (cont.)

# State Price Quote Specification DISTRICT-SUPPORTED OPTIONS □ C60 □ C77 □ D60 □ D84

ITEM	Vendor must meet or exceed these specifications.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
F I Taual	Item bid shall be specified in column to right.	Price of items bid will establish the district cost.	
Fuel Tank	Larger fuel capacity (CNG only).	Size: Cost \$	
Fuel Tank	Larger fuel capacity (Diesel only).	Size: Cost \$	
Fuel Tank	Larger fuel capacity (Propane only).	Size: Cost \$	
Headlights	Halogen.	Cost \$	
Headlights	L.E.D.	Cost \$	
Heater (Auxiliary water)	Auxiliary fuel-fired heating systems. Refer to Washington State School Bus Specifications Manual, page 27.	DI Brand: Model:	
		Cost \$	
Noise Reduction	Exceeding minimum specifications.	Driver compartment Cost \$	
		Engine compartment Cost \$	
		Full acoustical headliner Cost \$	
Retarder	Manufacturer's standard.	Driveline	
		Exhaust	
		Transmission   Cost \$	
Seat Belt Ready Seat	3-passenger position seat with belts.	Cost \$	
Seating System	Identical, non-lift bus with lap-shoulder seat belt system installed in all	2 by 2 Cost \$	
	positions.	Capacity	
		3 by 2 Cost \$	
		Capacity	
		3 by 3 Cost \$	
		Capacity	

	PART II (cont.)
Vendor: _	

# State Price Quote Specification DISTRICT-SUPPORTED OPTIONS □ C60 □ C77 □ D60 □ D84

ITEM	Vendor must meet or exceed these specifications.	VENDOR SPECIFICALLY IDENTIFY ITEM BID	
	Item bid shall be specified in column to right.	Price of items bid will establish the district cost.  Left side cubic feet.	
Storage Compartments  Largest available for unit bid.	Largest available for unit bid.	Cost \$	cubic leet.
		Cust φ	cubic feet.
		Right-side	
		Cost \$	cubic feet.
		Push-thru	
		Cost \$	
Strobo Light	Exterior roof mounted white etraha light	Mfr.	
Strobe Light	Exterior roof mounted white strobe light.	Model No.	
	Electronic system to insure driver post-trip inspection of passenger	Cost \$	
Student Protection		Mfr	
System—Installed	compartment.	Model No	
		Front	Rear
Suspension Air	Air ride (Air brake system only).		
Taallaas	laterian as an factorian dend	Cost \$	Cost \$
Toolbox	Interior, manufacturer standard.	Cost \$ Deduct \$	
Traction Device	Automatic chains.	Mfr	
		Cost \$	
Traction Device	Sanders.	Capacity	
	Canadia	Cost \$	
Transmission		Mfr	
	Automatic—Allison, PTS 3000 or equal.	Model No	
		Cost \$	
Vehicle Securement System	Must meet state specification.	Mfr.	Cost \$

PART II (cont.)
Vendor:

# State Price Quote Specification DISTRICT-SUPPORTED OPTIONS □ C60 □ C77 □ D60 □ D84

ITEM	Vendor must meet or exceed these specifications.  Item bid shall be specified in column to right.	VENDOR SPECIFICALLY IDENTIFY ITEM BID Price of items bid will establish the district cost.	
	Digital audio/video system for monitoring the passenger compartment with more than two cameras.	Mfr	
Video Camera Systems—Installed		Model No	
		Cost \$ H	How many cameras
Video Camera Systems—Stop Sign Camera—Installed	Must meet state specification.	Stand Alone System	Added to Interior System
		Mfr.	Mfr
		Model No	
		Cost \$	
		How many cameras	
Warning Light Monitor	16 light monitoring system.	Incandescent	LED Lights
		Cost \$	Cost \$
Additional	Must meet state specification.	Mfr.	
Wheelchair/Occupant		Model No	
Tie-down System— Installed		Cost per station \$	
Windows	Laminated passenger-compartment side or rear glass.	Side Cost \$	
		Rear Cost \$	
		Both Cost \$	
Windows	Tinted.	Cost \$	
Windows	Thermal pane, left of driver and service door.	Cost \$	