

## Chapter 6 (6.1 to 6.3) Practice Test

**DEGREE = HIGHEST EXPONENT**

Date \_\_\_\_\_ Period \_\_\_\_\_

Name each polynomial by degree and number of terms.

1)  $9a^3$  D: CUBIC  
T: MONOMIAL

3)  $4 - 10v^0$  D: LINEAR  
T: BINOMIAL

5) 5 D: CONSTANT  
T: MONOMIAL  
 $5x^0 = 5$   
 $5 \cdot 1 = 5$

7)  $6n^0$  D: LINEAR  
T: MONOMIAL

2)  $8 + 8r - 8r^2$  D: QUADRATIC  
T: TRINOMIAL

4)  $4k^3 + 4k^2$  D: CUBIC  
T: BINOMIAL

6)  $-3m^2 + 5m - 3$  D: QUADRATIC  
T: TRINOMIAL

8)  $4n - 7n^2 + 3 - 4n^3$  D: Cubic  
T: WITH 4 TERMS

NamesBY TERMS

1 - MONOMIAL

2 - BINOMIAL

3 - TRINOMIAL

4<sup>th</sup> WITH "N" TERMSBY DEGREE

0 - Constant

1 - Linear

2 - Quadratic

3 - Cubic

4 - Quartic

Simplify each sum. *Combine Like Terms*

9)  $(\cancel{-7x^4} - \cancel{5x} + \underline{6x^2}) + (\cancel{5x} + \underline{6x^4} - \cancel{7x^2})$   
 $\boxed{-x^4 - x^2}$

11)  $(-4x + 8x^2 + 1) + (-1 + 5x + 3x^2)$

$\boxed{11x^2 + x}$

10)  $(\cancel{-5x^4} + \cancel{5x^2} + \underline{6}) + (\cancel{-5x^3} - \cancel{4x^2} - \underline{8})$   
 $\boxed{-5x^4 - 5x^3 + x^2 - 2}$

12)  $(\cancel{-4x^4} + 7 + \underline{x^2}) + (\cancel{-4} + \cancel{4x^4} - \underline{8x^2})$   
 $\boxed{-7x^2 + 3}$

Simplify each difference. *WRITE AS AN ADDITION PROBLEM.*

13)  $(-8x^3 + 5x + 8x^4) - (\cancel{-7x^4} + x^2 - 8x^3)$   
 $\cancel{-8x^3} + \underline{5x} + \underline{8x^4} + \cancel{7x^4} - \underline{x^2} + \cancel{8x^3}$   
 $\boxed{15x^4 - x^2 + 5x}$

15)  $(-3x^3 + 3x^4 - 5) - (1 - 3x^3 + 8x^4)$   
 $\cancel{-3x^3} + \underline{3x^4} - \cancel{5} - \cancel{1} + \cancel{3x^3} - \underline{8x^4}$   
 $\boxed{-5x^4 - 6}$

14)  $(3x^2 - x + 8) - (\cancel{6} + \cancel{x^2} + 8x)$   
 $3x^2 - x + 8 - \cancel{6} - \cancel{x^2} - 8x$   
 $\boxed{2x^2 - 9x + 2}$

16)  $(-5 - 7x^2 + 7x^4) - (\cancel{-2x^2} - 8 - 4x^4)$   
 $\cancel{-5} - \cancel{7x^2} + \underline{7x^4} + \cancel{2x^2} + \cancel{8} + \cancel{4x^4}$   
 $\boxed{11x^4 - 5x^2 + 3}$

Write in simplified exponential form then evaluate.

$$17) 2 \cdot 2^3 = 2^{1+3} = \underline{\underline{2^4}} = \boxed{16}$$

EXponential FORM

$$18) 3 \cdot 3^2 = 3^{1+2} = \underline{\underline{3^3}} = \boxed{27}$$

$$19) \frac{(-4)^2}{(-4)^1} = (-4)^{2-1} = \boxed{-4}$$

$$20) \frac{4^4}{4^1} = 4^{4-1} = \underline{\underline{4^3}} = \boxed{64}$$

Simplify.

$$21) \frac{3x^2 \cdot -2x^0 \cdot -4x^3}{3 \cdot -2 \cdot -4 \cdot x} = \underline{\underline{24x^5}} \quad \text{Mental Step}$$

$$23) \frac{-3x^3 \cdot 4yx^2 \cdot -y^3}{-3 \cdot 4 \cdot -1 \cdot x} = \underline{\underline{12x^5y^4}}$$

$$22) \frac{-2x^0 \cdot x^2 \cdot 3x^4}{-2 \cdot 1 \cdot 3 \cdot x} = \underline{\underline{-6x^6}}$$

$$24) \frac{-4xy^4 \cdot 2x^4y^2}{-4 \cdot 2 \cdot x} = \underline{\underline{-8x^5y^6}}$$

Simplify. Your answer should contain only positive exponents.

$$25) \frac{x^3}{4x} = \frac{-1x^3}{4x^1} = \frac{-1x^{3-1}}{4} = \frac{-x^2}{4}$$

Simplify the fraction

$$26) \frac{2x}{-x} = \frac{2x}{-1x} = \boxed{-2}$$

Simplify.

$$27) (-3n^2)^3 = \underline{\underline{(-3)^3 n^{2 \cdot 3}}} = \boxed{-27N^6}$$

Power to Power

$$28) (-4y)^4 = \underline{\underline{(-4)^4 y^4}} = \boxed{256y^4}$$

DISTRIBUTE (4) and Mult + EXP  
EVEN EXP = +N

Simplify. LEAVE YOUR ANSWER AS AN IMPROPER FRACTION.

$$29) \left( -\frac{3x}{2y^2} \right)^4 = \left( \frac{-3x^1}{2y^2} \right)^4 = \frac{\text{DISTRIBUTE}}{4}$$

$$\frac{(-3)^4 x^{1 \cdot 4}}{(2)^4 y^{2 \cdot 4}} = \boxed{\frac{81x^4}{16y^8}}$$

$$30) \left( \frac{2x^2}{-5y} \right)^3 = \frac{\text{MULT EXP}}{\underline{\underline{(-5)^3 y^3}}} = \boxed{\frac{8x^6}{-125y^3}}$$

Find each product.

31)  $5n(8n^2 + 7n - 8)$

$|40n^3 + 35n^2 - 40n|$

33)  $(2x+5)(2x-8)$

$4x^2 - 16x + 10x - 40$  simplify  
 $|4x^2 - 6x - 40|$

35)  $(4k+5)(4k-5)$

$16k^2 - 20k + 20k - 25$   
 $|16k^2 - 25|$

37)  $(5x-2)^2 \rightarrow \text{EXPAND}$

$(5x-2)(5x-2)$   
 $25x^2 - 10x - 10x + 4$   
 $|25x^2 - 20x + 4|$

39)  $(r-2)(2r^2 - 4r + 4)$

simplify  
 $|2r^3 - 4r^2 + 4r - 4r^2 + 8r - 8|$   
 $\rightarrow |2r^3 - 8r^2 + 12r - 8|$

32)  $-6x^3(8x^2 - 4x - 2)$

$| -48x^5 + 24x^4 + 12x^3 |$

34)  $(2b-5)(4b-8)$

$8b^2 - 16b - 20b + 40 =$

$|8b^2 - 36b + 40|$

36)  $(2b+8)(2b-8)$

$4b^2 - 16b + 16b - 64 =$   
 $|4b^2 - 64|$

38)  $(4n-2)^2 \rightarrow \text{EXPAND}$

$(4n-2)(4n-2)$   
 $16n^2 - 8n - 8n + 4$   
 $|16n^2 - 16n + 4|$

40)  $(5x+4)(4x^2 - 8x + 6)$

$20x^3 - 40x^2 + 30x$   
 $+ 16x^2 - 32x + 24 =$

$|20x^3 - 24x^2 - 2x + 24|$

Multiply. Expand completely.

41)  $(x+4)^3 \rightarrow \text{EXPAND}$

$(x+4)(x+4)(x+4)$   
move 1 + 2 binomials  
 $(x+4)(x^2 + 4x + 4x + 16)$   
 $(x+4)(x^2 + 8x + 16) \leftarrow$   
 $x^3 + 8x^2 + 16x$   
 $+ 4x^2 + 32x + 64 =$   
 $|x^3 + 12x^2 + 48x + 64|$

42)  $(x-5)^3 \rightarrow \text{EXPAND}$

$(x-5)(x-5)(x-5) =$   
 $(x-5)(x^2 - 10x + 25) =$   
 $x^3 - 10x^2 + 25x$   
 $- 5x^2 + 50x - 125 =$   
 $|x^3 - 15x^2 + 75x - 125|$

Evaluate each function at the given value. Show synthetic substitution or simple substitution.

43)  $f(x) = x^3 + 3x^2 - 5x + 19$  at  $x = -5$

*Synthetic Sub*

$$\begin{array}{r} \text{Regular substitution} \\ f(-5) = (-5)^3 + 3(-5)^2 - 5(-5) + 19 \\ f(-5) = -125 + 75 + 25 + 19 \\ f(-5) = -6 \end{array}$$

$$\begin{array}{c|ccccc} & 1 & 3 & -5 & 19 \\ -5 & \downarrow & \cancel{-5} & \downarrow & \cancel{+10} & \downarrow \\ 1 & -2 & -5 & 25 & \cancel{-25} & \downarrow \\ & & & & & -6 \end{array}$$

44)  $f(n) = 2n^4 + 6n^3 - 14n^2 + 27n - 18$  at  $n = -5$

$$\begin{array}{c|ccccc} & 2 & 6 & -14 & 27 & -18 \\ -5 & \downarrow & \downarrow & \downarrow & \downarrow & \downarrow \\ 2 & -10 & 20 & -30 & 15 & \downarrow \\ \hline & -4 & 6 & -3 & & \downarrow \\ & & & & & -3 \end{array}$$

$f(-5) = -3$

45)  $f(m) = m^5 - m^4 - 12m^3 - 13m^2 - 7m - 20$  at  $m = -2$

$$\begin{array}{c|cccccc} & 1 & -1 & -12 & -13 & -7 & -20 \\ -2 & \downarrow & \downarrow & \downarrow & \downarrow & \downarrow & \downarrow \\ 1 & -2 & 6 & -1 & 12 & -5 & 10 \\ \hline & -3 & -6 & -1 & 12 & -5 & 10 \\ & & & & & & -10 \end{array}$$

$f(-2) = -10$

46)  $f(x) = x^5 - 5x^4 + 10x^3 - 30x^2 + 27x - 16$  at  $x = 4$

$$\begin{array}{c|cccccc} & 1 & -5 & 10 & -30 & 27 & -16 \\ 4 & \downarrow & \downarrow & \downarrow & \downarrow & \downarrow & \downarrow \\ 1 & -1 & 6 & -6 & 3 & 12 & \downarrow \\ \hline & -1 & 6 & -6 & 3 & 12 & -4 \end{array}$$

$f(4) = -4$

47)  $f(n) = n^6 - 2n^5 - 8n^4 - 4n^3 - 8n^2 - 9$  at  $n = -2$

$$\begin{array}{c|cccccc} & 1 & -2 & -8 & -4 & -8 & -9 \\ -2 & \downarrow & \downarrow & \downarrow & \downarrow & \downarrow & \downarrow \\ 1 & -4 & 0 & -4 & 0 & 0 & \downarrow \\ \hline & -4 & 0 & -4 & 0 & 0 & -9 \end{array}$$

$f(-2) = -9$

48)  $f(x) = -4x^6 + 22x^5 + 7x^4 + 30x^3 - 2x^2 + 11x + 5$  at  $x = 6$

*Simple Substitution*

$$f(6) = -4(6)^6 + 22(6)^5 + 7(6)^4 + 30(6)^3 - 2(6)^2 + 11(6) + 5$$

*Synthetic Substitution*

$$\begin{array}{c|cccccc} & -4 & 22 & 7 & 30 & -2 & 11 & 5 \\ 6 & \downarrow \\ -4 & -2 & 2 & -5 & 0 & -2 & -1 & \downarrow \\ \hline & -4 & -2 & -5 & 0 & -2 & -1 & -1 \end{array}$$

$f(6) = -1$