



Evaluate Expressions

Goal • Evaluate algebraic expressions and use exponents.

Your Notes

An algebraic expression is also called a variable expression.

VOCABULARY

Variable **IS A LETTER (X, Y, A, B, ...)**
THAT REPRESENTS A NUMBER.

Algebraic **expression** **IS A COLLECTION OF NUMBERS, VARIABLES, OPERATIONS (+, -, x, ÷) AND SYMBOLS OF INCLUSION (), [], { }**

Evaluating an expression means to find the value of the expression

Power

FACTORS:

NUMBERS OR VARIABLES

MULTIPLIED TOGETHER



Base

Exponent

FACTORS ARE SEPERATED BY MULT. SIGNS

EVALUATE EXPRESSIONS

SOLVE EQUATIONS



ALGEBRAIC EXPRESSIONS

Algebraic Expression	Meaning	Operation
$7t$	7 times t	<u>MULTIPLY</u>
$\frac{x}{20}$	FRACTIONS MEAN →	Division
$y - 8$	→	<u>Subtraction</u>
$12 + a$	→	<u>addition</u>

Your Notes

To evaluate an expression, substitute a number for the variable, perform the operation(s), and simplify.

Example 1 Evaluate algebraic expressions

Evaluate the expression when $n = 4$.

a. $11 \cdot n = 11 \times 4$ Substitute 4 for n .
 $11n = 44$ ← EVALUATE

Given Expression

DO NOT USE X FOR MULTIPLICATION

Checkpoint Evaluate the expression when $y = 8$.

1. $7y$ $7(8)$ <u>56</u>	2. $y \div 2$ $8 \div 2$ <u>4</u>	3. $10 - y$ $10 - 8$ <u>2</u>	4. $y + 6$ $8 + 6$ <u>14</u>
--------------------------------	-----------------------------------------	-------------------------------------	------------------------------------

Write the problem →
 Show substitution →
 EVALUATE →

Example 2 Read and write powers

Write the power in words and as a product. ← (did NOT SAY EVALUATE)

Power	Words	Product of factors
a. 12^1	twelve to the <u>first</u> power	$12 \iff 12^1$
b. 2^3	two to the <u>third</u> power, or two <u>cubed</u>	$2 \cdot 2 \cdot 2$ EXPAND AS A PRODUCT
c. $(\frac{1}{4})^2$	one fourth to the <u>second</u> power, or one fourth <u>SQUARED</u>	$\frac{1}{4} \cdot \frac{1}{4}$
d. a^4	a to the <u>4TH</u> power	$a \cdot a \cdot a \cdot a$

Your Notes

✓ **Checkpoint** Write the power in words and as a product.

	⑤ 2^5	⑥ $(\frac{1}{3})^2$	⑦ $(10)^3$
WORDS →	2 to the 5 TH	$\frac{1}{3}$ SQUARED	10 CUBED
Product (expand) →	$2 \cdot 2 \cdot 2 \cdot 2 \cdot 2$	$\frac{1}{3} \cdot \frac{1}{3} =$	$10 \cdot 10 \cdot 10 =$
↓ Evaluate!! (to find the value of the expression) →	(32)	($\frac{1}{9}$)	(1,000)

Example 3 Evaluate powers

Evaluate the expression.

a. y^3 when $y = 3$

Solution

a. $y^3 = (3)^3$
 $= 3 \cdot 3 \cdot 3$
 $= (27)$

USE ()'s when substituting to do order of operations correctly

Substitute 3 for y.

mentally expand

EVALUATE means find the VALUE of the expression

✓ **Checkpoint** Evaluate the expression.

Homework

8. t^2 when $t = 3$	9. m^5 when $m = \frac{1}{2}$
$(3)^2 =$	$(\frac{1}{2})^5$
(9)	$\frac{1}{2} \cdot \frac{1}{2} \cdot \frac{1}{2} \cdot \frac{1}{2} \cdot \frac{1}{2}$
	($\frac{1}{32}$)

Show substitution



mentally expand



Circle

answer

1.2

Apply Order of Operations

Goal • Use the order of operations to evaluate expressions.

Your Notes

WARNING

Be careful using

PEMDAS

ORDER OF OPERATIONS

To evaluate an expression involving more than one operation, use the following steps.

Step 1 Evaluate expressions inside GROUPING SYMBOLS

Step 2 Evaluate POWERS

Step 3 MULTIPLY and divide from left to right.

Step 4 Add and SUBTRACT from left to right.

-
- ① ()'S IN → OUT
 - ② EXPONENTS
 - ③ \times, \div L → R
 - ④ $+, -$ L → R

Example 1 Evaluate Expressions

Evaluate the expression $30 \cdot 2 \div 2^2 - 5 =$

EVALUATE:

$$30 \cdot 2 \div 4 - 5 =$$

$$60 \div 4 - 5 =$$

$$15 - 5 =$$

$$(10)$$

Show work
clearly +
Go DOWN
NOT ACROSS!

Your Notes

✔ **Checkpoint** Evaluate the expression.

<p>1. $10 + 3^2 =$</p> <p>$10 + 9 =$</p> <p>(19)</p>	<p>2. $16 - 2^3 + 4 =$</p> <p>$16 - 8 + 4 =$</p> <p>$8 + 4 =$</p> <p>(12)</p>
<p>3. $28 \div 2^2 + 1 =$</p> <p>$28 \div 4 + 1 =$</p> <p>$7 + 1 = (8)$</p>	<p>4. $4 \cdot 5^2 + 4 =$</p> <p>$4 \cdot 25 + 4 =$</p> <p>$100 + 4 =$</p> <p>(104)</p>

Example 2 Evaluate expressions with grouping symbols

Evaluate the expression.

a. $6(9 + 3) = 6(12) =$
 $= (72)$

b. $50 - (3^2 + 1) = 50 - (9 + 1) =$
 $50 - 10 =$
 $= (40)$

c. $3[5 + (5^2 + 5)] = 3[5 + (25 + 5)] =$
 $3[5 + 30] =$
 $3(35) =$
 $= (105)$

Grouping symbols such as parentheses () and brackets [] indicate that operations inside the grouping symbols should be performed first.

START WITH THE INSIDE ()'S AND WORK OUT

Your Notes

Checkpoint Evaluate the expression.

<p>5. $6(3 + 3^2)$</p> <p>$6(3+9) =$</p> <p>$6(12) =$</p> <p>72</p> <p style="text-align: center;">work ↓ down</p>	<p>6. $2[(10 - 4) \div 3]$</p> <p>$2(6 \div 3) =$</p> <p>$2(2) =$</p> <p>4</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------

Example 3 Evaluate an algebraic expression

Evaluate the expression $\frac{12k}{3(k^2 + 4)}$ when $k = 2$.

A fraction bar can act as a grouping symbol. Evaluate the numerator and denominator before dividing.

Solution

$$\frac{12k}{3(k^2 + 4)} = \frac{12(2)}{3[(2)^2 + 4]}$$

STEP I Substitute 2 for k. Use () for substitutions

$$\frac{12(2)}{3[4 + 4]}$$

STEP II EVALUATE EXPRESSION

EVALUATE power.

FRACTIONS = (1) simplify the numerator $12 \cdot 2 = 24$
 = (2) simplify the denominator $3[4+4] = 24$ *mentally*

$$= \frac{24}{24}$$

$$= 1$$

Simplify the fraction!!

Checkpoint Evaluate the expression when $x = 3$.

Homework

<p>7. $x^3 - 5$</p> <p>$(3)^3 - 5 =$</p> <p>$27 - 5 =$</p> <p>22</p>	<p>8. $\frac{6x + 2}{x + 7}$</p> <p>$\frac{6(3) + 2}{3 + 7} =$</p> <p>$\frac{20}{10} = 2$</p>
--------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------

1.3

Write Expressions

Goal • Translate verbal phrases into expressions.

Your Notes

VOCABULARY

Verbal model (used in this textbook) Use words to describe the problem. This should be a mental step.

Rate **IS A FRACTION THAT COMPARES 2 QUANTITIES MEASURED IN DIFFERENT UNITS**

EXAMPLE
Rate = $\frac{400 \text{ miles}}{8 \text{ hours}}$

Unit rate **IS A RATE PER 1 GIVEN UNIT IN THE DENOMINATOR**

← UNIT RATE

Ex] simplify above rate: $\boxed{50 \text{ miles/hour}}$

TRANSLATING VERBAL PHRASES

Operation	Verbal Phrase	Expression
Addition	The <u>sum</u> of 3 and a number n	$3+n$
	A number x <u>plus</u> 10	$x+10$
Subtraction	The <u>difference</u> of 7 and a number "a"	$7-a$
	Twelve <u>less</u> than a number x	$x-12$
Multiplication	Five <u>times</u> a number y	$5y$
	The <u>product</u> of 2 and a number n	$2n$
Division	The <u>quotient</u> of a number a and 6	$\frac{a}{6}$
	Eight <u>divided</u> into a number y	$\frac{y}{8}$

Order is important when writing subtraction and division expressions.

order makes a difference

order matters

QUANTITY means ()'s

IS means EQUAL

OF means MULTIPLY

Your Notes

The words "the quantity" tell you what to group when translating verbal phrases.

Example 1 Translate verbal phrases into expressions

Translate the verbal phrase into an expression.

ONLY USE ()'S IF NEEDED!!!

Verbal Phrase	Expression
a. 6 less than the quantity 8 times a number x	$8x - 6$
b. 2 times the sum of 5 and a number a	$2(5+a)$
c. The difference of 17 and the cube of a number n	$17 - n^3$

Checkpoint Translate the verbal phrase into an expression.

- The product of 5 and the quantity 12 plus a number n
 $5(12 + n)$
- The quotient of 10 and the quantity a number x minus 3
 $\frac{10}{x-3}$ or $10/(x-3)$

Be careful
 ~~$10/x - 3$~~ wrong

Example 2 Use a verbal model to write an expression

Food Drive You and three friends are collecting canned food for a food drive. You each collect the same number of cans. Write an expression for the total number of cans collected.

Solution

Step 1 mentally think of a verbal model: Amount of cans \times Number of people

Step 2 Translate the verbal model into an algebraic expression. $\rightarrow C \cdot 4$

An expression that represents the total number of cans is $4C$.

KEY INFORMATION

4 people collect the same # of cans

DEFINE VARIABLE

$C = \#$ of cans
 \uparrow

DO NOT FORGET UNITS

DAY 2

Your Notes

✔ **Checkpoint** Complete the following exercise.

Key INFO
 Example 2
 PLUS Divide into
 2 Food Banks

3. In Example 2, suppose that the total number of cans collected are distributed equally to 2 food banks. Write an expression that represents the number of cans each food bank receives.

$\frac{\text{Total \# of cans}}{2} = \frac{4C}{2} \xrightarrow{\text{simplify}} 2C$

↗
2 FOOD BANKS

Example 3 Find a unit rate

Three gallons of milk cost \$9.15. Find the unit rate.

Solution

- ① write as a rate
- ② divide to find the unit rate

$\frac{\$9.15}{3 \text{ gallons}} = \frac{\$3.05}{1 \text{ GALLON}}$

Scratch Paper

$$\begin{array}{r} 3.05 \\ 3 \overline{) 9.15} \\ \underline{9} \\ 15 \\ \underline{15} \\ 0 \end{array}$$

The unit rate is \$3.05 per gallon or \$3.05/GAL

answers

✔ **Checkpoint** Find the unit rate.

Homework

4. $\frac{420 \text{ miles}}{3 \text{ hours}} =$ 140 miles/hr	5. $\frac{\$12^4}{13 \text{ ft}^2}$ \$4/ft²	6. $\frac{20 \text{ cups}}{8 \text{ people}}$ $\frac{20}{8} = \frac{10}{4} = \frac{5}{2}$ 2.5 cups/person OR 2 1/2 cups/person
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

← RATES

← UNIT RATES

31 | 420

$$\begin{array}{r} 140 \\ 3 \overline{) 420} \\ \underline{42} \\ 0 \\ \underline{0} \\ 00 \end{array}$$

1.4

Write Equations and Inequalities

Goal • Translate verbal sentences into equations or inequalities.

Your Notes
IMPORTANT DEFINITION!
 "SOLVE EQUATIONS AND INEQUALITIES"

VOCABULARY	
Open sentence	ARE EQUATIONS AND INEQUALITIES
Equation	2 EXPRESSIONS CONNECTED WITH AN EQUAL SIGN
Inequality	2 EXPRESSIONS CONNECTED WITH $>, \geq, <, \leq, \neq$
Solution of an equation	IS THE NUMBER(S) THAT MAKE THE EQUATION TRUE
Solution of an inequality	IS THE SET OF ALL NUMBERS THAT MAKE THE INEQUALITY TRUE

EXPRESSING OPEN SENTENCES	
Symbol	Meaning
$a = b$	a is <u>EQUAL</u> to b
$a < b$	a is <u>less than</u> b
$a \leq b$	<u>a is less than or EQUAL TO b</u>
$a > b$	a is <u>Greater than</u> b
$a \geq b$	<u>a is greater than or EQUAL TO b</u>

$a \neq b$ a is NOT EQUAL TO B

EXAMPLE
 ① $x < 5$
 "5 is NOT a solution"
 ② $x \leq 5$
 "5 IS a solution"

Your Notes

ONLY USE ()'S IF NEEDED!

Example 1 Write equations and inequalities

Write an equation or an inequality.

Sometimes two inequalities are combined. For example, the inequalities $a < b$ and $b < c$ can be combined to form the inequality $a < b < c$.

Verbal Sentence	Equation or Inequality
a. The <u>sum of three times a number a and 4</u> is 25.	$3a + 4 = 25$
b. The <u>quotient of a number x and 4</u> is fewer than 10.	$\frac{x}{4} < 10$
c. A number n is greater than 6 and less than 12.	$6 < n < 12$ or $n > 6$ AND $n < 12$

Example 2 Check possible solutions

Check whether 2 is a solution of the equation or inequality.

Equation or Inequality	Substitute	Conclusion
a. $7x - 8 = 9$	$7(2) - 8 \stackrel{?}{=} 9$ $6 \neq 9$	EVALUATE EACH SIDE <u>2 is NOT a solution.</u>
b. $4 + 5y < 18$	$4 + 5(2) \stackrel{?}{<} 18$ $14 < 18$ T	EVALUATE EACH SIDE <u>2 IS a solution.</u>

✓ **Checkpoint** Check whether the given number is a solution of the equation or inequality.

write problem →

Show substitution →

check →

1. $6r + 1 = 25$; 4 $r = 4$ $6(4) + 1 = 25$ $25 = 25$ ✓ <u>4 is a solution</u>	2. $x^2 - 5 > 10$; 5 $x = 5$ $(5)^2 - 5 > 10$ $25 - 5 > 10$ $20 > 10$ T <u>5 is a solution</u>	3. $7a < 21$; 6 $a = 6$ $7(6) < 21$ $42 < 21$ (F) <u>6 is NOT A SOLUTION</u>
---------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------

Example 3 Use mental math to solve an equation

Solve the equation using mental math.

a) $n + 6 = 11$

d) $\frac{b}{11} = 3$

SOLVE

Equation "Think"

a) $n + 6 = 11$ What number plus 6 equals 11?

$n = 5$

Check

C: $5 + 6 = 11$
 $11 = 11 \checkmark$

BY SUBSTITUTING THE SOLUTION INTO THE ORIGINAL EQUATION!

Think of an equation as a question when solving using mental math.

SOLVE:

d) $\frac{b}{11} = 3$

$b = 33$

CHECK:

C: $\frac{33}{11} = 3$
 $3 = 3 \checkmark$

Checkpoint Solve the equation using mental math. CHECK!!!!

4. $x + 9 = 14$

$x = 5$

C: $5 + 9 = 14$
 $14 = 14 \checkmark$

5. $5t - 4 = 11$

$t = 3$

C: $5(3) - 4 = 11$
 $15 - 4 = 11$
 $11 = 11 \checkmark$

6. $\frac{y}{4} = 15$

$y = 60$

C: $\frac{60}{4} = 15$
 $15 = 15 \checkmark$

Mentally Solve →

How to Do Homework

- A) Write Problem
- B) Circle solution
- C) Check

② Check in ORIGINAL EQUATION. MAKE SURE TO LABEL CHECK.



Use a Problem Solving Plan

Goal • Use a problem solving plan to solve problems.

Your Notes

A PROBLEM SOLVING PLAN

Use the following four-step plan to solve a problem.

Step 1 Read and Understand Read the problem carefully. Identify what you want to know and what you want to find out. Read

Steps 2-4 make a plan Decide on an approach to solving the problem.

Step 5 Solve the problem Carry out your plan. Try a new approach if the first one isn't successful.

Step 6 Look back and Check that your answer is reasonable.

Example 1 Read a problem and make a plan

You have \$7 to buy orange juice and bagels at the store. A container of juice costs \$1.25 and a bagel costs \$.75. If you buy two containers of juice, how many bagels can you buy?

tells what the variable is

PROCESS

Step 1 Read and Understand What do you know? You know how much money you have and the price of a bagel and a container of juice.

ALWAYS Read 3 times

What do you want to find out? You want to find out the number of bagel you can buy.

QUESTION USE TO DEFINE VARIABLES

Step 2 Write key information

Step 3 Define all variables

Step 4 Define EQUATIONS

SEE NEXT PAGE →

Solution:

KI: \$7 to spend
\$1.25 - juice
\$.75 - bagel
2 containers of juice

Variable:

$B = \# \text{ bagels}$
↑ remember Units

EQUATION:
see example 2

Example 2 Solve a problem and look back

Solve the problem in Example 1 by carrying out the plan. Then check your answer.

Step 4: Mentally think about a verbal model to help write an equation.

Price of juice (in dollars)	Number of containers	Price of bagel (in dollars)	Number of bagels	Cost (in dollars)
↓	↓	↓	↓	↓
1.25	2	.75	b	7

Mental step!
Goal is to write an EQUATION!

The equation is:

$$2.50 + .75B = 7$$

STEP 5: SOLVE

Solve

$$\begin{array}{r} 2.50 + .75B = 7 \\ -2.50 \qquad \qquad -2.50 \\ \hline .75B = 4.50 \\ \hline .75 \qquad .75 \\ \hline B = 6 \end{array}$$

STEP 6: DOES ANSWER MAKE SENSE

Mentally

$$\begin{array}{l} \text{Juice} \qquad \qquad \text{BAGELS} \qquad \qquad \text{Cost} \\ \$1.25(2) + .75(6) = \$7 \\ \$2.50 + \$4.50 = \$7 \checkmark \end{array}$$

Makes Sense 😊

STEP 7: ANSWER IN A SENTENCE

You can buy 6 bagels.

VOCABULARY:
Formula is an EQUATION THAT RELATES
2 OR MORE QUANTITIES.
BELOW ARE 4 SAMPLE FORMULAS.

FORMULA REVIEW

Temperature
 $C = \frac{5}{9}(F - 32)$, where $F =$ °FAHRENHEIT
and $C =$ °CELSIUS

Simple interest
 $I = Prt$, where $I =$ interest, $P =$ principal
 $r =$ interest rate (as a decimal), and $t =$ time

Distance traveled
 $d = rt$, where $d =$ distance, $r =$ rate
and $t =$ time

Profit
 $P = I - E$, where $P =$ profit, $I =$ income, and
 $E =$ expenses

MEMORIZE THIS ONE!

HOW TO DO WORD PROBLEMS:

- ① Write KEY INFO
- ② DEFINE VARIABLE(S)
*remember UNITS!
- ③ WRITE EQUATION(S)
- ④ SOLVE (show work clearly)
- ⑤ Check: Ask yourself "DOES THIS ANSWER MAKE SENSE?"
- ⑥ Write answer in a sentence.

KI:

$X =$ (UNIT)

EQ:

} show work clearly


Sentence

1.6

Represent Functions as Rules and Tables

Goal • Represent functions as rules and as tables.

Your Notes



ALWAYS label X + Y AXIS

VOCABULARY RELATION: IS A SET OF ORDERED PAIRS: (x, y)

Function IS A SPECIAL RELATION THAT HAS NO REPEATING X-VALUES. AND Given a graph it passes the vertical line Test.

Domain The collection of all x-values.

Range The collection of all y-values.

Independent variable IS THE X VARIABLE

Dependent variable IS THE Y VARIABLE

EXAMPLE:

$(0, 3)$

$(3, 2)$

$(1, 2)$



Adding $(3, 1)$ would make THIS NOT A FUNCTION

X	Y
Domain	Range
INDEPENDENT VARIABLE	DEPENDENT VARIABLE ← Science
INPUT	OUTPUT
X	$f(x)$ means "y"

Example 1 Identify the domain and range of a function

The input-output table shows temperatures over various increments of time. Identify the domain and range of the function.

Input (hours)	0	2	4	6	8
Output (°C)	24	27	30	33	33


Solution

Domain: $x = 0, 2, 4, 6, 8$

Range: $y = 24, 27, 30, 33$

ALWAYS PUT NUMBERS LOW TO HIGH

*do NOT write repeating numbers



Your Notes

✓ **Checkpoint** Identify the domain and range of the function.

1.

Input	4	7	11	13
Output	10	20	35	45

Domain $x = 4, 7, 11, 13$
Range $y = 10, 20, 35, 45$

Example 2 Identify a function

Tell whether the pairing is a function. Explain your reasoning.

Solution

Mapping diagrams are often used to represent functions. Take note of the pairings to make your decision.

a.

Input	Output
4	1
8	2
2	3

SUGGEST Create an X-Y Table

b.

Input	Output
2	2
2	4
3	6
4	8

X	Y
4	1
8	2
2	3
2	2

NOT A FUNCTION BECAUSE THERE ARE REPEATING X VALUES (2's)

NOT A FUNCTION
b/c we have repeating X values (2)

✓ **Checkpoint** Tell whether the pairing is a function.

2.

Input	5	5	10	15
Output	3	4	6	8

NOT A FUNCTION
Circle 5's
b/c there are repeating X-values

3.

Input	0	4	12	20	21
Output	3	5	9	13	9

FUNCTION because there are no "X" repeating values.
(NOTE, the y-values CAN REPEAT)

Your Notes

A function may be represented using a rule that relates one variable to another.

Y ←
X ←

FUNCTIONS

Verbal Rule	Equation	Table					
The output is 2 less than the input.	$Y = X - 2$	Input x	2	4	6	8	10
		Output y	0	2	4	6	8

Example 3 Make a table for a function

The domain of the function $y = 3x$ is 0, 1, 2, and 3. Make a table for the function, then identify the range of the function.

Solution EQ $|y = 3x|$

x	0	1	2	3	← INPUT
$y = 3x$	0	3	6	9	→ OUTPUT

The range of the function is $y = 0, 3, 6, 9$

Example 4 Write a function rule

Write a rule for the function.

Input x	3	5	7	9	11
Output y	6	10	14	18	22

Solution

Let x be the input and let y be the output. Notice that each output is twice the corresponding input. So, a rule for the function is $y = 2x$

Rule is an equation in the form: $y =$ _____

Checkpoint Write a rule for the function. Identify the domain and the range.

Homework

4.

Yarn (yd)	1	2	3	4
Total Cost (\$)	1.5	3	4.5	6

Domain!
 $x = 1, 2, 3, 4$

Range!
 $y = 1.5, 3, 4.5, 6$

RULE: $y = 1.5x$

OR $y = x + \frac{1}{2}x$




Represent Functions as Graphs

Goal • Represent functions as graphs.

GRAPH INCL DES

Your Notes

TITLE



GRAPHING A FUNCTION

- You can use a graph to represent a FUNCTION.
- In a given table, each corresponding pair of input and output values forms an ORDERED PAIR (x,y)
- An ordered pair of numbers can be plotted as a POINT.
- The x-coordinate is the INPUT (x)
- The y-coordinate is the OUTPUT (y)
- The horizontal axis of the graph is labeled with the X-axis.
- The vertical axis is labeled with the the y-axis.

Example 1 Graph a function


Graph the function $y = x + 1$ with domain 1, 2, 3, 4, and 5.

Solution

Step 1 Make an input-output table.

x	1	2	3	4	5
y	2	3	4	5	6

Step 2 Plot a point for each ordered pair (x, y).




① DO NOT
DRAW THE LINE!
(BECAUSE YOU ARE GIVEN
SPECIFIC DOMAIN
VALUES)

② LABEL X AND Y.

Example 2 Write a function rule for a graph

Write a function rule for the function represented by the graph. Identify the domain and the range of the function.

**Solution**

Step 1 Make a TABLE for the graph.

x	2	4	6	8	10
y	0	1	2	3	4

Step 2 Find a Relationship between the input and output values.

mental work $\left\{ \begin{array}{l} \frac{1}{2}(4) = 2 - 1 = 1 \checkmark \\ \frac{1}{2}(6) = 3 - 1 = 2 \checkmark \end{array} \right.$

Step 3 Write a RULE that describes the relationship.

$$\boxed{y = \frac{1}{2}x - 1} \quad \text{or} \quad \boxed{y = \frac{x}{2} - 1}$$

A rule for the function is $y = \frac{1}{2}x - 1$. The

domain of the function is $x = 2, 4, 6, 8, 10$

The range is $y = 0, 1, 2, 3, 4$

1.7 NOTES


Your Notes

✔ **Checkpoint** Complete the following exercise.

1. Graph the function $y = \frac{1}{3}x + 1$ with domain 0, 3, 6, 9, and 12.


$$y = \frac{1}{3}x + 1$$

x	0	3	6	9	12
y	1	2	3	4	5



← Since the domain is stated then **DO NOT** DRAW a line segment

✔ **Checkpoint** Write a rule for the function represented by the graph. Identify the domain and the range of the function.




x	y
1	0
2	3
3	6
4	9

$$D: x = 1, 2, 3, 4$$

$$R: y = 0, 3, 6, 9$$

Rule:
 $y = 3x - 3$



x	y
2	6
4	7
6	8
8	9

$$D: x = 2, 4, 6, 8$$

$$R: y = 6, 7, 8, 9$$

Rule
 $y = \frac{1}{2}x + 5$

$$3(2) - 3 = 3 \checkmark$$

$$3(3) - 3 = 6 \checkmark$$

$$3(4) - 3 = 9 \checkmark$$

$$3(1) - 3 = 0 \checkmark$$

$$y = \frac{1}{2}(2) + 5 = 6 \checkmark$$

$$y = \frac{1}{2}(4) + 5 = 7 \checkmark$$

etc

Homework


VERTICAL LINE TEST

Visual Approach


1.7B

YOUR NOTES


These are functions.



These are not functions.



Four of the following are functions. Which are they? Circle the letter



What is a function?

FUNCTION IS A SPECIAL RELATION WITH NO REPEATING X-VALUES

What is the vertical line test?

ABBREVIATED VLINE TEST

To determine if a graph is a function, use the VLINE TEST.

∴ A VERTICAL LINE CAN ONLY TOUCH THE GRAPH IN 1 PLACE TO BE A FUNCTION.