

ALGEBRA 2

UNIT 1

EXPRESSIONS, EQUATIONS, AND INEQUALITIES

Unit Essential Questions:

- How do variables help you model real-world situations?
- How can you use properties of real numbers to simplify algebraic expressions?
- How do you solve an equation or inequality?

SECTION 1.1: PATTERNS AND EXPRESSIONS

MACC.912.A-SSE.A.2: Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.

RATING	LEARNING SCALE
4	I am able to <ul style="list-style-type: none"> use variables to represent variable quantities in real world situations and in patterns or more challenging problems that I have never previously attempted
TARGET 3	I am able to <ul style="list-style-type: none"> identify and describe patterns using diagrams, tables, words, numbers, and algebraic expressions
2	I am able to <ul style="list-style-type: none"> identify and describe patterns using diagrams, tables, words, numbers, and algebraic expressions with help
1	I am able to <ul style="list-style-type: none"> understand that I can use diagrams, tables, words, numbers, and algebraic expressions to identify patterns

WARM UP

1) $12 + 2(-6)$

2) $6\frac{2}{5} + 4\frac{3}{10}$

3) $61 - (-11)$

4) $\frac{5}{3} - \frac{13}{4}$

KEY CONCEPTS AND VOCABULARY

_____ - a symbol, usually a letter, that represents one or more numbers

_____ - a mathematical phrase that contains numbers and operation symbols

_____ - a mathematical phrase that contains one or more variables

EXAMPLES


EXAMPLE 1: RECOGNIZING PATTERNS GIVEN FIGURES

Describe each pattern using words. Draw the next figure in the pattern.

a)




b)



EXAMPLE 2: RECOGNIZING PATTERNS BY CREATING A TABLE

These figures are made with toothpicks.





a) How many toothpicks are in the 20th figure? Use a table of values with a process column to justify your answer.

b) What expression describes the number of toothpicks in the n th figure?

EXAMPLE 3: RECOGNIZING PATTERNS GIVEN A GRAPH

Identify a pattern by making a table of the inputs and outputs. Include a process column.



EXAMPLE 4: RECOGNIZING A PATTERN IN A SEQUENCE OF INTEGERS

Identify a pattern and find the next three numbers in the pattern.

a) 2, 4, 8, 16, ...


b) 4, 8, 12, 16, ...

c) 5, 25, 125, 625, ...

EXAMPLE 5: RECOGNIZING PATTERNS IN A REAL-WORLD SITUATION

You need to set up an aquarium and you need to decide what size tank to buy. The graph shows tank sizes using a rule that relates the capacity of the tank to the combined lengths of fish it can hold.

If you want six 2-in platys, three 1-in guppies, and two 3-in loaches, what is the smallest capacity tank you can buy?



RATE YOUR UNDERSTANDING (Using the learning scale from the beginning of the lesson)

Circle one: 4 3 2 1

SECTION 1.2: PROPERTIES OF REAL NUMBERS

MACC.912.N-RN.B.3: Explain why the sum or product of two rational numbers is rational; that the sum of a rational number and an irrational number is irrational, and the product of a nonzero rational number and an irrational number is irrational.

RATING	LEARNING SCALE
4	I am able to <ul style="list-style-type: none"> • use properties of real numbers to perform algebraic operations
3	I am able to <ul style="list-style-type: none"> • identify properties of real numbers
2	I am able to <ul style="list-style-type: none"> • identify properties of real numbers with help
1	I am able to <ul style="list-style-type: none"> • understand that real numbers have several special subsets related in particular ways



WARM UP

Write each number as a percent.

1) 0.5

2) 0.25

3) $\frac{1}{3}$

4) $1\frac{2}{5}$

5) 1.72

6) 1.23

KEY CONCEPTS AND VOCABULARY

SUBSETS OF REAL NUMBERS		
NAME	DESCRIPTION	EXAMPLES
Natural Numbers		
Whole Numbers		
Integers		
Rational Numbers		
Irrational Numbers		

EXAMPLES

EXAMPLE 1: IDENTIFYING SUBSETS OF REAL NUMBERS

Your math class is selling pies to raise money to go to a math competition. Which subset of real numbers best describes the number of pies p that your class sells?

EXAMPLE 2: CLASSIFYING NUMBERS INTO SUBSETS OF REAL NUMBERS

For each number, place a check in the column that the number belongs to. Remember the numbers may belong to more than one set.

#	Number	Real	Whole	Natural	Integer	Rational	Irrational
a)	-9						
b)	4						
c)	$\sqrt{81}$						
d)	$\frac{2}{5}$						
e)	$\frac{\sqrt{10}}{2}$						
f)	0						
g)	$\frac{-\sqrt{4}}{2}$						
h)	$3\pi + 1$						

EXAMPLE 3: OPERATIONS OF REAL NUMBERS

Show each statement is false by providing a counterexample.

- a) The difference of two natural numbers is a natural number.

- b) The product of two irrational numbers is irrational.

- c) The product of a rational number and an irrational number is rational.

- d) The sum of a rational number and an irrational number is rational.

KEY CONCEPTS AND VOCABULARY

COMMUTATIVE PROPERTY

The order in which you add or multiply does not matter. For any numbers a and b ,

$$a + b = b + a \quad \text{and} \quad ab = ba$$

ASSOCIATIVE PROPERTY

The way three or more numbers are grouped when adding or multiplying does not matter. For any numbers a , b , and c ,

$$(a + b) + c = a + (b + c) \quad \text{and} \quad (ab)c = a(bc)$$

ADDITIVE IDENTITY

For any number a , the sum of a and 0 is a

$$a + 0 = 0 + a = a \quad \text{or} \quad 7 + 0 = 0 + 7 = 7$$

MULTIPLICATIVE IDENTITY

For any number a , the product of a and 1 is a .

$$a \cdot 1 = 1 \cdot a = a \quad \text{or} \quad 14 \cdot 1 = 1 \cdot 14 = 14$$

ADDITIVE INVERSE

A number and its opposite are additive inverses of each other,

$$a + (-a) = 0 \quad \text{or} \quad 5 + (-5) = 0$$

MULTIPLICATIVE INVERSE (RECIPROCAL)

For every number, $\frac{a}{b}$, where $a, b \neq 0$, there is exactly

one number $\frac{b}{a}$ such that the product is one.

$$\frac{a}{b} \cdot \frac{b}{a} = 1 \quad \text{or} \quad \frac{2}{3} \cdot \frac{3}{2} = 1$$

MULTIPLICATIVE PROPERTY OF ZERO

Anything times zero is zero. $a \cdot 0 = 0 \cdot a = 0$ or $2 \cdot 0 = 0 \cdot 2 = 0$

EXAMPLES

EXAMPLE 4: USING PROPERTIES TO FIND UNKNOWN QUANTITIES

Name the property then find the value of the unknown.

a) $n \times 12 = 0$

b) $7 + (3 + z) = (7 + 3) + 4$

c) $0 + n = 8$

EXAMPLE 5: PROVIDING A COUNTEREXAMPLE

Is the statement true or false? If it is false, give a counterexample.

a) For all real numbers, $a + b = ab$


b) For all real numbers, $a(1) = a$

RATE YOUR UNDERSTANDING (Using the learning scale from the beginning of the lesson)

Circle one: 4 3 2 1

SECTION 1.3: ALGEBRAIC EXPRESSIONS

MACC.912.A-SSE.A.1a: Interpret parts of an expression, such as terms, factors, and coefficients.

RATING	LEARNING SCALE
4	I am able to <ul style="list-style-type: none"> evaluate and simplify algebraic expressions and apply them to real world problems
 3	I am able to <ul style="list-style-type: none"> evaluate algebraic expressions simplify algebraic expressions
2	I am able to <ul style="list-style-type: none"> evaluate algebraic expressions with help simplify algebraic expressions with help
1	I am able to <ul style="list-style-type: none"> understand that you can represent real world quantities and mathematical phrases using algebraic expressions

WARM UP

Use order of operations to simplify.

1) $3 \div 4 + 6 \div 4$

2) $5[(2 + 5) \div 3]$

3) $40 + 24 \div 8 - 2^2 - 1$

KEY CONCEPTS AND VOCABULARY

_____ - an expression that is a number, a variable, or the product of a number and one or more variables

_____ - the numerical factor of a term

_____ - a term with no variable

_____ - the same variables raised to the same power

EXAMPLES

EXAMPLE 1: WRITING AN ALGEBRAIC EXPRESSION

Write an algebraic expression that models each word phrase.

a) six less than a number w

b) the product of 11 and the difference of 4 and a number r

EXAMPLE 2: EVALUATING AN ALGEBRAIC EXPRESSION

Evaluate each expression for the given values of the variables.

a) $5(a + 7) - 3b$; $a = 1$ and $b = 9$

b) $x^2 + \frac{y}{3}$; $x = \frac{1}{2}$ and $y = 2$

EXAMPLE 3: WRITING AND SIMPLIFYING EXPRESSIONS

Use the expression *twice the sum of $4x$ and y increased by six times the difference of $2x$ and $3y$.*

a) Write an algebraic expression for the verbal expression.

b) Simplify the expression.

EXAMPLE 4: WRITING EXPRESSIONS IN SIMPLEST FORM

Simplify the following.

a) $2(a - 7) + 3a + a$

b) $9y - 5 + 8 + 2y - 11y$

c) $3h^2 - 5h + 4 - 8h^2 - 12$

d) $2x^2 - \frac{3}{4}x + \frac{x}{4}$

e) $9x^2y + 2xy^2 - 4xy^2 + x^2y$

f) $-(d - 3d + 8) + 2(d + 6)$

EXAMPLE 5: WRITING AN ALGEBRAIC EXPRESSION IN REAL WORLD SITUATIONS

Write an algebraic expression to model the situation.

You fill your car with gasoline at a service station for \$2.75 per gallon. You pay with a \$50 bill. How much change will you receive if you buy g gallons of gasoline? How much change will you receive if you buy 14 gallons?


RATE YOUR UNDERSTANDING (Using the learning scale from the beginning of the lesson)

Circle one: 4 3 2 1

SECTION 1.4: SOLVING EQUATIONS

MACC.912.A-CED.A.1.: Create equations and inequalities in one variable and use them to solve problems

MACC.912.A-CED.A.4: Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations.

RATING	LEARNING SCALE
4	I am able to <ul style="list-style-type: none"> solve real world problems by writing equations
 3	I am able to <ul style="list-style-type: none"> solve equations solve problems by writing equations
2	I am able to <ul style="list-style-type: none"> solve equations with help solve problems by writing equations with help
1	I am able to <ul style="list-style-type: none"> understand that you can use properties of equality and inverse operations to solve equations

WARM UP

Simplify.

1) $4x + 3x - 4$

2) $-\frac{p}{3} + \frac{q}{3} - \frac{2p}{3} - q$

3) $-2(4 + b) + 4(b - 5)$

KEY CONCEPTS AND VOCABULARY

PROPERTY	DEFINITION
Reflexive	
Symmetric	
Transitive	
Substitution	
Addition/ Subtraction	
Multiplication/ Division	

EXAMPLES

EXAMPLE 1: SOLVING MULTI-STEP EQUATIONS

Solve each equation. Check your answers.

a) $8z + 12 = 5z - 21$

b) $7b - 6(11 - 2b) = 10$

c) $10k - 7 = 2(13 - 5k)$

KEY CONCEPTS AND VOCABULARY

_____ - an equation that is true for every value of the variable.

_____ - an equation that uses at least 2 letters as variables. You can solve for any variable “in terms of” the other variables.

EXAMPLES

EXAMPLE 2: DETERMINING IF AN EQUATION IS ALWAYS, SOMETIMES, OR NEVER TRUE

Determine whether the equation is *sometimes*, *always*, or *never* true.

a) $3x - 5 = -2$

b) $2x - 3 = 5 + 2x$

c) $6x - 3(2 + 2x) = -6$

EXAMPLE 3: SOLVING A LITERAL EQUATION

Solve each formula for the indicated variable.

a) $\frac{3}{4}(y - 2) = x$; for y

b) $\frac{y - 7}{x} = x^2$; for y

c) $ax + bx - 3 = -4$; for x

d) $V = \frac{1}{3}\pi r^2 h$; for h

KEY CONCEPTS AND VOCABULARY

STEPS FOR SOLVING PROBLEMS

- Read the entire problem and identify important information
- Set up an equation
- Solve
- Check the answer

EXAMPLES

EXAMPLE 4: WRITING AND SOLVING EQUATIONS IN REAL WORLD SITUATIONS


- a) The first part of a play is 35 minutes longer than the second part. If the entire play is 155 minutes long, how long is the first part of the play? Write an equation to solve the problem.
- b) A desktop computer now sells for 15% less than it did last year. The current price is \$425. What was the price of the computer last year?
- c) Two buses leave Houston at the same time and travel in opposite directions. One bus averages 55 mi/h and the other bus averages 45 mi/h. When will they be 400 mi apart?
- d) The length of a rectangle is 3cm greater than its width. The perimeter is 24cm. What are the dimensions of the rectangle?
- e) Find four consecutive odd integers with a sum of 232.

RATE YOUR UNDERSTANDING (Using the learning scale from the beginning of the lesson)

Circle one: 4 3 2 1

SECTION 1.5: SOLVING INEQUALITIES

MACC.912.A-CED.A.1.: Create equations and inequalities in one variable and use them to solve problems

RATING	LEARNING SCALE
4	I am able to <ul style="list-style-type: none"> • solve real world problems by writing inequalities
 3	I am able to <ul style="list-style-type: none"> • solve and graph inequalities • write and solve compound inequalities
2	I am able to <ul style="list-style-type: none"> • solve and graph inequalities with help • write and solve compound inequalities with help
1	I am able to <ul style="list-style-type: none"> • understand that you can use properties of inequality and inverse operations to solve inequalities

WARM UP

You want to download some new songs on your MP3 player. Each song will use about 4 MB of space. You have 6.5 GB of 25 GB available on our MP3 player. At most, how many songs can you download? (1 GB = 1024 MB)

KEY CONCEPTS AND VOCABULARY

Inequalities can be expressed using _____.

[value 1, value 2] _____ indicate the value is included

(value 1, value 2) _____ indicate the value is NOT included

EXAMPLES

EXAMPLE 1: EXPRESSING AN INEQUALITY IN INTERVAL NOTATION

Graph and express in interval notation

a) $-2 \leq x \leq 5$



b) $-2 < x < 5$



c) $-2 < x \leq 5$



d) $-2 \leq x < 5$



e) $x > 3$



f) $x \leq 1$



KEY CONCEPTS AND VOCABULARY

WRITING AND GRAPHING INEQUALITIES			
SYMBOLS	WORDS	INTERVAL NOTATION	GRAPH
$x > 4$	x is greater than 4		
$x \geq 4$	x is greater than or equal to 4		
$x < 4$	x is less than 4		
$x \leq 4$	x is less than or equal to 4		

EXAMPLES**EXAMPLE 2: WRITING AN INEQUALITY**

Write an inequality that represents the sentence.

- a) The product of 12 and a number is less than 6.

- b) The sum of a number and 2 is no less than the product of 9 and the same number.

EXAMPLE 3: SOLVING AN INEQUALITY

Solve each inequality. Write the solution in interval notation. Graph the solution.

a) $3x - 8 > 1$

b) $3v \leq 5v + 18$



c) $7 - x \geq 24$



d) $2(y - 3) + 7 < 21$



EXAMPLE 4: DETERMINING IF AN INEQUALITY IS ALWAYS, SOMETIMES, OR NEVER TRUE

Is the inequality *always*, *sometimes*, or *never* true?

a) $-2(3x + 1) > -6x + 7$

b) $5(2x - 3) - 7x \leq 3x + 8$

c) $6(2x - 1) \geq 3x + 12$

KEY CONCEPTS AND VOCABULARY

_____ - two inequalities joined with the word *and* or the word *or*

AND means that a solution makes **BOTH** inequalities true.
OR means that a solution makes **EITHER** inequality true.

EXAMPLES

EXAMPLE 5: SOLVING COMPOUND INEQUALITIES

Solve each compound inequality. Write the solution in interval notation. Graph the solution.

a) $4r > -12$ and $2r < 10$

b) $5z \geq -10$ and $3z < 3$



c) $-2 < x + 1 < 4$

d) $3 < 5x - 2 < 13$



e) $3x < -6$ or $7x > 35$

f) $5p \geq 10$ or $-2p > 10$




RATE YOUR UNDERSTANDING (Using the learning scale from the beginning of the lesson)

Circle one: 4 3 2 1

SECTION 1.6: ABSOLUTE VALUE EQUATIONS AND INEQUALITIES

MACC.912.A-CED.A.1.: Create equations and inequalities in one variable and use them to solve problems

RATING	LEARNING SCALE
4	I am able to <ul style="list-style-type: none"> • solve real world problems by writing equations and inequalities involving absolute value
 3	I am able to <ul style="list-style-type: none"> • write and solve equations involving absolute value • write and solve inequalities involving absolute value
2	I am able to <ul style="list-style-type: none"> • write and solve equations involving absolute value with help • write and solve inequalities involving absolute value with help
1	I am able to <ul style="list-style-type: none"> • understand that an absolute value quantity is nonnegative

WARM UP

Solve each equation.

1) $6x - 6(10 - x) = 15$

2) $12x - 4 = 2(11 + x)$

KEY CONCEPTS AND VOCABULARY

_____ - the distance from zero on the number line. Written $|x|$

_____ - a solution derived from an original equation that is NOT a solution to the original equation.

STEPS TO SOLVE AN ABSOLUTE VALUE EQUATION

- Isolate the absolute value expression
- Write as two equations (set expression in the absolute value to the positive and negative - absolute value sign goes away)
- Solve for each equation
- Check for extraneous solutions

EXAMPLES

EXAMPLE 1: SOLVING ABSOLUTE VALUE EQUATIONS

Solve. Check your answers.

a) $3|x + 2| - 1 = 8$

b) $|3x + 2| = 4x + 5$

KEY CONCEPTS AND VOCABULARY

STEPS TO SOLVE AN ABSOLUTE VALUE INEQUALITY

- Isolate the absolute value expression
- Write as a compound inequality
 - $|A| < b$ or $|A| \leq b$: write the compound inequality as *AND*
 - $|A| > b$ or $|A| \geq b$: write the compound inequality as *OR*
- Solve the inequalities

EXAMPLES

EXAMPLE 2: SOLVING ABSOLUTE VALUE INEQUALITIES

Solve the inequality. Graph the solutions.

a) $|2x - 1| < 5$



b) $2|2y - 5| + 6 \geq 16$



RATE YOUR UNDERSTANDING (Using the learning scale from the beginning of the lesson)

Circle one: 4 3 2 1