Time Extended Construction F	Response (ECR) Task -	Algebra I
Standard FIF.B.6		

December 2019

Name:	Date:	
In the year 2000, a demographer predicted the estimated population of a city, which can be modeled by the function $f(x) = 5x^4 - 4x^3 + 25x + 8,000$ . Several years later, a statistician, using data from the U.S. Census Bureau, modeled the actual population with the function $P(x) = 7x^4 - 6x^3 + 5x + 8,000$ . The graphs of the function are shown.	Predicted vs. Actual Populations 12,000 9,000 8,000 1 2 3 4 5 6 7 8 9 # years since 2000	
Part A: What is the y-intercept of each function, and what does it represent?		
Part B: Identify the end behaviors of <i>f</i> and <i>P</i> .		
Part C: Compare the average rates of change of f and P from 2003 to 2005.		

Grows	Glows

Task is worth a total of 5 points.

Rubric Part A		
Score	Description	
1	Student response includes the following elements	
0	Student response is incorrect or irrelevant	

Rubric Part B		
Score	Description	
1	<ul> <li>Sample Student Response: Include behaviors for both functions f and P.</li> <li>For both functions, as x → ∞, y → ∞. The end behavior for x→ -∞ is not relevant because the graphs of both functions begin at the y-intercept, (0, 8,000)</li> </ul>	
0	Student response is incorrect or irrelevant	

Rubric Part C		
Score	Description	
3	<ul> <li>❖ Computation component = 1 point Calculating the correct rate of change for Function f</li> <li>❖ Computation component = 1 point Calculating the correct rate of change for Function P</li> <li>❖ Reasoning component = 1 point Correct comparison of the the average rate of change.</li> <li>Sample Student Response: Function P's average rate of change, approximately 1,500, is greater than f's average rate of change, which is about 1,200.</li> </ul>	
2	Student response includes 2 of the 3 elements	
1	Student response includes 1 of the 2 elements	
0	Student response is incorrect or irrelevant	

## Genesis Convert Table

Task Point	Genesis
	Score
0	55
1	59
2	69
3	79
4	89
5	100