


### 3.1 A HW DAY 0 #'s 1, 3, 9, 10

- ① EXPLANATORY VARIABLE (OR PREDICTOR VARIABLE)  
HELPS EXPLAIN OR INFLUENCE CHANGE  
AND PLOTTED ON X-AXIS IS WATER TEMPERATURE

RESPONSE VARIABLE IS PLOTTED ON Y-AXIS  
MEASURES THE OUTCOME IS WEIGHT CHANGE  
(GROWTH OF CORAL)

Water X  
temp  
EXPLANATORY VAR.

BOTH VARIABLES ARE QUANTITATIVE.



- Ⓐ A POSITIVE ASSOCIATION WOULD MEAN THAT STUDENTS WITH HIGHER IQ'S TEND TO HAVE HIGHER GPA'S. THE PLOT SHOWS A POSITIVE ASSOCIATION.

- Ⓑ THE FORM IS ROUGHLY LINEAR BECAUSE A LINE THROUGH THE SCATTER PLOT OF POINTS WOULD PROVIDE A GOOD SUMMARY.


THE STRENGTH OF THE ASSOCIATION IS MODERATELY STRONG BECAUSE MOST OF THE POINTS WOULD BE CLOSE TO THE LINE

- Ⓒ AN IQ SCORE OF THE OUTLIER IS ABOUT 103 WITH A GPA AROUND 0.5.

### 3.1 CONT

9

9



CALCULATOR

L1 = SPEED

L2 = FUEL

\* SET WINDOW TO  
PLOT

XMIN = 0

YMIN = 0

XMAX = 160

YMAX = 25

XSC = 20


YSC = 5

(b) THE FORM OF THE PLOT IS CURVED.

HIGH AMOUNTS OF FUEL WERE USED FOR LOW AND HIGH VALUES OF SPEED, AND LOW AMOUNTS OF FUEL WERE USED BY DRIVING AT MODERATE SPEEDS. THIS FORM MAKE SENSE BECAUSE LOW FUEL EFFICIENCY OCCURS IN CITY DRIVING (DRIVING AT LOW SPEEDS) AND SPEEDING ON THE HIGH WAY (DRIVING AT HIGH SPEEDS); WHILE BEST FUEL EFFICIENCY OCCURS WHEN DRIVING AT MODERATE SPEEDS.

(c) THE ASSOCIATION BETWEEN SPEED AND FUEL USED IS VERY STRONG BECAUSE IF YOU SKETCH A CURVED LINE, THERE WILL BE VERY LITTLE DEVIATION BETWEEN THE POINTS AND THE CURVED LINE

### 3.1 CONT



⑥ ALWAYS DESCRIBE ASSOCIATION IN CONTEXT  
AND INCLUDE ① DIRECTION ② FORM ③ STRENGTH

"There is a positive, linear, and moderately strong association between the women's body mass and their resting metabolic rate."



### 3.1B DAY 1 #15, 17, 21, 26, 27-32

#### Complete 3.1B Regression Internet Activity

If you were absent the activity is at the end of this packet

15

a)  $r = .9$

b)  $r = 0$

c)  $r = .7$

d)  $r = -.3$

e)  $r = -.9$

17

a) Gender is categorical. Correlation applies only to 2 QUANTITATIVE VARIABLES


b) It is impossible to have a correlation of 1.09. Correlation is between -1 and 1.

c) A correlation  $r = .23$  bushels is WRONG. CORRELATION HAS NO UNITS


21

a)  $r = .87$  means there is a strong linear association between salt content and calories of hot dogs

b)



This point is probably close to the line of best fit. Removing a point that is close to the line tends to decrease the strength of the correlation.




$r = 0$

The Correlation Coefficient  $r$  measures the strength of a LINEAR relationship between 2 QUANTITATIVE variables. The plot shows a strong relationship; however it is a nonlinear relationship between speed and mileage.


### 3.18 CONT

[27] a) the price of oil will predict price of gas  
 ↑ EXPLANATORY VAR      ↑ RESPONSE VAR

[28] e) a strong positive association because we expect when oil increases so does gas; and we believe they are strongly associated



[30] b)  $r=1$  this would be a perfect association



[31] c)  $IQ = 120 - 25$      $Reading = 0 - 10$      $C \rightarrow IQ = 124 + R = 10$

[32] d)  $r=0.5$  The association is weak to moderately strong, so the best answer is (d)

### 3.1B Regression Internet Activity

Name: \_\_\_\_\_

#### I. Guessing correlation <http://istics.net/stat/correlations/>

- There are 4 graphs, guess the value of the correlation coefficient.
- For each set, how many did you get correct?

#### Do 5 data sets:

Set #1: \_\_\_\_/4      Set #2: \_\_\_\_/4      Set #3: \_\_\_\_/4      Set #4: \_\_\_\_/4      Set #5: \_\_\_\_/4

#### II. Guessing Regression Line by Eye [http://www.ruf.nice.edu/~lane/stat\\_sim/reg\\_by\\_eye/](http://www.ruf.nice.edu/~lane/stat_sim/reg_by_eye/)

- Using the mouse, to draw a LSRL. How close you are? The MSE (which is the average squared deviation of points from the line) is displayed. Write down the MSE. You can draw another line and see if you can lower the MSE and get a better fit line. Circle the lowest MSE.
- Now click the box that draws the line of best fit. Note any surprises you notice?
- Now guess the correlation coefficient and click the box on the right hand side with your guess.
- Finally click the "show r" to get the correct value and write down below

#### Do 3 sets:

Set #1: List the MSE for the lines you drew: \_\_\_\_\_  
For the LSRL, notice any surprises? \_\_\_\_\_  
Correlation Coefficient: your guess  $r =$  \_\_\_\_\_ the correct  $r =$  \_\_\_\_\_

Set #2: List the MSE for the lines you drew: \_\_\_\_\_  
For the LSRL, notice any surprises? \_\_\_\_\_  
Correlation Coefficient: your guess  $r =$  \_\_\_\_\_ the correct  $r =$  \_\_\_\_\_

Set #3: List the MSE for the lines you drew: \_\_\_\_\_  
For the LSRL, notice any surprises? \_\_\_\_\_  
Correlation Coefficient: your guess  $r =$  \_\_\_\_\_ the correct  $r =$  \_\_\_\_\_

#### III. Regression Applet- Investigate Influential points <http://www.stat.sc.edu/~west/javahtml/Regression.html>

- At the bottom of the graph you will find the LSRL and  $r$ .
- See how adding points impacts your line. Add points by clicking on location of point.
- Write the equation (round 2 decimals) and value of  $r$  (round 3 decimals).

(Original)  $\hat{y} =$  \_\_\_\_\_  $r =$  \_\_\_\_\_

(10,200)  $\hat{y} =$  \_\_\_\_\_  $r =$  \_\_\_\_\_

(100,200)  $\hat{y} =$  \_\_\_\_\_  $r =$  \_\_\_\_\_

(200,100)  $\hat{y} =$  \_\_\_\_\_  $r =$  \_\_\_\_\_

(200,10)  $\hat{y} =$  \_\_\_\_\_  $r =$  \_\_\_\_\_

Which point(s) seem to have the greatest influence on changing the LSRL?