Chapter IV Natural Selection: or the Survival of the Fittest SUMMARY OF CHAPTER

If under changing conditions of life organic beings present individual differences in almost every part of their structure, and this cannot be disputed; if there be, owing to their geometric rate of increase, a severe struggle for life at some age, season, or year, and this certainly cannot be disputed—then, considering the infinite complexity of the relations of all organic beings to each other and to their conditions of life, causing an infinite diversity in structure, constitution, and habits, to be advantageous to them, it would be a most extraordinary fact if no variations have occurred useful to man. But if variations useful to any organic being ever do occur, assuredly individuals thus characterized will have the best chance of being preserved in the struggle for life; and from the strong principle of inheritance, these will tend to produce offspring similarly characterized. This principle of preservation, or the Survival of the Fittest, I have called Natural Selection. It leads to the improvement of each creature in relation to its organic and inorganic conditions of life; and consequently, in most cases, to what must be regarded as an advance in organization. Nevertheless, low and simple forms will long endure if well fitted for their simple conditions of life.

Natural Selection, on the principle of qualities being inherited at corresponding ages, can modify the egg, seed, or young as easily as the adult. Among many animals sexual selection will have given its aid to ordinary selection by assuring to the most vigorous and best adapted males the greatest number of offspring. Sexual selection will also give characters useful to the males alone in their struggles or rivalry with other males; and these characters will be transmitted to one sex or to both sexes, according to the form of inheritance which prevails.

Whether Natural Selection has really thus acted in adapting the various forms of life to their several conditions and stations must be judged by the general tenor and balance of evidence given in the following chapters. But we have already seen how it entails extinction; and how largely extinction has acted in the world's history, geology plainly declares. Natural Selection, also, leads to divergence of character; for the more organic beings diverge in structure, habits, and constitution, by so much the more can a large number be supported on the area – of which we see proof by looking to the inhabitants of any small spot, and to the productions naturalized in foreign lands. Therefore, during the modification of the descendants of any one species, and during the incessant struggle of all species to increase in numbers, the more diversified the descendants become, the better will be their chance of success in the battle for life. Thus the small differences distinguishing varieties of the same species steadily tend to increase, till they equal the greater differences between species of the same genus, or even of distinct genera.

We have seen that it is the common, the widely diffused and widely ranging species belonging to the larger genera within each class which vary most; and these tend to transmit to their modified offspring that superiority which now makes them dominant in their own countries. Natural Selection, as has just been remarked, leads to divergence of character and to much extinction of the less improved and intermediate forms of life. On these principles, the nature of the affinities, and the generally well-defined distinctions between the innumerable organic beings in each class throughout the world, may be explained. It is a truly wonderful fact – the wonder of which we are apt to overlook from familiarity – that all animals and all plants throughout all time and space should be related to each other in groups, subordinate to groups, in the manner which we everywhere behold – namely, varieties of the same species most closely related, species of the same genus less closely and unequally related, forming sections and subgera, species of distinct genera much less closely related, and genera related in different degrees,

forming subfamilies, families, orders, subclasses, and classes. The several subordinate groups in any class cannot be ranked in a single file, but seem clustered round points, and these round other points, and so on in almost endless cycles. If species had been independently created, no explanation would have been possible of this kind of classification; but it is explained through inheritance and the complex action of Natural Selection, entailing extinction and divergence of character, as we have seen illustrated in the diagram.

The affinities of all the beings of the same class have sometimes been represented by a great tree. I believe this simile largely speaks for the truth. The green and budding twigs may represent existing species, and those produced during former years may represent the long succession of extinct species. At each period of growth all the growing twigs have tried to branch out on all sides, and to overtop and kill the surrounding twigs and branches, in the same manner as species and groups of species have at all times

+ (a) http://speakingstaits.publ File Eck View Favories Tools Help langir 🔂 Speding of Fall potter. 📲 än + 🎓 🔂 🔹 🖕 Baskankan 👰 Blackart 🐡 Dack - 🔥 Auslank -🏠 • 🔯 · 🕸 • 🖓 Page • 🗿 Tools • 🗳 👩 Eyoletian and Wonder. Understanding Dharles Dawin I., Spend time with More to the Story friends and family I thank <u>Esten (mp0, Sc19)</u> to David Kohn provide an introduction to Darwin's tree of life sketch and his · Have smart Avoid the noise Image transcription -+ of other sites. 11 (think Case must be that one parenation then this & to have many specie genus (as is). REQUIRES ca Join Gathern Thus between X. & B. Unimens pap of relation. C & B. the froest gradation, B & D rather greater distriction Thus genera would be formed.— bearing ß - 400 00 Aster if each spectra en end of making, 13 recent fo the cont ulter C+B.IL Support Speaking of o keep - With presetin, B+D greater hitades uno he 414 S 🐮 Start 📉 Novel Gouphrise - 4P 🛛 🕷 Drates Darwo - Viccosoft. 📝 Evolution and Wood. Exclusion and Warder Understanding Choice (Lower) Nachtal Antient (Using, X(19)) to clavel Atably provide an introduction to Carver's tree of Me skeech and his private bolishocks; Libra A 13 man, En + ulitan C+B. Th fint putito, 3 + D with presto bitadem phould be as more thing as non-To-do-this & to-have many species in rame genue (as is). Algorithic estinction. perme unto be Join Gather een A. & B. Immeric gap of A. B. the Rivert predetion, B.8.0 +- +++ 0 T (70 3 95 P N 2 4)

overmastered other species in the great battle for life. The limbs divided into great branches, and these into lesser and lesser branches, were themselves once, when the tree was young, budding twigs; and this connection of the former and present buds by ramifying branches may well represent the classification of all extinct and living species in groups subordinate to groups. Of the many twigs which flourished when the tree was a mere bush, only two or three, now grown into great branches, yet survive and bear the other branches; so with the species which lived during long-past geological periods, very few have left living and modified descendants. From the first growth of the tree, many a limb and branch has decayed and dropped off; and these fallen branches of various sizes may represent those whole orders, families, and genera which have now no living representatives, and which are known to us only in a fossil

state. As we here and there see a thin, straggling branch springing from a fork low down in a tree, and which by some chance has been favored and is still alive on its summit, so we occasionally see an animal like the Ornithorhynchus or Lepidosiren, which in some small degree connects by its affinities two large branches of life, and which has apparently been saved from fatal competition by having inhabited a protected station. As buds give rise by growth to fresh buds, and these, if vigorous, branch out and overtop on all sides many a feebler branch, so by generation I believe it has been with

the great Tree of Life, which fills with its dead and broken branches the crust of the earth, and covers the surface with its ever-branching and beautiful ramifications.

(1859)

Darwin, Charles. "Natural Selection: or the Survival of the Fittest." Origin of Species. 6th ed. 1872.

2008. Internet Sacred Text Archive. 14 Apr. 2009 < http://sacred-

texts.com/aor/darwin/origin/or04.htm>.