

Chemistry 512 Review Questions for Final Exam

Name: Answer Key

1. Give a list of different forms of energy. Separate by Potential & Kinetic.

stored / energy movement
 Chemical Bonds Wind
 ex. Paraffin wax Ball rolling down a hill
 Ball sitting on top of a hill mechanical energy

2. A student measured the density of aluminum to be the following results:
- Physical property

2.69 g/ml

2.71 g/ml

2.72 g/ml

2.68 g/ml

(expected value)

The accepted value of the density of aluminum is 2.70 g/ml

Choose the correct comment of the student's precision and accuracy.

a. The student is not precise, but is fairly accurate.

☒ b. The student is precise and fairly accurate.

c. The student is not precise and not accurate.

d. The student is precise and not accurate.

3. Using the last value (2.68 g/ml) find the % error of the measurement above in #2.

$$\frac{2.68 - 2.7}{2.7} = -0.77\%$$

$$= \frac{\text{observed} - \text{expected (accepted)}}{\text{expected (accepted)}} \times 100$$

Given in Reference table

4. a) What is a control in an experiment?

- Basis of comparison
 - contains constants, but no variables

- b) What type of controls should be used in the water testing lab that tests the quality of Scarsdale water supply?

Distilled water (pure water)



5. a) List the different types of glassware that we have used in Chemistry.

Erlenmeyer flask, Beaker, test tubes, buret, graduated cylinder

quantity of solution

measure of concentration of acid or base

- b) What should you do if you broke a glass beaker in the lab?

Report to teacher, get dust pan and broom, put in Broken glass bin

Factor-label Method $\frac{\text{Given}}{1} \times \frac{\text{unit to be found}}{\text{unit to be canceled}} =$

6. In France, if you wanted 5 gallons of gasoline, how many liters should you ask for at the gas station? (1 gal = 3.78 L)


a. 18.9 L b. .756 L c. 189 L d. 7.56 L

$$\frac{5 \text{ gal}}{1} \times \frac{3.78 \text{ L}}{1 \text{ gal}} = 18.9 \text{ L}$$

7. If the mass of a substance is determined to be 2000 milligrams (mg), then how much is it in grams (g)?

a. 200
b. 20
c. 2
d. 0.2

$$\frac{2000 \text{ mg}}{1} \times \frac{1 \text{ g}}{1000 \text{ mg}} = 2 \text{ g}$$



8. A student added 2 tablespoons of sand, 1 tablespoon of salt, and $\frac{1}{2}$ tablespoon of iron filings to 250 mL of water. Describe how you would separate each of these substances from the mixture.

A) Filter sand and iron filings from salt water
B) Evaporate water from salt
C) Use magnet to separate iron filings from sand.

MEMORIZE Atomic number = proton number
Mass = proton # + neutron #

9. Which of the following is the definition of an isotope?

a. atoms that have different proton numbers
b. atoms that have different electron numbers
c. atoms that have different neutron numbers
d. atoms that have different atomic numbers

$$\text{Mass \#} - \text{Atomic \#} = \# \text{ of neutrons}$$

Protium, Deuterium, Tritium
 ^1_1H , ^2_1H , ^3_1H

10. The chemical symbol, Ni, represents which of the following elements?

a. Nitrogen - N
b. Neon - Ne
c. Sodium - Na
d. Nickel

Same atomic #, same element

11. The atomic number represents:

a. amount of neutrons
b. amount of protons
c. amount of protons plus neutrons
d. amount of electrons

12. The mass number represents:

a. amount of neutrons
b. amount of protons
c. amount of protons plus neutrons
d. amount of electron

substance reacts with another substance

property based on amount

13. When mass changes based on the amount of substance that you have, this is a


- a. Chemical intensive property b. Chemical extensive property
c. Physical intensive property d. Physical extensive property

observable property without reference to another substance

14. The definition of density is:

- a. Weight of an object
b. Mass per unit volume
c. Volume of an object
d. Volume multiplied by the mass

$$\text{Density} = \frac{\text{mass (g)}}{\text{Volume (mL)}}$$




15. Complete the chart.

ELEMENT	# PROTON +	# ELECTRONS -	# NEUTRONS 0	MASS #	SYMBOL	BOHR MODEL
Potassium	19	19	20	39	K	

16. The shape of a water molecule is:

- a. Linear
b. Bent
c. U-shaped
d. circular

δ^- = delta (partially) Polar Covalent Bond




Polar molecule


17. Which is most responsible for water molecules sticking together?

- a. Covalent bonds - Share electrons
b. Ionic bonds - Positive ions attracted Negative Ions
c. Hydrogen bonds
d. Van der Waals forces

Weak forces



CaCl₂ dissolves in H₂O



18. Define the following:

- A) Element - a substance made up of the same atoms, pure substance ex. Au, Cl₂, C, Br₂, I₂, N₂, H₂O, F.
B) Compound - a substance made up of 2 or more elements in a fixed proportion ex. H₂O, CO₂, NaCl
C) Homogeneous Mixture - 2 or more substances together mixed evenly throughout ex. salt in water, sugar in water
D) Heterogeneous Mixture - 2 or more substances together, but not evenly mixed throughout ex. sand in water, iron filings & sand.
E) Substance - Element's mixture or a compound, it is not a mixture.

MEMORIZE

19. Which of the following is not a characteristic of a metal?

- a. It is malleable - **sheet**
 b. It has metallic luster
 c. It is ductile - **wire**
 d. It is brittle (nonmetal)

shiny, malleable, conducts electricity, must be a solid at room temperature except Hg.

MEMORIZE

20. When water changes from ice to liquid water, this is known as:

- a. Boiling $L \rightarrow G$
 b. Freezing $L \rightarrow S$
 c. Melting $S \rightarrow L$
 d. Condensation $G \rightarrow L$

evaporation
solidification

MEMORIZE

sublimation $S \rightarrow G$


21. When a substance is observed undergoing oxidation in air, what type of change is this?

- a. Physical
 b. Chemical
 c. Nuclear (nucleus breaks down)
 d. Emotional

lose electrons

22. When stored energy is available within a chemical compound, this type of energy is known as:

- a. Potential energy - **Chemical bond**
 b. Kinetic energy - particle movement
 c. Electrical energy - e^- movement
 d. None of the above




23. The 1st column on the Periodic table represents _____.

- a. Halogens - 17TH
 b. Noble gases - 18TH
 c. Alkaline earth metals - 2nd
 d. Alkali metals - 1st


MEMORIZE
 Synthesis Reaction $A + B \rightarrow AB$
 Decomposition Reaction $AB \rightarrow A + B$
 Single Replacement Reaction $A + BC \rightarrow AC + B$
 Double Replacement Reaction $AB + CD \rightarrow AD + CB$
 Combustion Reaction $CH + O_2 \rightarrow CO_2 + H_2O$

24. Fill in any missing substances, balance the reaction and determine the type.



Type of Reaction:

Combustion Reaction




MEMORIZE

Type of Reaction:

Single Replacement Reaction

Exothermic
 $\Delta H = - J$

~~Br~~



Ionic Compound

25. Fill in the missing information.

Positively charged ions
firstNegatively charged ions
second

PRACTICE USE COMMON IONS TABLE

Compound	Symbol and charge for + ion	Symbol and charge for - ion	Number of each type of ion (Write the ion and the number of that ion in the formula)	English Name for the compound
1) Fe_2O_3 <i>criss cross up</i>	Fe^{3+}	O^{2-}	$\frac{2 \text{ Fe ions}}{3 \text{ O ions}}$	<i>-ide ending</i> Iron (III) oxide
2) CaS <i>ratio 2:2 = 1:1</i>	Ca^{2+}	S^{2-}	$\frac{1 \text{ Ca ion}}{1 \text{ S ion}}$	Calcium Sulfide
3) $\text{Ca}(\text{NO}_3)_2$	Ca^{2+}	NO_3^{1-} <i>criss cross down</i>	$\frac{1 \text{ Ca ion}}{2 \text{ NO}_3 \text{ ions}}$	Calcium Nitrate

26. The amount of electrons that are found in the outermost shell (principal energy level) is known as:

- a. Protons
b. Ions - charged particles
c. Atomic Number
d. Valence electrons

MEMORIZE

Br

27. What is the electron configuration of Bromine?

from Periodic Table

- a. 2-8-18-7
b. 2-3
c. 2-2
d. 2-8-18

Molecular Compounds

Carbon Monoxide - CO
Carbon Dioxide - CO₂
Dinitrogen Trioxide - N₂O₃
Carbon Tetrachloride - CCl₄

28. Fill in the prefixes for the IUPAC names.

NM + NM

One	Mono
Two	Di
Three	Tri
Four	Tetra


PRACTICE

— contains carbon + hydrogen

29. Fill in the organic prefixes for the following Alkanes.

 $\text{C}_n\text{H}_{2n+2}$

CH ₄	Methane	C ₆ H ₁₄	Hexane
C ₂ H ₆	Ethane	C ₇ H ₁₆	Heptane
C ₃ H ₈	Propane	C ₈ H ₁₈	Octane
C ₄ H ₁₀	Butane	C ₉ H ₂₀	Nonane
C ₅ H ₁₂	Pentane	C ₁₀ H ₂₂	Decane




30. What is the percent composition of Na in the compound NaBr?

SHOW WORK

Atomic masses

$$\frac{23\text{g}}{103\text{g}} \times 100 = 22\%$$



31. Determine the Gram Molecular Mass or the Gram Formula Mass for CaBr_2 .

SHOW WORK


Atomic masses

Factor-Label Method

$$40\text{g/mol} \times 1\text{mol Ca} = 40\text{g}$$

$$80\text{g/mol} \times 2\text{mol Br} = 160\text{g}$$

$$1\text{mole CaBr}_2 = 200\text{g/mole}$$



$$\text{Total - GFH } 200\text{g/mol}$$

PRACTICE


32. Determine the amount of grams for 5.6 moles of C_2H_4 .

SHOW WORK

Atomic Masses

$$\frac{\text{Given}}{1} \times \frac{\text{unit to find}}{\text{unit to cancel}} =$$

$$\frac{5.6\text{ moles}}{1} \times \frac{28\text{g}}{\text{mole}} = 156.8\text{g C}_2\text{H}_4$$



33. Determine the amount of moles for 79.3 grams of Cl_2 .

SHOW WORK

Atomic Mass




$$\frac{\text{Given}}{1} \times \frac{\text{unit to be found}}{\text{unit to be canceled}} = \frac{79.3\text{g}}{1} \times \frac{1\text{mol}}{71\text{g}} = 1.1\text{mol}$$

34. Which of the following indicators turn pink when it is put into a basic solution?


- a. Universal indicator different colors (acid + base indicator)
- b. BTB blue $\rightarrow$ green or yellow (acid indicator)
- c. Phenolphthalein clear $\rightarrow$ pink (base indicator)
- d. All of the above

MEMORIZE



35. When a substance has a pH of 14, it is considered to be which of the following?

- a. Weak acid
- b. Weak base
- c. Strong acid
- d. Strong base



36. When a substance is neutral, it will have a pH of:


- a. 1
- b. 3
- c. 7
- d. 10

MEMORIZE

Cation = positive ion Anion = negative ion

37. When solution has a pH of 3, which of the following ions does it have a lot dissolved in it?

- a. Hydrogen ions
- b. Hydroxide ions
- c. Anions
- d. OH⁻ ions



38. If it takes 30 mL of 0.5 NaOH to neutralize 120 mL of an HCl solution, what is the concentration of the HCl?

Base → ← Acid

(M_aV_a = M_bV_b) — Volume base

Molarity acid Volume acid Use Buret to neutralize acid

PRACTICE

$$M_a \times 120 \text{ mL} = 0.5 \text{ M} \times 30 \text{ mL}$$

$$M_a \times 120 \text{ mL} = 15$$

$$M_a = 0.125 \text{ M}$$

Molarity = $\frac{\text{moles}}{\text{Liter}}$
(M)

39. If it takes 15 mL of 0.25 M HCl to neutralize 250 mL of NaOH solution, what is the concentration of the NaOH solution?

(M_aV_a = M_bV_b)

$$0.25 \text{ M} \times 15 \text{ mL} = M_b \times 250 \text{ mL}$$

$$3.75 = M_b \times 250 \text{ mL}$$

$$0.015 \text{ M} = M_b$$

40. List 2 government agencies that monitor the quality of our water and their acronym.

DEP - Department of Environmental Protection
 FDA - Food & Drug Administration
 EPA - Environmental Protection Agency
 NYS DOH - New York State Department of Health

41. A) Start at a location in Upstate NY, describe the path of water being delivered to New York City.

Catskill Mountain - Reservoir Screen, Disinfect with chlorine
 ↓ ← and add Fluorine for teeth
 Westchester
 ↓
 N.Y.C.

B) Who treats the water for Scarsdale?

Reeves Newsom Water Supply Station

42. List one thing the DEP monitors and how they protect the water quality within the watersheds that supply New York City with its water.

DEP monitors Organic + Inorganic Contaminants
 1) Enforce Watershed Rules + Regulations
 2) Acquire + Protect Watershed lands
 3) Implement programs that target specific sources of pollution.

43. Toxic Metal Ions

Use the following table below.

Ion	Concentration Six Months Ago (ppm)	Present Concentration (ppm)	EPA Limit for Freshwater Aquatic Life (ppm)	EPA Limit for Humans (ppm)
Arsenic (As)	0.0002	0.0002	0.44	0.05
Cadmium (Cd)	0.001	0.001	0.0015	0.01
Lead (Pb)	0.01	0.02	0.074	0.05
Mercury (Hg)	0.0004	0.0001	0.0041	0.05

a) Which ions stayed the same in concentration for the past six months? Arsenic + Cadmium

b) Which ion increased in concentration for the past six months? Lead

c) What are the effects of heavy metal poisoning, such as lead and mercury, on the human body?

Lead - affects the nervous system

Mercury - affects the nervous system

44. If an element's oxidation state goes from 0 to -1 then it is considered to have undergone which of the following processes:

- a. reduction
- b. oxidation
- c. galvanic corrosion
- d. all of the above

LEO the lion says GER
 L: oxidation / lose electron
 G: reduction / gain electron

redox - reduction and oxidation

MEMORIZE

45. How much water exists on earth in the form of freshwater?

- a. 100 %
- b. 6 %
- c. 3 %
- d. 1 %



46. How much water is considered clean and unpolluted so that it is drinkable?

- a. 10 %
- b. 6 %
- c. .6 %
- d. .005 %

47. a) Write the oxidation states above each element in the chemical reaction below.

PRACTICE

b) Identify which of the element is undergoing oxidation and which element is undergoing reduction in the chemical reaction below.



Half reaction



lose e^- oxidation (reducing agent)
gains e^- reduction (oxidizing agent)

48. Explain how a battery is similar to a Voltaic cell.

Voltaic cell has cathode + anode separately while a battery has cathode + anode put together as one. Both have a reaction of oxidation (anode) and reduction (cathode)

49. Determine whether the solution is saturated, unsaturated, or supersaturated in the following statements.

Use the Solubility Curves Graph

Table G

PRACTICE

a. 60 g of NH_4Cl / 100g H_2O at $70^\circ C$

unsaturated (below the line)

62g of $NaCl$ / 100g H_2O at $70^\circ C$

Saturated (on the line)

68g of NH_4Cl / 100g H_2O at $70^\circ C$

supersaturated (above the line)


b. 50g of KNO_3 / 50g of H_2O at $50^\circ C$

supersaturated (above the line)

↑ Temp Solubility of solid
↑ Temp Solubility Gas ↓


50. If a saturated solution of NH_3 in 100 grams of H_2O at $20^\circ C$ is heated to $50^\circ C$ where the

solution is once again saturated, how much NH_3 will precipitate out of the solution? SHOW WORK



difference 27g NH_3 precipitates out

51. If a solution of $NaNO_3$ contains 90 g/100g at $50^\circ C$, how much more must be added to saturate the solution? SHOW WORK



52. What is the concentration in parts per hundred of a solution that has 35 grams of $NaCl$ getting dissolved into 65 grams of H_2O ? (This is also the percent concentration)

SHOW WORK

$$\frac{\text{solute}}{\text{solution}} = \frac{35g}{35g + 65g} = \frac{35g}{100g}$$

$$\frac{35g}{100g} \times 100 = 35\%$$

or 35pph

53. What is the concentration of the solution that has 75 g of KI dissolved into 25 g of H₂O in parts per hundred and parts per million? SHOW WORK

$$\frac{75g}{75g+25g} = \frac{75g}{100g} = 75 \text{ ppb}$$

$$\frac{75g}{100g} = \frac{x}{1,000,000g}$$



$$x = 750,000 \text{ ppm}$$

54. Energy due to motion is called:

- a. Potential energy
- ☒ b. Kinetic energy
- c. Bond energy
- d. Heat energy


55. For an endothermic process, the reactants are of _____ potential energy (than/as) the products.

- a. Higher
- ☒ b. Lower
- c. The same
- d. Depends on the process



56. Analyze the following Potential Energy diagram.

Make sure to practice making Potential Energy graph.



Answer the following short answer questions based on the Potential Energy diagram.

a) Does the graph represent an exothermic or endothermic reaction?

Endothermic

b) Determine ΔH for this reaction. Products energy - Reactants energy = 50 kJ

c) Determine the Activation energy = E_{act} for this reaction.

Highest point - Reactants energy = 200 kJ

57. If 3770g of water is heated from 22.0°C to 88.0°C , how much heat energy in joules is absorbed?

(specific heat of water = $4.184 \text{ J/g}^\circ\text{C}$)

$$Q = m \cdot c \cdot \Delta T$$

$$Q = 3770 \text{ g} \times 4.184 \text{ J/g}^\circ\text{C} \times (88^\circ\text{C} - 22^\circ\text{C})$$

$$= 3770 \text{ g} \times 4.184 \text{ J/g}^\circ\text{C} \times 66^\circ\text{C}$$

$$= 1,041,062 \text{ J}$$



$$= 1,041 \text{ kJ}$$

$$1000 \text{ J} = 1 \text{ kJ}$$

$$1,041,062 \text{ J} =$$

$$1,041 \text{ kJ}$$

58. Nuclear equations show transmutations of one kind of nucleus into another. Complete and balance the equations for the following nuclear transmutations.



Periodic Table $\rightarrow$ based on Atomic #

59. What mass of I-131 remains from a 60 g sample after 40 days? Half-Life is 8 days. SHOW WORK

Given I-131 - half-life 8.07 days
Original amount = 60 g
Total time = 40 days
 $\frac{40 \text{ days}}{8 \text{ days}} = 5 \text{ half-lives}$
60g $\xrightarrow{1}$ 30g $\xrightarrow{2}$ 15g $\xrightarrow{3}$ 7.5g $\xrightarrow{4}$ 3.75g $\xrightarrow{5}$ 1.875g

60. The half-life of radioisotope is 15 days. What mass remains from a 100 g sample after 45 days?

SHOW WORK

Half-life = 15 days

$\frac{45 \text{ days}}{15 \text{ days}} = 3 \text{ half-lives}$

PRACTICE

Original amount = 100g
Total time = 45 days

100g $\xrightarrow{1}$ 50g $\xrightarrow{2}$ 25g $\xrightarrow{3}$ 12.5g

61. A device for controlling nuclear fission and creating energy is known as a Nuclear Power Plant.

62. Control Rods regulate the number of neutrons available by absorbing them.

63. In order to generate electricity within a nuclear power plant, steam rotates a Turbine.

64. How could we define a resource? Something that we use

65. a) What is a **nonrenewable** resource? A resource that is limited and cannot be made again

Recycling is required to limit the amount of use.

b) Name two nonrenewable resources.

Oil

Water $\leftarrow$ renewable resource due to Water Cycle

Trees $\leftarrow$ takes years to grow back


66. a) What is a renewable resource?

It can form again.
It is sustainable

b) Name two renewable resources.

Water
Wind
Geothermal


67) Identify each of the pieces of equipment below and its purpose.




Volumetric flask



Beaker




Erlenmeyer flask



Funnel



Burette



Graduated Cylinder

66. a) What is a renewable resource?

Something that can be made again or unlimited supply

b) Name two renewable resources.

Sun, Wind, Water
 ↓ ↓ ↓
 Solar Wind Hydropower
 Geothermal

67. Describe a Nuclear Power Plant. Compare and contrast it with a sustainable energy power producing plant. List the positives vs. the negatives between the two energy producing plants.

Nuclear Power Plant produces energy from nuclear fission ex. Uranium-238
 negatives - produces radioactive waste, nuclear meltdown, pollution (heating of nearby lakes or streams)
 positives - thermal provides a lot of energy, it doesn't use up radioactive material too quickly

Solar Energy produces energy from capturing solar rays
 negatives - it isn't always reliable, it must be located in sunny areas, it is expensive
 positives - it is not sustainable, it doesn't produce wastes, no pollution

68. Identify each of the pieces of equipment below and its purpose.



Erlenmeyer flask



Beaker



Graduated Cylinder



Buret