

NEW BOSTON SCHOOL DISTRICT

JLCEA

USE OF AUTOMATED EXTERNAL DEFIBRILLATOR(S)

The Board has acquired/purchased an Automatic External Defibrillator(s) (AED) for use in emergency situations warranting its use. The use/administration/maintenance of the AED is subject to the following conditions:

- **Location of the AED (s)**
The Superintendent, working with the building Principal and school nurse, shall select and approve the location(s) for the AED(s).
- **Authorized Employees/Training of Users**
AED(s) will only be administered by those employees designated by the Principal, in consultation with the school nurse. Employees will only be authorized after they have successfully received and completed appropriate training in cardiopulmonary resuscitation and AED use, provided by the school nurse or his/her designee, or from another source acceptable to the school nurse.
- **Maintenance**
AED(s) will be maintained by the school nurse, or his/her designee. Maintenance shall be done according to the AED manufacturer's specifications. The school nurse will maintain a record of all maintenance which has been performed on the AED(s).
- **Registration of AED(s)**
In accordance with RSA 153-A:33, the school nurse, or his/her designee, shall register the AED(s) with the New Hampshire Department of Safety. See sample registration forms in Appendix JLCEA-R or at www.state.nh.us/safety/ems/aed_public_registry_packet.pdf.
- **Incident Reporting**
The District, and persons administering the AED(s), shall enjoy the limitations of liability as specified in RSA 153:A-31, as well as other sources of law.

All employees of the District are expected to comply with the administration of this policy. Any violation of this policy shall constitute grounds for disciplinary action, up to and including termination of employment.

Legal References:

RSA 153-A:28-33, Automated External Defibrillation

Further Information: State of NH, Bureau of Emergency Medical Services, 271-4568

Proposed: 10/12/04

NHSBA Review: 01/23/14

Adopted: 11/09/04

PRC Review: 07/12/17