Lesson 8

Objective: Count the total value of \$1, \$10, and \$100 bills up to \$1,000.

Suggested Lesson Structure

- ☐ Fluency Practice (8 minutes)
- ☐ Application Problem (8 minutes)
- Concept Development (34 minutes)
- Student Debrief (10 minutes)

Total Time (60 minutes)

Fluency Practice (8 minutes)

- Mixed Counting with Ones, Tens, and Hundreds from 1,000 to 0 2.NBT.2 (5 minutes)
- Doubles 2.OA.2 (1 minute)
- Related Facts Within 20 2.OA.2 (2 minutes)

Mixed Counting with Ones, Tens, and Hundreds from 1,000 to 0 (5 minutes)

Materials: (T) Bundle of one hundred, one ten, and a single stick from Lesson 1

T: Let's play Mixed Counting using what we know about counting by ones, tens, and hundreds. I'll hold bundles to show you what to count by. A bundle of 100 means count by hundreds, a bundle of 10 means count by tens, and a single stick means count by ones.



Lesson 8: \$1,000.







- T: Let's start at 1,000 and count down. Ready? (Hold up a bundle of 10 until students count to 940. If necessary, create visual support with the difficult language of these numbers by writing them on the board as students count.)
- S: 990, 980, 970, 960, 950, 940.
- T: (Hold up a bundle of 100 until students count to 540.)
- S: 840, 740, 640, 540.
- T: (Hold up a bundle of 10 until students count to 500.)
- S: 530, 520, 510, 500.
- T: (Hold up a single one until students count to 495.)
- S: 499, 498, 497, 496, 495.
- T: (Hold up a ten until students count to 465.)
- S: 485, 475, 465.

Continue, varying practice counting with ones, tens, and hundreds down to zero.

Doubles (1 minute)

- T: I'll say a doubles fact. You tell me the answer. Wait for my signal. Ready?
- T: 5 + 5.
- S: 10.
- T: 3 + 3.
- S: 6.
- T: 6 + 6.
- S: 12.
- T: 1+1.
- S: 2.
- T: 4 + 4.
- S: 8.
- T: 9 + 9.
- S: 18.
- T: 2 + 2.



Lesson 8: \$1,000.







- S: 4.
- T: 10 + 10.
- S: 20.
- T: 8 + 8.
- S: 16.
- T: 7 + 7.
- S: 14.

Related Facts Within 20 (2 minutes)

- T: I say, "10 6." You say, "6 + 4 = 10." Wait for my signal. Ready?
- T: 8-3.
- S: 3 + 5 = 8.
- T: 13 7.
- S: 7 + 6 = 13.
- T: 11 8.
- S: 8 + 3 = 11.
- T: 15 9.
- S: 9 + 6 = 15.

Continue in this manner for two minutes.



OF ACTION AND EXPRESSION:

"Pretend Partner A is the parent, and Partner B is the child. Partner B, explain to your parent in your own words what Valeria just shared with the class."



Lesson 8: \$1,000.





This type of exchange gives students the opportunity to process key information. The language and thinking of the child who makes the original statement provides support for others. The process of reformulating the idea helps solidify understanding, and verbalizing it helps students clarify and internalize it.

Application Problem (8 minutes)

Stacey has \$154. She has 14 one-dollar bills. The rest is in ten-dollar bills. How many ten-dollar bills does she have?

- T: Let's read this problem together.
- T: Think for a moment, and then discuss with your partner: How does this problem relate to what we've been studying over the past several lessons? What similarities do you notice?
- S: Money comes in tens and ones, too.

 We've been learning about hundreds, tens, and ones, and money is just like that. A ten-dollar bill is like a bundle of ten. ☐ It's units of a hundred, ten, and one, just like with the straws. It's like the place value chart but with money instead of numbers.
- T: How can making this connection help you solve the problem? Talk it over with your partner, and use what you've learned to solve. (Circulate and listen for discussions that rely on unit form, expanded form, and exchanging units to solve.)
- S: I know 154 is 1 hundred 5 tens 4 ones. Stacey has 14 ones, and that's the same as 1 ten 4 ones. So, she needs 10 tens to make the hundred and 4 more tens to make 5 tens. She already has 4 ones. 10 tens plus 4 tens is 14 tens.
- T: Outstanding reasoning, Valeria!
- T: Pretend Partner A is the parent and Partner B is the child. Partner B, explain to your parent in your own words what Valeria just shared with the class. Use words, numbers, and pictures to help your



MP.2

Lesson 8: \$1,000.







parent understand. Then, switch roles. (Allow students a few minutes.)


- T: How many ten-dollar bills does Stacey have?
- S: 140. 14 ten-dollar bills.
- T: I like the way many of you said the unit as part of your answer. It helps us be clear about whether we're answering the question correctly.
- T: Reread the question.
- S: How many ten-dollar bills does she have?
- T: Does Stacey have 140 ten-dollar bills?
- S: No.
- T: Always check to be sure your answer makes sense. That's why it's important to answer the question with a statement. The question is not how much money does she have. It's how many ten-dollar bills does she have.
- T: So, how many ten-dollar bills does Stacey have? Give me a complete sentence.
- S: Stacey has 14 ten-dollar bills.
- T: Good! Please add that statement to your paper.

Concept Development (34 minutes)

Materials: (S) Personal white board, unlabeled hundreds place value chart (Template), 10 one-dollar bills, 10 ten-dollar bills, and 10 hundred-dollar bills (put money in a small resealable bag "wallet" with the ones in the front, tens in the middle, and hundreds in the back)

Part A: Counting by 1 Dollar up to \$124 (6 minutes)

Note: Have students slide the place value chart template inside their personal white boards. Guide them to place 10 bills of each denomination above each column (pictured). Explain that the place value chart is unlabeled because the value is shown on each bill. Students encounter this again when they work with place value disks in Topic E.



Directions:

- 1. Count up to \$124 by one-dollar bills on your place value chart.
- 2. When you get 10 one-dollar bills, change them for 1 ten-dollar bill.



Lesson 8: \$1,000.








- 3. When you have 10 ten-dollar bills, change them for 1 hundred-dollar bill.
- 4. Whisper count the value of your money as you go.
- 5. Each time you make a change, let the other partner handle the money.
- T: How is counting up to \$124 with money bills different from counting up to 124 with bundles?
- S: With straws, we could just get a rubber band. \(\Bar{\}\) With straws we bundled, but with money we changed 10 ones for 1 ten. ☐ Yeah, we got a different bill from our wallet. ☐ The 10 ten-dollar bills got changed for 1 hundred-dollar bill. 🛘 It was a trade, 10 things for 1 thing. 🖛 The hundred-dollar bill has a greater value, but it doesn't show.

Part B: Manipulating the Value of 10 Bills (6 minutes)

- T: Partner A, put 5 one-dollar bills in a row horizontally across your desk.
- T: Partner B, express the value of the money using this sentence frame. "The value of ____ dollar bills is ____."



- T: Partner B, put another row of 5 one-dollar bills directly below the first row.
- T: Partner A, express the new value of the money.
- S: The value of 10 one-dollar bills is \$10.
- T: Partner A, change the 2 one-dollar bills on the far left for 2 ten-dollar bills.
- T: Partner B, express the value of the money.
- S: The value of 2 ten-dollar bills and 8 one-dollar bills is \$28.
- T: Partner B, write the value of the money in expanded form on your personal white board.
- S: (Write \$20 + \$8 = \$28.)
- T: Show me.
- S: (Show the expanded form.)
- T: Partner B, change the next 2 one-dollar bills on the left for 2 ten-dollar bills.





Lesson 8: Count the total value of \$1, \$10, and \$100 bills up to \$1,000.









Speaking and writing simultaneously is a powerful combination, giving students multi-modal input: oral, auditory, and kinesthetic. Whispering adds mystery and is therefore engaging. Circulate and listen intently to the math content in the students' speech. Encourage partners to listen intently, too.

- T: Partner A, express the value of the money.
- The value of 4 ten-dollar bills and 6 one-dollar bills is
- T: Partner A, write the value of the money in expanded form.
- S: (Write \$40 + \$6 = \$46.)
- T: Show me.
- S: (Show the expanded form.)
- T: Partner A, change 6 one-dollar bills to 6 ten-dollar bills.
- T: Partner B, express the value of the money.
- The value of 10 ten-dollar bills is \$100.

Part C: Hundred-, Ten-, and One-Dollar Bills (11 minutes)

- T: Show me \$64.
- T: Partner A, change the 2 ten-dollar bills on the left to 2 hundred-dollar bills.
- T: What is the new value?
- S: The value of 2 hundred-dollar bills, 4 ten-dollar bills, and 4 one-dollar bills is \$244.
- Write the value of the money in expanded form. T:
- S: (Write \$200 + \$40 + \$4 = \$244.)
- T: Show me.
- (Show the expanded form.)



Lesson 8: \$1,000.







- T: Partner B, change 1 ten-dollar bill on the left to 1 hundred-dollar bill.
- T: What is the new value?
- S: The value of 3 hundred-dollar bills, 3 ten-dollar bills, and 4 one-dollar bills is \$334.
- T: Write the value of the money in expanded form.
- S: (Write \$300 + \$30 + \$4 = \$334.)
- T: Show me.
- S: (Show the expanded form.)

Continue as above using the following sequence:

- From \$334, change 3 tens to 3 hundreds. (The new amount is \$604.)
- From \$604, change 4 ones to 4 tens. (The new amount is \$640.)
- From \$640, change 2 tens to 2 hundreds. (The new amount is \$820.)
- From \$820, change 1 ten to 1 one. (The new amount is \$811.)
- From \$811, change 1 ten to 1 one. (The new amount is \$802.)
- From \$802, change 2 ones to 2 hundreds. (The new amount is \$1,000.)

Problem Set (11 minutes)

Students should do their personal best to complete the Problem Set within the allotted 11 minutes. For some classes, it may be appropriate to modify the assignment by specifying which problems they work on first. Some problems do not specify a method for solving. Students should solve these problems using the RDW



Lesson 8: Cou \$1,000.









approach used for Application Problems.

NYS COMMON CORE MATHEMATICS CURRICULUM





EUREKA

Lesson 8: \$1,000.

Count the total va

(cc) BY-NC-SA

his work is licensed under a

Creative Commons Attribution-NonCommercial-ShareAlike 3.0 Unported License.

PAGE

Directions:

- 1. Represent each amount of money using 10 bills.
- 2. Write and whisper each amount of money in expanded form.
- 3. Write the total value of each set of bills as a number bond.

Student Debrief (10 minutes)

Lesson Objective: Count the total value of \$1, \$10, and \$100 bills up to \$1,000.

Materials: (T) 1 bundle of 100 straws

(S) Completed Problem Set

The Student Debrief is intended to invite reflection and active processing of the total lesson experience.

Invite students to review their solutions for the Problem Set. They should check work by comparing answers with a partner before going over answers as a class. Look for misconceptions or misunderstandings that can be addressed in the Debrief. Guide students in a conversation to debrief the Problem Set and process the lesson.

- T: Discuss with your partner: Using any combination of \$1, \$10, and \$100 bills, what is the smallest amount of money you can show with 10 bills, and what is the greatest amount of money you can show with 10 bills?
- T: (As students discuss the question, circulate and listen.)
- T: I heard many of you saying the smallest amount is...?
- S: \$10.
- T: The greatest amount is...?
- S: \$1,000.
- T: So, the value of the money changes, but what stays the same?
- S: The size of the bills stays the same.
- T: How do you know the value of the money?
- By looking at it.

 The value of each bill is written on it. S:
- T: If you were blind, could you know its value?
- S: No!



Lesson 8: \$1,000.







- T: That's true here in the United States, but it's interesting to note that in other countries bills come in different sizes and even colors!
- T: (Hold up a hundred bundle.) What about the value of this bundle? If you were blind, would you know? Talk to your partner about that.
- S: Yes, because you could feel it was big. \(\text{! Yes, because you could count the sticks. } \text{! Yes, because you could count the number of tens.} \)
- T: (Hold up a hundred-dollar bill.) Somebody decided this bill had a value of \$100. But this bundle is 100 because it has 100 sticks, and we can count them.
- T: Share your Problem Set with your partner. Compare answers and drawings for one minute.
- T: I will read the answers now. If you got it correct, say "yes."
- T: (Read the answers as students correct.)
- T: Take a moment to analyze and talk about Problems 3 and 4: \$190 and \$109. What is different about the numbers?
- S: \$190 has no one-dollar bills and 9 ten-dollar bills. \$109 is less than \$190 because it has 9 ones and no tens. \$\text{Wow}\$. That is a big difference. Hmmm, that's 10, 20, 30, 40, 50, 60, 70, 80, 90. That's \$81 more!
- T: Do the same thing with Problems 2, 5, and 6: \$451, \$460, and \$406. What is different about the numbers?
- S: \$460 is 9 dollars more than \$451. \$460 and \$406 switched the number of tens and ones. There are 6 ten-dollar bills in \$460, but only 6 one-dollar bills in \$406.
- T: When you counted to \$124, what happened when you had 10 one-dollar bills?
- S: You could change them for 1 ten-dollar bill.
- T: What happened when you had 10 ten-dollar bills?
- S: You could change them for 1 hundred-dollar bill.
- T: Which has a greater value, 3 hundred-dollar bills or 9 ten-dollar bills?
- S: 3 hundred-dollar bills!
- T: We counted the total value of many different amounts of money!

\$1,000.









Exit Ticket (3 minutes)

After the Student Debrief, instruct students to complete the Exit Ticket. A review of their work will help with assessing students' understanding of the concepts that were presented in today's lesson and planning more effectively for future lessons. The questions may be read aloud to the students.



Count the total value of \$1, \$10, and \$100 bills up to Lesson 8: \$1,000.





Name	Date
, ,	\$100, \$10, and \$1 bills. Whisper and write Vrite the total value of each set of bills as a
<u>10</u>	Bills
1.	2.

\$136 =	= \$451

3. [4.			
	\$ 190 =					= \$109	



Lesson 8: \$1,000.







Lesson 8: \$1,000. Count the total value of \$1, \$10, and \$100 bills up to







5.			6.			

\$460 = _____ ____ = \$406

7.				8.			
	\$550 =					= \$541	

Lesson 8: \$1,000. Count the total value of \$1, \$10, and \$100 bills up to





9. [10.				
4	5901 = _	 			 	=	\$910	

11.			12.			

EUREKA MATH

Lesson 8: \$1,000.





\$1,000 =		= \$	100
7 /		T .	

EUREKA

Lesson 8: \$1,000.








Name Date

1. Write the total value of the money shown below in standard and expanded form.



2. What is the value of 3 ten-dollar bills and 9 one-dollar bills?

3. Draw money to show 2 different ways to make \$142, using only \$1, \$10, and \$100 bills.



Lesson 8: \$1,000.






Name	ະ			Date					
1. W	/rite the to	tal value of t	he money.						
	\$10	\$10	\$10		\$10		\$10		
	\$10	\$10	\$10		\$10		\$1		
	\$100	\$100	\$10	_	\$ 1	_	\$ 1		

\$1

2. Fill in the bills with \$100, \$10, or \$1 to show the amount.

\$1

\$1




\$1

Count the total value of \$1, \$10, and \$100 bills up to Lesson 8: \$1,000.





\$1



EUREKA

Lesson 8: \$1,000. Count the total value of \$1, \$10, and \$100 bills up to engage^{ny}





3. Draw and solve.

Brandon has 7 ten-dollar bills and 8 one-dollar bills. Joshua has 3 fewer ten-dollar bills and 4 fewer one-dollar bills than Brandon. What is the value of Joshua's money?



Lesson 8: \$1,000.







unlaboled bundreds place value share	.		
unlabeled hundreds place value char	ι		
	1	Countries total union of 64, 640, and 6400 hill	Magnotina van
EUREKA Math	Lesson 8: \$1,000.	Count the total value of \$1, \$10, and \$100 bills up to	engageny
MATH			engage ^{ny}

PAGE

