Course

Anatomy and Physiology

Unit VIII Nervous System

Essential

Question What are the tissues and systems of the human body?

TEKS

130.206 (c) 1A,1B 2E,2F,2H 10A,10B,10C, 10D

Prior Student Learning

Understanding of the cell

Estimated time

7-10 hours

Rationale

The nervous system is the most highly organized system in the human body. It is a fast, complex communication system that regulates thoughts, emotions, movement, impressions, reasoning, learning, memory and choices.

Objectives

Upon completion of this lesson, the student will be able to:

- Define and distinguish terms pertaining to the nervous system
- Differentiate between the major organs of the nervous system
- Investigate the parts and functions of the brain
- Analyze diseases and disorders of the nervous system

Engage

How does the nervous system work?

Key Points

Part I

- I. Cells of the Nervous System—Neurons
 - A. unusual shape
 - B. nerve fibers extend from cell body (soma)
 - 1. dendrites branched fibers that receive neural impulses
 - axons transmits neural messages from cell body towards another neuron
- II. Two principal divisions of the nervous system:
 - A. Central Nervous System (CNS)
 - 1. brain and spinal cord
 - a. serves as control center for entire organism
 - b. integrates incoming information and determines appropriate responses
 - B. Peripheral Nervous System (PNS)
 - 1. made up of nerves outside the CNS -- acts as communication lines to and from CNS
 - 2. made up of sense organs—eyes, ears, taste buds, olfactory receptors, and touch receptors
 - C. Understanding of mental disorders most often involves understanding of the structure and function of the CNS
- III. Main Divisions and Structures of Brain A. Cerebral Hemispheres
 - 1. right and left halves of largest part of forebrain

- a. each side is organized to receive sensory information, mostly from contralateral (opposite) side of body & control muscles mostly on contralateral side
- 2. connected by two bundles of axons known as the **corpus callosum**
- B. Cerebral Cortex
 - 1. thin outer surface of the forebrain
 - 2. largely made of cell bodies which are gray (thus—gray *matter*)
 - 3. most highly evolved portion of brain
- C. Cerebrum forebrain; the largest, most anterior part of human brain
 - 1. controls motor activities and interprets sensation
- D. Lobes of the Cerebrum
 - 1. Frontal Lobe
 - a. motor cortex controls skeletal muscles
 - b. Broca's speech area formation of words
 - c. responsible for personality
 - d. damage to frontal lobe can cause changes in personality
 - 2. Temporal Lobe
 - a. auditory area
 - b. language memory and speech capacity
 - c. damage can result in aphasia (partial or total inability to produce and understand speech as a result of brain damage caused by injury or disease)
 - 3. Parietal Lobe
 - a. sensory association areas impulses from skin such as pain and temperature are interpreted -area for estimation of distances, sizes, and shapes
 - 4. Occipital Lobe
 - a. primary visual area
 - b. trauma can result in blindness
 - c. lesions can cause visual hallucinations
- E. Structures Under the Cerebral Cortex—Diencephalon
 - 1. Thalamus
 - a. relay station for all sensory information (except smell)
 - 2. Hypothalamus
 - a. helps maintain homeostasis (body temperature, body fluid, hormone secretion)
 - b. dysfunction can cause appetite, sleep, body temperature regulation problems
 - 3. Pineal Gland small gland posterior to thalamus
 - a. secretes the hormone melatonin
 - b. contributes to regulation of sleep-activity cycles

- 4. Pituitary Gland attached to the hypothalamus
 - a. "master gland"
 - b. its secretions control timing and amount of hormone secretions by other endocrine glands (thyroid, adrenal glands, ovaries, testes, etc.)
- F. Cerebellum highly convoluted structure in the hindbrain
 - 1. responsible for coordination of movements
 - a. makes movements smooth
 - b. helps maintain muscle tone
 - c. helps maintain equilibrium
- G. Pons (bridge)
 - 1. forms bulge on anterior surface of brain stem
 - 2. the link (bridge) that connects various parts of the brain
- H. Medulla Oblongata
 - 1. most posterior portion of brain stem
 - 2. vital centers of medulla:
 - a. cardiac center controls heart rate
 - b. vasomotor center helps regulate blood pressure
 - c. respiratory center initiates and regulates breathing
 - d. center for reflex actions (vomiting, sneezing, coughing, and swallowing)
- IV. The Ventricles and Cerebrospinal Fluid (CSF)
 - A. Ventricles: four fluid-filled cavities within the brain
 - B. Cerebrospinal fluid (CSF): clear, colorless fluid
 - 1. CSF is contained within system of cavities called ventricles
 - 2. CSF is produced mainly by structure called choroid plexus located in the ventricles
 - C. Functions of Ventricles & CSF
 - 1. Protection: "buffers" the brain—acts to cushion blows to head and lessen impact
 - 2. Buoyancy: since brain is immersed in fluid, net weight of brain is reduced—therefore, pressure at base of brain is reduced
 - 3. Excretion of waste products: one-way flow from CSF to blood takes potentially harmful metabolites, drugs, and other substances away from brain
 - 4. Endocrine medium for brain: CSF serves to transport hormones to other areas of brain

V. Spinal Cord

- A. Controls many reflex activities of body
- B. Transmits information back and forth from nerves of PNS to brain

Part II

- I. Neurons nerve cells that make up the brain and peripheral nerve
 - A. Communicate with each other at **synapses**
 - 1. synapse is a functional (not physical) contact between two neurons
 - B. About 100 billion neurons in human brain
 - 1. each neuron has about 10,000 synaptic contacts with other neurons
- II. Parts of a Neuron
 - A. **Cell body** or **soma** (*soma* from Greek root meaning *body*)
 - 1. contains nucleus (DNA) of the cell
 - 2. soma constitutes "receiving" surface of the neuron (along with dendrites)
 - 3. if a soma is damaged, a neuron will not recover
 - B. **Dendrites** (term comes from Greek root work meaning *tree*)
 - 1. multiple branches come off the soma
 - 2. branches receive nerve impulses from other neurons
 - 3. dendrite branching is influenced by environment during development, both pre and post natal
 - a. the more branches, the more receiving sites for a neuron
 - b. dendrites are few and sparsely branched in certain conditions such as Downs Syndrome and Fetal Alcohol Syndrome
 - c. lab animals who have received stimulation as infants show more dendritic branching
 - C. Axon (term comes from Greek word meaning axis)
 - 1. single fiber that is thicker and longer than dendrites
 - 2. axon may have many branches at its end
 - 3. axons may be very short (1 micron) to very long (1 meter) depending on their destinations in the nervous system
 - 4. damaged neuron may show sprouting of new terminals to fill in spaces vacated by damaged axons
 - 5. mature neurons may not have an axon
 - a. can only convey information to adjacent neurons
 - 6. axon terminals in brain continuously reorganized themselves over life span
 - a. learning and memory may be represented by these reorganizations

D. Myelin sheath

- 1. the lipid and protein sheath surrounding the axon
- 2. purpose is to insulate neuron
- 3. the more heavily mylinated the neuron, the faster the electrical impulse can travel down the axon to other neurons

- 4. Multiple Sclerosis (MS): condition where myelin of brain and spinal cord degenerate
 - a. nerve impulses unable to travel smoothly and efficiently


III. The Synapse

- A. a dynamic region between neurons consisting of:
 - 1. axon terminal (carries electrical impulses away from soma)
 - 2. synaptic cleft (a space between terminal axon and receiving neuron)
 - 3. dendrite (or adjacent neuron body) Remember, both soma and dendrites constitute the receiving surface of a neuron
- IV. The Chemical Messengers: Neurotransmitters
 - A. chemicals (hormones) that are made in soma and stored in small synaptic vesicles ("packages") at the tip to the axon
 - B. as electrical impulse travels from soma to axon, neurotransmitters are released into synapse
 - C. neurotransmitters stick to receptor proteins in neighboring dendrite and trigger nerve impulse that travels down dendrite, across soma, down axon, etc.
 - D. our behavior is consequence of millions of cells "talking" to each other via these electrochemical processes
- V. Inactivation of Neurotransmitters
 - A. Action of neurotransmitters can be stopped by four different mechanisms:
 - 1. **diffusion** neurotransmitter drifts away out of synaptic cleft where it can no longer act on a receptor
 - 2. **enzyme deactivation** specific enzyme changes structure of neurotransmitter so it is not recognized by receptor
 - 3. **glia cells** astrocytes remove neurotransmitters from synaptic cleft
 - 4. **reuptake** whole neurotransmitter molecule is taken back into axon terminal that released it
 - a. this is a common way that action of neurotransmitters norepinephrine, dopamine, and serotonin are stopped
- VI. Some of the Better Known Neurotransmitters
 - A. Acetycholine (Ach)
 - 1. contributes to movement, learning, memory processes, and REM sleep

- 2. only transmitter between motor neurons and voluntary muscles
- 3. EXCESS: muscle paralysis or convulsions, sometimes death
- 4. DEFICIT: memory impairment (Alzheimer's disease)
- B. Dopamine (DA)
 - 1. used by neurons that control voluntary movements
 - 2. also used by neurons that are important for learning, attention, thought, and emotion
 - 3. EXCESS: irrational thought, delusion, and/or hallucinations (Schizophrenia)
 - 4. DEFICIT: tremors, muscular rigidity (Parkinson's disease)
- C. Serotonin and Norepinephrine
 - 1. serotonin plays prominent role in regulation of mood, sleep, impulsivity, aggression, and appetite
 - 2. norepinephrine plays role in eating, sleep, and mood
 - 3. lower level of activity in serotonin and norepinephrine is related to depression
 - 4. DEFICIT in serotonin may lead to increased aggressive behavior and suicide
 - 5. some antidepressant drugs act to block reuptake of serotonin or norepinephrine
- D. Gamma-Aminobutyric Acid (GABA)
 - 1. appears to have inhibitory effects at synapses
 - 2. contributes to regulation of anxiety
 - 3. lower levels of activity related to anxiety
 - 4. antianxiety drugs (tranquilizers such as Valium) facilitate GABA synapses and thereby reduce anxiety
 - 5. abnormality in GABA neurons may cause epilepsy
- E. Endorphins ("endogenous morphine")
 - 1. opiate-like substances produced in the body
 - 2. provide relief from pain and produce feelings of pleasure and well-being
 - 3. drugs such as opium, morphine, and heroin bind with receptors for endorphins
 - 4. endorphins may explain "runners-high" experienced by long-distance runners

Part III

- I. Peripheral Nervous System
 - A. Cranial Nerves (12 pairs: "On Old Olympus' Towering Top, A Finn and German Grew Some Hops", "Some Say Marry Money But My Brother Says, Bad Business, Marry Money")
 - 1. Olfactory: I, sensory, smell
 - 2. Optic: II, sensory, vision



- a. Bitter: minute amounts
- b. Sour: less sensitive

П.

- c. Sweet and salty: least sensitive
- 7. Anterior 2/3 of tongue sensory stimulation travels by the facial nerve to the parietal lobe of the cerebral cortex for interpretation and appreciation of what is being tasted.
- 8. Posterior 1/3 of the tongue sensory stimulation travels by the glossopharyngeal nerve to the medulla oblongata and then to the parietal lobe of the cerebral cortex for interpretation
- 9. 80% of taste is actually smell
- 10. Other influences: thermoreceptors, mechanoreceptors, nocioreceptors (temperature and texture enhance or distract from taste i.e. chili peppers stimulate pain receptors)
- B. Sense of Smell
 - 1. Specialized neurons with olfactory cilia in upper nasal cavity
 - 2. Stimulated by gas molecules or chemicals
 - 3. Sniffing draws air forcefully up into the nose
 - 4. Sensory cells live for an average of 30 days
 - 5. Sensory cells affected by a variety of factors: age, nutrition, hormones, drugs, therapeutic radiation
 - 6. Stimulated and send impulses by the olfactory nerve to the cerebral cortex for interpretation
 - Smell memory is long-lasting and stimulation by similar smells can trigger memory of events that occurred long ago
 - 8. Olfactory receptors easily fatigued adaptation occurs
 - a. Process of conforming to the environment after continuous stimulation of constant intensity
 - b. These changes in awareness of odors allow us to continue to function at an optimum level.
 - 9. 7 primary odors: floral, musky, camphor, peppermint, ethereal, pungent (stinging), putrid (rotten)
 - 10. Homeostatic imbalances
 - a. Anosmia: without smell; some genetic causes include head injuries that tear olfactory nerves, after effects of nasal cavity inflammation (cold, allergy, smoking), physical destruction of nasal cavity due to polyps, aging, zinc deficiency
 - b. Uncinate fits: olfactory hallucinations,; epileptic auras (transient uncinate fits)
- C. Sense of Vision
 - 1. Anatomy
 - a. Eyebrows: physical protection of eyes; short, coarse hairs
 - b. Eyelids (palpebrae): physically protect the eye

and prevent the cornea from drying via blink reflex; medial and lateral canthi (angle of eye); caruncle (fleshy elevation of medial canthus which contains sebaceous and sweat glands to produce "Sandman's eye-sand")

- c. Eyelashes: hairs with glands at the base for lubrication; inflammation = sty
- Meibomian glands: secrete a lipid tear film spread by blinking; reduces evaporation of tear film, prevents tear film from running down face, gives an even spread over the eyeball; inflammation = chalazion
- e. Lacrimal glands: secrete aqueous tear film containing globulins and lysozyme; supplies nourishment to the cornea and helps to provide antimicrobial activity; nasolacrimal duct (empties into nasal cavity; excess tears= tearing, nasal secretions; secretions decrease with age
- f. Conjunctiva: membrane that lines the eyelid; secretes a mucous tear component that helps reduce surface tension; it accumulates at the medial canthus (corner angle) as "sleep"; inflammation = pinkeye
- g. Extrinsic eye muscles: annular ring (tendinous ring from which originate the rectus muscles); rectus muscles (superior, inferior, lateral, medial move eye in direction of name); oblique muscles (superior, inferior move eye in vertical plane when eye is turned medially by rectus muscle); diplopia = double vision when movements not perfectly coordinated and can't focus both eyes; strabismus = congenital weakness causing crosseyed appearance (deviant eye becomes functionally blind)
- h. Sclera: outermost white covering of the eyeball; anchor site for muscles
- i. Cornea: the transparent front of the sclera; it has no blood vessels but richly supplied with sensory nerves; depends on tear film for nutrition, O₂, and removal of waste; window for light to enter; extraordinary capacity for regeneration; transplantation without rejection due to avascular nature
- j. Choroid: highly vascular middle layer of eye; dark membrane on posterior wall inside eye; provides nutrients to all tunics; pigment absorbs light to

prevent scatter and reflection internally

- k. Ciliary body: encircles lens
- I. Anterior chamber: between cornea and iris filled with aqueous humor that supplies nutrients to cornea; helps maintain ocular shape; constantly being formed and excess drains through canal of Schlemm to the bloodstream
- m. Iris: visible colored part of the eye; muscles control pupil size which regulates the amount of light entering the lens; sympathetic = dilation, parasympathetic = constriction
- n. Pupil: round central opening of iris; allows light to enter
- Lens: transparent spherical structure suspended by suspensory ligaments between the iris and the vitreous humor; being a convex lens - 1/3 of the refractive power of the eye; accommodation = as objects are brought closer to the eye, the ciliary muscles contract and make the lens more convex, increasing its refractive power;
- p. Vitreous humor: secreted by the retinal cells and makes up the posterior chamber; maintains the shape of the eye and positions the retina against the choroid and transmits light
- Retina: innermost pigment layer of the eye where the rods and cones (visual receptors) are located; absorbs light and recycles visual pigments
- r. Fovea: focus point for light rays for best visual acuity; composed mostly of cone cells
- s. Optic disc: the "blind spot" where neurons exit the eyeball as the optic nerve
- D. Sense of sight
 - Light waves bent first by the cornea, the eye's fixed outer lens; bending of the light rays = refraction. Iris, whose pigment gives an eye its color, contracts in bright light and expands in dim light to regulate the amount of light entering the pupil. Ciliary muscles around the inner crystalline lens flex to focus the image precisely on the retina, a thin sheet of nerve tissue
 - Light floods the retina and activates photoreceptors, called rods and cones (due to their shape) Cones specialize in bright light and are concentrated in a central patch of the retina called the fovea; cones provide acute central vision, rich with color. Color-blind rods enable us to see in dim light. Signals from the rods and

cones are sent to the cerebral cortex by the optic nerve; as much as 1/3 of the cortex is devoted to visual processing. Sight mediates and validates the other senses

- b. At the optic chiasm, the nerve splits, distributing input from each eye to relay stations in the thalamus; this circuitry enables us to see with one eye if necessary; different neurons transmit data about motion, color, fine detail, and depth perception
- c. Visual area of the temporal cortex identifies and recognizes the object. An area of the parietal cortex locates the object in relation to space
- d. Visual acuity: clearness/sharpness of visual perception recorded as 2 numbers
 - First number represents the distance in feet between the subject and the test chart (Snellen Chart)
 - (2) Second number represents the number of feet a person with normal acuity would stand to see clearly
 - (3) 20-20 is considered normal acuity
 - (4) 20-100 means a person can see objects at 20 feet that a person with normal vision can see at 100 feet
 - (5) Visual acuity worse than 20-200 after correction is considered legally blind
- e. Homeostatic imbalances
 - Myopia: nearsighted; focus falls short of the retina; far objects are blurred; radial keratotomy can correct or improve this condition
 - (2) Hyperopia: farsightedness; focus falls behind the retina; close objects are blurred
 - (3) Astigmatism: cornea is not spherical, focused image is distorted
 - (4) Color blindness: congenital lack of one or more types of cones (red, green, blue); sex-linked
- E. Sense of Hearing
 - 1. Anatomy of external ear
 - a. Auricle (Pinna): the flap that funnels sound waves; helix = rim; lobule = earlobe
 - b. External auditory meatus: opening to the auditory canal, lined with cerumen/wax glands
 - c. External auditory canal: short, narrow chamber

extends from auricle to tympanic membrane

- d. Tympanic membrane: the eardrum that stretches across the canal and vibrates in response to sound waves; transmits them to the middle ear
- 2. Anatomy of the middle ear: tiny cavity in the temporal bone
 - a. Auditory ossicles: 3 bones that vibrate to transmit sound waves to the inner ear
 - (1) Malleus: hammer shaped, handle is attached to the tympanic membrane
 - (2) Incus: anvil shaped
 - (3) Stapes: stirrup shaped
 - b. Oval/vestibular window: opens to internal ear
 - c. Round/Cochlear window: covered by membrane, opens to internal ear
 - d. Pharyngotympanic/auditory/Eustachian tube: connects middle ear to pharynx; helps to equalize pressure so eardrum will vibrate; children's tubes are more horizontal - otitis media (myringotomy = lancing of eardrum to relieve pressure - insertion of tubes for drainage of fluid/pus)
 - e. Mastoid sinuses: air spaces in the temporal bone that drain into the middle ear
- 3. Anatomy of the inner ear: labyrinth, located in the hollowed out portion of the temporal bone
 - a. Vestibule and semicircular canals: involved in equilibrium. Maculae found in the utricle and saccule of the vestibule provides information related to head position. Crista ampullaris in semicircular canals respond to angular/rotational movements of head; tiny otoliths detect changes due to position and stimulate a reflex to restore normal body position
 - b. Cochlea: snail like part of the inner ear for hearing; surrounded by perilymph and filled with endolymph fluid
 - (1) Upper section is scala vestibuli
 - (2) Lower section is scala tympani
 - (3) Reissner's membrane = floor of cochlea
 - (4) Basilar membrane = floor of cochlea
 - (5) Organ of Corti: receptor organ for hearing -8th cranial nerve; sense organ that rests on the basilar membrane consisting of hair cells; sensory dendrites are wrapped around the base of the hair cells, they transmit impulses to the axons that form

4.	 the auditory nerve (acoustic nerve) Physiology of hearing a. Sound waves caught by auricle, channeled through the auditory canal and strike against the tympanic membrane causing it to vibrate b. Vibrations move the malleus, incus, and stapes against the oval window c. Pressure is exerted inward into the perilymph of the scala vestibuli d. Ripple starts in the perilymph that is transmitted through the vestibular membrane to endolymph inside the organ of Corti e. Endolymph ripple causes basilar membrane to bulge up in response to sound wave vibrations; the higher the upward bulge, the more cilia are bent, the more cells are stimulated on the basilar membrane f. Stimulated cells transmit nerve impulses along the auditory nerve g. Impulses travel to the auditory cerebral cortex		
Decibel	Example of Noise	Dangerous Time	
Level 0	Lowest audible sound		
30	Quiet library		
50	Refrigerator noise		
70	Noisy restaurant	Critical level	
80	Factory noise	8 + hours	
90	Shop tools		
100	Chain saws	< 2 hours	
120	Rock concert	Immediate harm	
140	Gunshot blast	Damage probable	
180	Rocket launchpad	Permanent loss	
5. H	 I. C omeostatic imbalances a conduction deafness: 	something interferes with	

a. conduction deafness: something interferes with the conduction of sound vibrations to the fluids of the inner ear, i.e. impacted earwax, perforated/ruptured eardrum, otitis media, otosclerosis of ossicles

		Sensorineural deafness: damage to neural structures at any point from cochlear hair cells to auditory cortical cells; can be gradual loss of receptor cells, exposure to single loud noise, degeneration of cochlear nerve, cerebral infarcts, tumors; treatment can be cochlear implants Tinnitus: ringing or clicking sound in the ears in
	0.	the absence of auditory stimuli; can be 1 st symptom of cochlear nerve degeneration or inflammation of middle/inner ear or side effect of some medications, i.e. aspirin
	d.	Meniere's Syndrome: labyrinth disorder that affects the semicircular canals and cochlea; transient but repeated attacks of severe vertigo
	e.	Presbycusis: loss of the ability to hear high pitched sounds; becoming common in young people due to noise
	F. Sense of To	uch, Heat, Cold, Pain
	1. Senso	ory receptors make it possible or the body to
	respo	nd to environmental stimuli
	2. Rece	ptors respond to a stimulus and convert the
	stimu	lus to a nerve impulse
	3. Nerve	e impulses travel by afferent sensory neurons to the
	brain	for interpretation
	4. Touch	n: mechanoreceptors/exteroceptors; located on the
		surfaces; respond to touch, stretch, and pressure Meissner's corpuscles: in fingertips, lips, and
		hairless body parts for fine touch
	b.	Pacinian corpuscles: in skin, joints, and genitals for deep pressure and stretch
	C.	Krause's end bulbs: in eyelids, lips, and genitals
	d.	for light touch Ruffini's corpuscles: found in skin for continuous touch
	5. Heat/	cold: thermoreceptors
	6. Pain:	nocioceptors; free nerve endings for pain, tickle, noci = pain, injury
III.		Nervous System
		rpes zoster viral infection, causes inflammatory
		ng peripheral nerves
	 B. Neuralgia: s pathway 	udden, sharp, severe, stabbing pain along a nerve
	C. Neuritis: infla	ammation of nerve; causes pain, muscular atrophy, vity, paresthesia
		unilateral facial paralysis, sudden onset, viral

inflammation of trigeminal nerve

- E. Poliomyelitis: viral infection or gray matter of spinal cord; permanent paralysis or weakness
- F. Encephalitis: viral inflammation of brain tissue, causes fever, lethargy, weakness, nuchal rigidity, and opisthotonos, coma, death
- G. Meningitis: bacterial/viral inflammation of meninges; causes headache, fever, sore throat, back and neck pain, loss of mental alertness
- H. Meningiocele: congenital hernia in which meninges protrude through opening in spinal cord
- I. Epilepsy: idiopathic recurring and excessive electrical discharge from neurons causing seizure activity (grand mal, petit mal)
- J. Hydrocephalus: increased accumulation of CSF within the ventricles, causes cranium to enlarge unless treated with a shunt to remove excess fluid
- K. Parkinson's disease: tremors, uncontrolled shaking, related to decreased amounts of dopamine
- L. Huntington's chorea: progressive dementia with bizarre involuntary movements; genetic
- M. Dysmetria: inability to fix the range of movement in muscle activity
- N. Cerebral palsy: congenital brain disorder/damage causing damage to motor neurons, flaccid or spastic paralysis
- O. Multiple sclerosis: autoimmunity destruction of oligodendrocytes leading to demyelination with progressive muscular weakness
- P. Muscular dystrophy: genetic defect in muscle metabolism; causes progressive atrophy
- Q. Myasthenia gravis: disease characterized by muscular weakness; possibly due to decreased amounts of acetylcholine at the muscle effector sites
- R. Alzheimer's disease: dementia producing lesions in the cerebral cortex
- S. Anencephalic: infants born without frontal cerebrum; congenital, possibly related to toxins; may be related to Folic Acid deficiency in mother.

Activity

- I. Write definitions on backside of Brain Function Flashcards
- II. See the Cranial Nerve Lesson for additional information and activities dealing with the cranial nerves
- III. View video The Brain Body Connection
- IV. Dissect and identify structures of a sheep brain (teams of two)
- V. Complete the Nervous System Worksheet

Assessment

Nervous System Test Successful completion of rubric for brain dissection identification of parts and their functions.

Materials

Dissection sheep brain for every 2-4 students, dissection tools AND/OR computers with internet access

Nervous System Worksheet Key Nervous System Test Key

http://faculty.washington.edu/chudler/experi.html has many great experiments to help students understand the nervous system.

http://www.uofs.edu/sheep/ - sheep brain dissection site

<u>http://www.uwm.edu/~tking/demo2_6.htm</u> - interactive site with identification & description of brain parts; students click on brain areas and get area identification and a description (they love this one)

<u>http://serendip.brynmawr.edu/bb/</u> - awesome site for interactive online brain games

<u>http://faculty.washington.edu/chudler/introb.html</u> - "Must see" brain and spinal cord site—Includes pronunciation of neuro terms, divisions of brain, functions, and gender differences.

An Anthropologist on Mars, Oliver Sacks, ISBN # 0-679-75697-3 (short stories on real-life case histories of patients with neurological disorders; this is a great read and a good resource for enrichment activities.)

Accommodations for Learning Differences

For reinforcement, the student will color code anatomical drawings and make flashcards of the anatomical parts and their function.

For enrichment, the student will research and present on a neurological disease.

National and State Education Standards

National Health Science Cluster Standards HLC01.01 Academic Foundations Health care workers will know the academic subject matter required (in addition to state high school graduation requirements) for proficiency within their area. They will use this knowledge as needed in their role. HLC10.01 Technical Skills Health Care Workers will apply technical skills required for all career specialties. They will demonstrate skills and knowledge as appropriate.

TEKS

130.206 (c)(1)(A) demonstrate safe practices during laboratory and field investigations;

130.206 (c)(1)(B) demonstrate an understanding of the use and conservation of resources and the proper disposal or recycling of materials; 130.206 (c)(2)(E) plan and implement descriptive, comparative, and experimental investigations, including asking questions, formulating testable hypotheses, and selecting equipment and technology;

130.206 (c)(2)(F) collect and organize qualitative and quantitative data and make measurements with accuracy and precision using tools such as calculators, spreadsheet software, data-collecting probes, computers, standard laboratory glassware, microscopes, various prepared slides, stereoscopes, metric rulers, electronic balances, hand lenses, Celsius thermometers, hot plates, lab notebooks or journals, timing devices, Petri dishes, lab incubators, dissection equipment, meter sticks, and models, diagrams, or samples of biological specimens or structures;

130.206 (c)(2)(H) communicate valid conclusions supported by the data through methods such as lab reports, labeled drawings, graphic organizers, journals, summaries, oral reports, and technology-based reports;

130.206 (c)(4)(A) analyze the chemical reactions that provide energy for the body;

130.206 (c)(4)(B) evaluate the means, including the structure and function of the digestive system, by which energy is processed and stored within the body;

130.206 (c)(4)(C) analyze the effects of energy deficiencies in malabsorption disorders such as diabetes, hypothyroidism, and Crohn's disease;

130.206 (c)(4)(D) analyze the effects of energy excess in disorders such as obesity as it relates to cardiovascular and musculoskeletal systems;

130.206 (c)(10)(A) analyze the relationships between the anatomical structures and physiological functions of systems, including the integumentary, nervous, skeletal, musculoskeletal, cardiovascular,

respiratory, gastrointestinal, endocrine, and reproductive;

130.206 (c)(10)(B) evaluate the cause and effect of disease, trauma, and congenital defects on the structure and function of cells, tissues, organs, and systems;

130.206 (c)(10)(C) research technological advances and limitations in the treatment of system disorders; and

130.206 (c)(10)(D) examine characteristics of the aging process on body systems.

Texas College and Career Readiness Standards English Language Arts

II. B. Understand new vocabulary and concepts and use them accurately in

reading, writing, and speaking.

III. B. Develop effective speaking styles for both group and one-on-one situations.

IV. A. Apply listening skills as an individual, and as a member of a group in a variety of settings.

IV. B. 2. Listen actively and effectively in one-on-one communication situations.

Science

1.A.1. Utilize skepticism, logic, and professional ethics in science.

1.A.2. Use creativity and insight to recognize and describe patterns in natural phenomena.

1.A.3. Formulate appropriate questions to test understanding of a natural phenomenon.

1.A.4. Relay on reproducible observations of empirical evidence when constructing analyzing, and evaluating explanations of natural events and processes.

1.E.2. Use essential vocabulary of the discipline being studied. 3.A.1. Use correct applications of writing practices in scientific communication.

Brain Dissection Scoring Sheet—Oral Identification Student _____ Date _____

	Accurately Identifies	Accurately States Fund	ction COMMENTS
Gyri/Sulci			
Cerebral Hemispheres			
Cerebrum			
Cerebral Cortex			
Cerebellum			
Frontal Lobe			
Temporal Lobe			
Parietal Lobe			
Occipital Lobe			
Spinal Cord			
Medulla Oblongata			
Pons			
Optic Nerve			
Optic Chiasma			
Olfactory Bulb			
Corpus Callosum			
Pineal Gland			
Lateral Ventricle			
Thalamus			
Pituitary Gland			
TOTAL CORRECT	X 5	=score	

<u>KEY</u> -Brain Dissection Scoring Sheet for Function

Асси	rately Identifies	Accurately States Function
<u>Gyri/Sulci</u>	increase ce	rebral cortex surface area
Cerebral Hemispheres	receives info	ormation & controls muscles on contralateral side
Cerebrum	controls con	scious activity
Cerebral Cortex	center of hig	pher-level mental functions
Cerebellum	coordination	a & control of voluntary muscular activity
Frontal Lobe	fine motor r	novement, personality, planning, judgment
Temporal Lobe	hearing	
Parietal Lobe	body sensa	tions
Occipital Lobe	vision	
Spinal Cord	conducts se peripheral n	nsory & motor impulses to & from brain & erves
Medulla Oblongata	center that o	controls respiration, heart & blood vessel function
Pons	bridge conn	ecting medulla oblongata & midbrain
Optic Nerve	transmits vis	sual impulses from eye to visual cortex of brain
Optic Chiasm	point where	parts of optic nerves cross to opposite side of brain
Olfactory Bulb	interprets or	dors
Corpus Callosum	connects he communicat	emispheres of brain so right & left sides can
Pineal Gland	thought to s in regulatio	secrete melatonin (which is believed to play part n of sleep)
Lateral Ventricle	one of four o	cavities in brain that contains cerebrospinal fluid
Thalamus		bry impulses to cerebral cortex; site where crude of pain, pressure, & temperature originate
Pituitary Gland		nd"; releases hormones controlling many body nfluences activities of many endocrine glands

Flash Cards (Have students write functions on back of cards. Students can work in groups of five and test in a "circle". One student selects a card and holds it up for person to his/her left. That person must answer and then hold a card for the next person to his left. Students should go around the circle several times.)

then hold a card for the next person to his left. Students	
CNS is comprised of:	PNS made up of:
Lay term for <i>neurons</i>	Description of dendrites
Description of axons	Function & location of medulla
Location & function of pons	Where is CSF produced?
What are ventricles?	Name the 2 parts of diencephalon.
Copyright © Texas Education A	Agency, 2012. All rights reserved.

Copyright © Texas Education Ågency, 2012. All rights reserved.

Function of thalamus	Function of hypothalamus
Dysfunction of hypothalamus can cause	3 functions of cerebellum
Name the largest part of the human brain	3 functions of the cerebrum
The thin outer layer of cerebrum is	The most highly evolved portion of the brain (the gray matter)
Cerebral hemispheres are connected by:	Name the 4 lobes of brain.
Copyright © Texas Education /	Agency, 2012. All rights reserved.

The motor cortex controls	The lobe responsible for personality
Lobe with sensory association areas	The parietal lobe has an area for estimation of
Lobe which has primary visual area	Lobe which has auditory area
Lobe for language memory & speech capacity	2 functions of the spinal cord
Damage to occipital lobe can result in	Damage to temporal lobe can result in

NAME:	

DATE:

NERVOUS SYSTEM TEST

- 1. The nervous system exhibits all of these functions EXCEPT:
 - a. monitoring change
 - b. integrating impulses
 - c. storing calcium
 - d. effecting responses
- 2. Ciliated CNS neuroglia that play an active role in moving the CSF are:
 - a. ependymal cells
 - b. Schwann cells
 - c. oligodendrocytes
 - d. astrocytes
- 3. The Sheath of Schwann is also called:
 - a. axolemma
 - b. neurilemma
 - c. white matter
 - d. myelin sheath
- 4. An excitatory neurotransmitter secreted by motor neurons innervating skeletal muscle is:
 - a. cholinesterase (AChE)
 - b. norepinephrine
 - c. acetylcholine (ACh)
 - d. gamma aminobutyric acid
- 5. Which of the following is NOT a structural feature of a neuron?
 - a. synaptic cleft
 - b. Nissl body
 - c. dendrites
 - d. axon
- 6. The part of the neuron that conducts impulses away from its cell body is called:
 - a. dendrite
 - b. axon
 - c. neurilemma
 - d. Schwann cell

- 7. The point at which an impulse from one nerve cell is communicated to another nerve cell is the:
 - a. cell body
 - b. receptor
 - c. synapse
 - d. effector
- 8. Which of the following is NOT a function of the autonomic nervous system? a. innervation of smooth muscle of the digestive tract
 - b. innervation of cardiac muscle
 - c. innervation of glands
 - d. innervation of skeletal muscle
- 9. Collections of nerve cell bodies outside the CNS are called:
 - a. nuclei
 - b. nerves
 - c. ganglia
 - d. tracts
- 10. The term "central nervous system" refers to the:
 - a. autonomic nervous system
 - b. brain, spinal cord, and peripheral nerves
 - c. spinal cord and spinal nerves
 - d. brain and spinal cord
- 11. The substance released at axonal endings to propagate a nervous impulse is called a(n):
 - a. ion
 - b. neurotransmitter
 - c. cholinesterase
 - d. biogenic amine
- 12. Saltatory conduction is made possible by
 - a. the myelin sheath and Nodes of Ranvier
 - b. large nerve fibers
 - c. diphasic impulses
 - d. erratic transmission of nerve impulses
- 13. The part of the neuron that receives stimuli is called:
 - a. axon
 - b. dendrite
 - c. neurilemma
 - d. Schwann cell

- 14. Place the following parts of the reflex arc in proper sequence:
 - a. effector-motor neuron-integration center-sensory neuron-receptor
 - b. receptor-motor neuron-integration center-sensory neuron-effector
 - c. receptor-sensory neuron-integration center-motor neuron-effector
 - d. effector-sensory neuron-integration center-motor neuron-receptor
- 15. The sympathetic and parasympathetic are subdivisions of the:
 - a. central nervous system
 - b. voluntary nervous system
 - c. autonomic nervous system
 - d. somatic nervous system
- 16. Neuroglia that controls the chemical environment around neurons by buffering potassium and recapturing neurotransmitters are:
 - a. astrocytes
 - b. oligodendrocytes
 - c. microglia
 - d. Schwann cells
- 17. Schwann cells are functionally similar to:
 - a. ependymal cells
 - b. microglia
 - c. oligodendrocytes
 - d. astrocytes
- 18. Reflexes are rapid, automatic responses to stimuli.
 - a. True
 - b. False
- 19. A motor neuron carries stimuli from the central nervous system to the effector.
 - a. True
 - b. False
- 20. Myelination of the nerve fibers in the CNS is the job of the oligodendrocytes.
 - a. True
 - b. False
- 21. Neurons do NOT undergo mitosis in the adult.
 - a. True
 - b. False
- 22. Afferent neurons transmit impulses from the periphery to the CNS.
 - a. True
 - b. False

- 23. Which of the following is NOT a characteristic of neurons?
 - a. extreme longevity
 - b. amitotic
 - c. stimulation
 - d. high metabolic rate
- 24. Neurons that transmit impulses from sensory receptors in the skin or internal organs toward the CNS are called:
 - a. receptor neurons
 - b. axons
 - c. sensory neurons
 - d. motor neurons
- 25. Ohm's Law states:
 - a. an action potential either happens completely or not at all
 - b. depolarization becomes self-generating at threshold
 - c. current varies directly with voltage and inversely with resistance
 - d. neurons communicate through neurotransmitters
- 26. The degeneration and hardening of the myelin sheath is known as:
 - a. saltatory conduction
 - b. multiple sclerosis
 - c. synapses
 - d. depolarization

Matching: Match the correct location to the correct portion of the brain.

- A. Frontal
- **C.** Occipital
- B. Parietal

D. Temporal

- 27. Auditory area
- 28. Primary sensory cortex
- 29. Reasoning
- 30. Motor speech area
- 31. Learning
- 32. Seat of intelligence and abstract reasoning
- 33. Visual areas
- 34. Willpower
- 35. Taste (gustatory) area

Matching:

- **C.** Arachnoid

A. Dura MaterB. Pia materD. Subarachnoid spaceE. Ventricles

- 36. The innermost layer of the meninges; delicate, contains many blood vessels
- 37. The web-like, spidery middle meningeal layer
- 38. Normally, the CSF flows freely from the ventricle; then into the _____.

Matching:

- A. Arachnoid villi
- **D.** Meningitis
- **B.** Central canal **E.** Hydrocephalus
- **C.** Choroid plexus
- 39. The CSF helps protect the brain and spinal cord against shock. It is filtered into the ventricles through the _____.
- 40. The CSF is returned to the blood in the venous sinuses through projections called
- 41. Any obstruction to the normal flow of CSF within the brain may give rise to a condition called .
- 42. Inflammation of the brain coverings that may be due to pathogenic bacteria.

Multiple Choice

- 43. The brain stem consists of the:
 - a. cerebrum, pons, midbrain, and medulla
 - b. midbrain, medulla, pons
 - c. pons, medulla, cerebellum, and midbrain
 - d. midbrain only
- 44. The vital centers for control of heart rate, respiration, and blood pressure are located in:
 - a. the pons
 - b. the medulla
 - c. the midbrain
 - d. the cerebrum

- 45. Which of the following would you not find in normal cerebrospinal fluid?
 - a. glucose
 - b. red blood cells
 - c. potassium
 - d. protein
- 46. Mr. J. H. was injured in an accident that completely severed his spinal cord at the level of T-12. You would expect to find all of the following EXCEPT:
 - a. paralysis of the lower extremities
 - b. loss of sensation below the level of injury
 - c. slurred speech
 - d. perspiration in the affected area
- 47. The rough leathery meningeal layer is the:
 - a. dura mater
 - b. subarachnoid
 - c. arachnoid
 - d. pia mater
- 48. The CSF:
 - a. is secreted by the arachnoid villi
 - b. enters the four ventricles after filling and circulating through the subarachnoid space
 - c. is secreted mostly by the ependymal cells lining the brain ventricles
 - d. is formed mostly by the choroid plexuses
- 49. The hypothalamus:
 - a. is the thermostat of the body since it regulates temperature
 - b. contains the feeding and hunger centers
 - c. contains neurons sensitive to the solute concentration of the blood
 - d. all of the above are correct
- 50. The blood-brain barrier is effective against:
 - a. metabolic waste such as urea
 - b. nutrients such as glucose
 - c. alcohol
 - d. anesthetics
- 51. An electroencephalogram:
 - a. is a record of the total body electrical activity
 - b. is a record of the electrical activity of the heart
 - c. can only detect normal electrical activity
 - d. is a record of the electrical activity of the brain

Matching.

- A. Cranial Nerve I (Olfactory)
- B. Cranial Nerve II (Optic)
- **C.** Cranial Nerve III (Oculomotor)
- D. Cranial Nerve V (Trigeminal)
- E. Cranial Nerve VII (Facial)
- F. Cranial Nerve VIII (Vestibulocochlear)
- **G.** Cranial Nerve X (Vagus)
- H. Cranial Nerve XII (Hypoglossal)
- 52. Hearing, equilibrium
- 53. Smell
- 54. Chewing, mouth /face touch and pain
- 55. Slows heart rate, stimulates digestive organs
- 56. Controls facial expressions, secretion of tears and saliva
- 57. Controls tongue movement
- 58. Vision
- 59. Eyelid and eyeball movement

Nervous System Worksheet

- 1. What makes up the central nervous system?
- 2. What makes up the peripheral nervous system?
- 3. Describe a neuroglia :
- 4. Describe a neuron:
- 5. The whitish fatty segmented covering of axons that acts as electrical insulation is called
- 6. The space between nerve fibers is called _____
- 7. What does a neuro transmitter do?
- 8. What does is a reflex arc do?
- 9. What type of reflex causes blinking?
- 10. What does the average brain weigh?
- 11. What functions does the Cerebrum perform?
- 12. What functions does the cerebellum perform?
- 13. What functions does the brainstem perform?
- 14. What are the layers of the meninges?

- 15. What does cerebral spinal fluid do?
- 16. List the 12 cranial nerves:

- 17. How many spinal nerves are there and where are they located?
- 18. What viral infection of the nervous system causes unilateral facial paralysis?
- 19. What idiopathic disorder causes recurring and excessive electrical discharge?
- 20. What nervous system disorder causes tremors; uncontrolled shaking related to a decrease of dopamine?
- 21. What nervous system disorder occurs when lesions form on the cerebral cortex causing dementia?
- 22. What nervous system disorder is also known as an autoimmune disease?

Nervous System Worksheet Key

- 1. What makes up the central nervous system? Brain and spinal cord
- What makes up the peripheral nervous system?
 12 pairs of cranial nerves and 31 pairs of spinal nerves
- 3. Describe a neuroglia:

Dense network of supporting cells which can reproduce. Types include astrocytes, microglia, ependymal, oligodendrocytes and Schwann cells

- 4. Describe a neuron: Highly specialized cells which conduct messages in form of nerve impulses
- 5. The whitish fatty segmented covering of axons that acts as electrical insulation is called <u>myelin sheath</u>
- 6. The space between nerve fibers is called <u>synapse</u>
- 7. What does a neuro transmitter do? These are hormones that bind with receptors on the post synaptic membrane
- 8. What does is a reflex arc do? It is a conduction route to and from the CNS; a regulatory feedback loop
- 9. What type of reflex causes blinking? Corneal reflex
- 10. What does the average brain weigh? Three (3) pounds
- 11. What functions does the Cerebrum perform?

Responsible for higher order mental functions and distribution of impulses: Frontal-voluntary motor control, learning, planning and speech; Parietal- sensory, distance, size, shape, cognitive/intellectual process; Occipital- vision, visual memory; Temporal- auditory, olfactory, speech, judgment, reasoning, will power

12. What functions does the cerebellum perform? Coordinates muscular movement, posture, balance, running, and walking 13. What functions does the brainstem perform?

Midbrain- postural reflexes and visual and auditory control Pons- controls inspiration Medulla- vital functions: respiration and circulation

- 14. What are the layers of the meninges? Dura mater, Arachnoid and Pia mater
- 15. What does cerebral spinal fluid do? Bathes the skull, brain, and spinal cord
- 16. List the 12 cranial nerves:
 - 1. Olfactory: I, sensory, smell
 - 2. Optic: II, sensory, vision
 - 3. Oculomotor: III, motor, eye movement and pupil
 - 4. Trochlear: IV, motor, eye movement, peripheral vision
 - 5. Trigeminal: V, both, ophthalmic maxillary, mandibular (sensory); face and head (motor)
 - 6. Abducens: VI, motor, abducts eye
 - 7. Facial Nerve: VII, both, facial expression, taste, tongue movement
 - 8. Vestibulocochlear: VIII, sensory, hearing and balance
 - 9. Glossopharyngeal: IX, both, tongue, throat, swallowing
 - 10. Vagus: X, both, organ sense (thoracic and abdominal) inhibitor
 - 11. Accessory: XI, motor, spinal accessory, shoulder and head movement
 - 12. Hypoglossal: XII, motor, tongue and throat movement
- 17. How many spinal nerves are there and where are they located?
 - 31 pairs of mixed nerves attached to spinal cord by ventral and dorsal roots: 8 cervical (pass through intervertebral foramina);
 - 12 thoracic, 5 lumbar (exit cord at 1st lumbar vertebra, but do not exit spinal canal until reaching their intervertebral foramina so gives cord a "cauda equina" look),
 - 5 sacral;
 - 1 coccygeal
- 18. What viral infection of the nervous system causes unilateral facial paralysis? Bell's palsy
- 19. What idiopathic disorder causes recurring and excessive electrical discharge? Epilepsy

20. What nervous system disorder causes tremors, uncontrolled shaking related to a decrease of dopamine?

Parkinson's disease

21. What nervous system disorder occurs when lesions form on the cerebral cortex causing dementia?

Alzheimer's

22. What nervous system disorder is also known as an autoimmune disease? Multiple sclerosis

NERVOUS SYSTEM TEST KEY

1. C	31. A
2. A	32. B
3. D	33. C
4. C	34. D
5. A	35. D
6. B	36. B
7. C	37. C
8. D	38. D
9. B	39. C
10. D	40. A
11. B	41. E
12. A	42. D
13. B	43. B
14. C	44. B
15. C	45. B
16. A	46. C
17. B	47. A
18. B	48. B
19. A	39. D
20. A	50. D
21. A	51. D
22. A	52. F
23. C	53. A
24. C	54. D
25. C	55. G
26. B	56. E
27. D	57. H
28. B	58. B
29. D	59. C
30. A	