Revised 5/23

WEST VIRGINIA SECONDARY SCHOOL ACTIVITIES COMMISSION

2875 Staunton Turnpike - Parkersburg, WV 26104

ATHLETIC PARTICIPATION/PARENTAL CONSENT/PHYSICIAN'S CERTIFICATE FORM

(Form required each school year on or after May 1". File in School Administration Office)

ATHLETIC PARTICIPATION / PARENTAL CONSENT

PART I

Name			School Year:	Grade Entering:					
Home Address:			Home Address of Parents:						
City:	<u>, ,,</u>		City:						
				Place of Birth:					
Last semester I attende rules of the WVSSAC a the rules and regulation	ed	(High Schoo s a team member, we a lies and the WVSSAC.	l) or (Middle School). V gree to make every effor	We have read the condensed eligibility it to keep up school work and abide by					
Attention Athlete To be eligible to represent your school in any interscholastic contest, you: must be a regular bona fide student in good standing of the school. (See exception under Rufe 127-2-3) must qualify under the Residence and Transfer Rule (127-2-7) must have earned at least 2 units of credit the previous semester. Summer School may be included. (127-2-6) must have attained an overall "C" (2.00) average the previous semester. Summer School may be included. (127-2-6) must not have reacted your 15th (MS). 19th (HS) birthday before July 1 of the current school year. (127-2-4) must be residing with parent(s) as specified by Rule 127-2-7 and 8.									
rule. Meeting the intentian	a spirit of vvvssac stand	parts will prevent atmetes, PART II - PARENT	teams, and schools from b AL CONSENT	eing penalizeo.					
	CROSS	GOLF		above for the sport NOT MARKED OUT BELOW: VOLLEYBALL WRESTLING BAND					
MEDICAL DISQUALIFICA	TION OF THE STUDENT	F-ATHLETE / WITHHOLD	ING A STUDENT-ATHLET	E FROM ACTIVITY					
The member school's team an injury, an illness or preg physician or that physician	nancy. In addition, clear	ance for that individual to r	when a student-athlete is re eturn to activity is solely the	emoved or withheld from participation due to e responsibility of the member school's team					
contests. I will not hold the result of this participation.	e school authorities or Wa I also understand that pa He/She has student accid	st Virginia Secondary Sch articipation in any of those	ool Activities Commission r sports listed above may c	avel to participate in interscholastic athletic esponsible in case of accident or injury as a ause permanent disability or death. Please ootball insurance coverage available through					
			/e a physical examination, a ned student's school admini	as required in Part IV, Physician's Certificate, istration.					
I consent to WVSSAC's use of the herein named student's name, likeness, and athletically related information in reports of Inter-School Practices or Scrimmages and Contests, promotional literature of the Association, and other materials and releases related to interscholastic athletics.									
<u> have read/review</u> WVSSAC.org. (Click 5		and Sudden Cardiac .	Arrest information as	available through the school and at					

Student Signature_____Parent Signature____

PART III – STUDENT'S MEDICAL HISTORY (To be completed by parent or guardian prior to examination)

Name	Birthda	ate			Grade	Age	·	_
Has the student ever had:		Yes No	12.	Have any prob	lems with heart/l	blood pre	ssure?	
Yes No 1. Chronic or recurrent illness? (Diabeles, Asthma,	Yes No	13.	Has anyone in	your family ever			ercise?
Seizures, etc.,)		Yes No	14.	Take a	ny medic	Ine?		List
Yes No 2. Any hospitalizations?		V N-	4.5	144				استسمام
Yes No 3. Any surgery (except tonsils)?	distribution in anada?	Yes No applianc			s, conta	ct lense	38,	dentai
Yes No 4. Any injuries that prohibited your par	ricipation in sports?			_	ıns missing (eye,	. kidnev. 1	testicle.	etc.)?
Yes No 5. Dizziness or frequent headaches? Yes No 6. Knee, ankle or neck injuries?					ger than 10 year			
Yes No 7. Broken bone or dislocation?		shot?				•		
Yes No 8, Heat exhaustion/sun stroke?					been told not to			
Yes No 9. Fainting or passing out?		Yes No	19.		of any reason	this stud	ent sho	uld not
Yes No 10. Have any allergies?		Voc. No	- 20	participate in a	ipons <i>r</i> n death history in	s wour for	Culin	
Yes No 11. Concussion? If Yes					history of heart a	•		502
	Oale(s)				hing, wheezing,			
STRACE EVELANT ANY INCOME AND INCOME OF OR	ANY ATHER			breath when y	ou exercise?			
PLEASE EXPLAIN ANY "YES" ANSWERS OR ADDITIONAL CONCERNS.	ANT OTHER	Yes No	23.	(Females Only menstrual peri	r) Do you have a ods.	ny proble	ims with	your
I also give my consent for the physician in a	tandonce and the anno	onriste me	lenih	staff to give to	realment at an	v athletic	r eveni	for
any injury.								
SIGNATURE OF PARENT OR GUARDIAN	· · · · · · · · · · · · · · · · · · ·			D	ATE	!	_!	
	PART IV - VI	TAL SIGN	IS					
Height Weight/	F	Pulse		B	lood Pressure			
Visual acuity: Uncorrected/_	; Corrected		'	; Pup	iils equal diami	eter: Y	Ŋ	
	ART V - SCREENIN	C DHYSE	ìΔI	FYAM				
This exam is not meant					rivate physicia	n.		
Mouth:	Respiratory:	.,		Abdo				
	Symmetrical breath so	ursdo '	y 1		isses		v	N
, 16 k 11 11 11 11 11 11 11 11 11 11 11 11 1	•						Y	N
Missing/toose teeth Y N	Wheezes			N (7)	ganomegaly		•	14
Caries needing treatment Y N	Cardiovascular:							
Enlarged lymph nodes Y N	Murmur			N				
Skin - infectious lesions Y N	Irregularities			N				
Peripheral pulses equal Y N	Murmur with Valsalva			N				
Any "YES" under Cardiovascular	requires a referral to f	amily doct	tor o	r other appro	priate healtho	are pro	vider.	
Musculoskeletal: (note any abnormalities)								
Neck: Y N Elbow:	ΥN	Knee/Hip:		Y N	Hamstrings:	Y	Ŋ	
Shoulder: Y N Wrist:	Y N	Ankle:		Y N	Scoliosis:	Y	N	
				0.00	1			1
Over the last 2 weeks, how often have you bee	n botnered by any or the ro Not at all	Several I		Over half.		arly every	dav dav	
F	0	1	Jujo	2	•	3	,	
Feeling nervous, anxious, or on edge.				2		3		
Not being able to stop or control worrying.	0	1		_				
Little interest or pleasure in doing things. Feeling down, depressed, or hopeless	0 0	1 1		. 2		3 3		
L								•
RECOMMENDATIONS BASED ON ABOVE EVA	ALUATION:							
After my evaluation, I give my:								
Full Approval;								
Full approval; but needs further evaluate	tion by Family Dentist	_; Eye Docto). 	_; Family Phys	ician; Oth	er;	•	
Limited approval with the following rest	rictions:					;		
Denial of approval for the following real	sons:					·		
				,		_		
				1	,			

Date

MD/DO/DC/Advanced Registered Nurse Practitioner/Physician's Assistant

DON'T LET AN INJURY LEAD TO AN OPIOID ADDICTION

2 MILLION ATHLETES ARE EXPECTED TO SUFFER A SPORTS INJURY THIS YEAR MANY OF THESE ATHLETES WILL BE PRESCRIBED OPIOID PAINKILLERS 75% OF HIGH SCHOOL HEROIN USERS STARTED WITH PRESCRIPTION OPIOIDS

HIGH SCHOOL ATHLETES ARE AT RISK OF BECOMING ADDICTED TO PRESCRIPTION DRUGS

- 28.4% used medical opioids at least once over a three year period.
- 11% of high school athletes have used an opioid medication for nonmedical reasons.
- Nearly 25% of students who chronically use prescription opioids also use heroin.

WHAT ARE OPIOIDS?

Opioids are a powerful and addictive type of prescription painkiller that have similar chemical properties and addiction risks as heroin. While opioids may provide temporary relief, they do nothing to address the underlying injury and can have serious side effects.

These drugs may lead to: dependence, tolerance, accidental overdose, coma and death.

The most common prescribed opioid painkillers in West Virginia are:

- Oxycodone (OxyContin)
- · Hydrocodone (Lortab and Vicodin)

HOW TO PROTECT YOUR CHILD

 Talk to your healthcare provider about alternative pain management treatment options (see below).

First-time prescription opioid users have a 64% higher risk of early death than patients who use alternative pain medication.

- If your child is prescribed an opioid painkiller, talk about the dangers of misusing medication, including overuse and medication sharing.
- Monitor your child's intake of prescription medication to ensure he/she is following dosage instructions.
- Safely dispose of any unused medication through a prescription drug drop box or a DEA Take-Back program.

NON-NARCOTIC PAIN MANAGEMENT ALTERNATIVES

Physical Therapy
Chiropractic
Massage Therapy
Acupuncture

Over-the-Counter Medication



West Virginia
Board of
Medicine

What is a concustion?

A concussion is a type of traumatic brain injury. Concussions are caused by a bump or blow to the head. Even a "ding," "getting your bell rung," or what seems to be a mild bump or blow to the head can be serious.

You can't see a concussion. Signs and symptoms of concussion can show up right after the injury or may not appear or be noticed until days or weeks after the injury. If your child reports any symptoms of concussion, or if you notice the symptoms yourself, seek medical attention right away.

What are the signs and symptoms of a concussion?

If your child has experienced a bump or blow to the head during a game or practice, look for any of the following signs of a concussion:

OR VOCALEME PARTICULAR MICROSOMO

- Headache or "pressure" in head
- + Nausea or vomiting
- + Balance problems or dizziness
- Double or blumy vision
- Sensitivity to light
- Sensitivity to noise
- Feeling sluggish, hazy, foggy, or groggy
- Concentration or memory problems
- + Confusion
- Just"not feeling right" or "feeling down"

Dishe or Examination

- Appears dazed or stunned
- Is confused about assignment or position
- Forgets an instruction
- Is unsure of game, score, or opponent
- · Moves durasily
- Arswers questions slowly
- Losas considousness (even briefly)
- * Shows mood, behavior, or personality changes

How can you help your child prevent a concretion or other serious brain injury?

- Ensure that they follow their coadr's rules for safety and the rules of the sport.
- Encourage them to practice good sportsmanship at all times.
- Make sure they wear the right protective equipment for their activity. Protective equipment should fit properly and be well maintained.
- Wearing a helmet is a must to reduce the risk of a serious brain injury or skull fracture.
 - However, helmets are not designed to prevent concussions. There is no "concussion-proof" helmet.
 So, even with a helmet, it is important for kids and teens to avoid hits to the head.

What should you do if you think your child has a concussion?

SEEK MEDICAL ATTENTION RIGHT AWAY. A health care professional will be able to dedde how sarious the concussion is and when it is safe for your child to return to regular activities, including sports.

KEEP YOUR CHILD OUT OF PLAY. Concussions take time to heal. Bon't let your child neturn to play the day of the injury and until a health care professional says it's OK. Children who neturn to play too soon—while the brain is still healing—risk a greater chance of having a repeat concussion. Repeat or later concussions can be very serious. They can cause permanent brain damage, affecting your child for a lifetime.

TELL YOUR CHILD'S COACH ABOUT ANY PREVIOUS CONCUSSION. Coaches should know if your child had a previous concussion. Your child's coach may not know about a concussion your child received in another sport or activity unless you tell the coach.

If you thin know them has a concussion.

Don't assess it yourself. Take him/her out of play

Seek the advice of a health care professional.

th's better to miss one gome then the whole season.

For more information, visit www.odc.gov/Concession.





N38 SERBERALCO



SUDDEN CARDIAC ARREST AWARENESS

What is Sudden Cardiac Arrest?

- · Occurs suddenly and often without warning.
- An electrical malfunction (short-circuit) causes the bottom chambers of the heart (ventricles) to beat dangerously fast (ventricular tachycardia or fibrillation) and disrupts the pumping ability of the heart.
- · The heart cannot pump bloud to the brain, lungs and other organs of the body.
- The person loses consciousness (passes out) and has no pulse.
- · Death occurs within minutes if not treated immediately.

What are the symptoms/warning signs of Sudden Cardiac Arrest?

- SCA should be suspected in any aithlete who has collapsed and is unresponsive
- · Fainting, a selzure, or convulsions during physical activity
- Dizziness or lightheadedness during physical activity
- Unusual fatigue/weakness
- Chest pain
- Shortness of breath
- Nausea/vomiting
- · Palpitations (heart is beating unusually fast or skipping beats)
- Family history of sudden cardiac arrest at age <50

ANY of these symptoms/warning signs may necessitate further evaluation from your physician before returning to practice or a gama.

What causes Sudden Cardiac Arrest?

- Conditions present at birth (inherited and non-inherited heart abnormalities)
- A blow to the chest (Commotio Cordis)
- An infection/inflammation of the heart, usually caused by a virus. (Myocarditis)
- Recreational/Performance-Enhancing drug use.
- Other cardiac & medical conditions / Unknown causes. (Obesity/Idiopathic)

What are ways to screen for Sudden Cardiac Arrest?

- The American Heart Association recommends a pre-participation history and physical which is mandatory annually in West Virginia.
- Always answer the heart history questions on the student Health Ristory section of the WVSSAC Physical Form completely and honestly.
- Additional screening may be necessary at the recommendation of a physician.

What is the treatment for Sudden Cardiac Arrest?

- · Act immediately; time is critical to increase survival rate
- · Activate emergency action plan
- Call 911
- Begin CPR
- Use Automated External Defibrillator (AED)

Where can one find additional information?

- · Contact your primary health care provider
- · American Heart Association (www.heart.org)