

Dear Parent/Guardian,

The New Jersey Department of Education has implemented NJ Public Law 2007, Chapter 57. This law includes specific language pertaining to the administration of epinephrine to students. Any student whose physician orders epinephrine for anaphylaxis shall be offered a volunteer, non-medical designee to administer epinephrine via a pre-filled autoinjector mechanism when the school nurse is unavailable. This also pertains to those students who are capable of and have self-medication orders.

Please review the enclosed forms and discuss them with your child's physician. All completed forms should be returned to your child's school nurse.

Pre-filled auto-injector mechanism(s) are to be supplied to the school nurse in a properly labeled container, with the child's name, dosage, etc., on the pharmacist's label. you are requesting a designee, a minimum of two injectors are required. Also, please notify the school nurse in writing of any school sponsored activities in which your child will be participating so that plans can be made for his/her safety.

If you have any questions, please contact your child's school nurse.

Sincerely,

Dorothea Gernanden Dorothea Fernandez

Director of Pupil Services

DF:ak

Enclosures: Parent Request/Refusal for Pre-filled Auto-Injector Mechanism Administration When Nurse is Unavailable/Hold Harmless

> Medication Order Sheets (2) Self-Medication Order Sheet (2)

Food Allergy & Anaphylaxis Emergency Care Plan

Bus Transport Emergency Medical Plan Individualized Emergency HealthCare Plan



Parent Request for Pre-filled Auto-Injector Mechanism (EpiPen) Administration When Nurse is Unavailable

Student's Name	9	School
L givo normis	sion for a trained delegated	nonmodical norman (delegate) to
administer epir	nephrine via pre-filled auto-inject	nonmedical person (delegate) to ctor mechanism to my child when
I understand th	urse is not present. My child is a lat when epinephrine is administ ansport my child to the hospital.	ered to my child, 911 will be called
Education and	its employees/agents from ar xpenses arising out of, or cor	ess the Howell Township Board of by and all losses, claims, injuries, nnected with, the administration of
Pare	nt/Guardian Signature	Date
Parent Refusa	al for Pre-filled Auto-Injector Me When Nurse is Una	echanism (EpiPen) Administration vailable
auto-injector m	echanism to my child in the ev	prescribed epinephrine via pre-filled ent of an exposure to a known life . I understand that 911 will be called
Pare	nt/Guardian Signature	Date

Dear Parent/Guardian,

Should it be necessary for your child to receive medication during school hours, you must present **this form** or an order from your personal physician, stating medication, **dosage**, **time of administration**, and the length of time your child will be on medication. This includes Tylenol, Motrin, cough drops and <u>all</u> over-the-counter medications. Any changes in these directions must be verified by a call to the school nurse, as well as a written note from the physician.

Any dangerous condition being experienced by a child on medication should be spelled out in detail with procedures to follow should a reaction occur. Medicine must be properly labeled and in the original container, with the child's name, dosage, etc., on the pharmacist's label. The parent/guardian must transport all medication to and from school, unless a child has a doctor's signed permission to self-medicate and therefore carry an emergency medication (inhaler, pre-filled auto-injector mechanism).

Sincerely, Dorothea Fernandey

Dorothea Fernandez Director of Pupil Services

Request for Administration of Medication

Homeroom_	Date	
Dosage	Time of Administration	
to be given	minutes before physical education or recess	
and conclude on		
oserved:		
ring field trips? Yes _	No	
n on early dismissal day? Yes	No	
tion?		
Parent/G	uardian Signature	
1		
	Signature of Principal/Approval	
	to be given and conclude on served: ring field trips? Yes n on early dismissal day? Yes tion? Parent/Gr	

Dear Parent/Guardian.

Physician's Stamp

Should it be necessary for your child to receive medication during school hours, you must present this form or an order from your personal physician, stating medication, dosage, time of administration, and the length of time your child will be on medication. This includes Tylenol, Motrin, cough drops and all over-the-counter medications. Any changes in these directions must be verified by a call to the school nurse, as well as a written note from the physician.

Any dangerous condition being experienced by a child on medication should be spelled out in detail with procedures to follow should a reaction occur. Medicine must be properly labeled and in the original container, with the child's name, dosage, etc., on the pharmacist's label. The parent/guardian must transport all medication to and from school, unless a child has a doctor's signed permission to self-medicate and therefore carry an emergency medication (inhaler, pre-filled auto-injector mechanism).

Sincerely,

erothea Gurnandey Dorothea Fernandez Director of Pupil Services

(2/2017)

Request for Administration of Medication

		nDate
Diagnosis		
Name of Medication	Dosage	Time of Administration
Daily or PRN:	to be given	minutes before physical education or recess
Γο begin on	and conclude on _	
Possible side effects to be obs	served:	
Special Instructions		
		SNo
s this medication to be given	on early dismissal day? Y	es No
s child on any other medicati	on?	
Physician's Signature	Parent/0	Guardian Signature
School Physician's Approval		Signature of Principal/Approval
DI EASE NOTE, If wow abild has no		lf-medicate with an emergency medication such as an asthm
	sm, please obtain the self-medication	n order form from your school nurse or download it from th

Howell Township Public Schools Permission to Self-Administer Emergency Medications

Howell Township Board of Education Policy 508 allows for the self-administration of medication for potentially life-threatening conditions only. A life-threatening condition is a condition that requires an immediate response to specific symptoms that if left untreated may lead to potential loss of life, for example: adrenaline for anaphylaxis, inhalers for asthma. This medication order will remain in effect for the current school year. Please note it is the parent's responsibility to ensure that the medication carried by the child has not reached its expiration date.

**************************************	pleted by physician **************			
The student named below has a potentially libeen instructed in the proper method of self-and responsible to self-administer.				
Student:	Date:			
Potentially Life-Threatening Diagnosis:				
Medication:	Dosage:			
Additional Instructions:				
Side Effects:				
Physician's Name (please print):	Telephone:			
Physician's Signature:				
Date:				
*	Physician's Stamp			
**************************************	by parent/legal guardian ***********			
I, as parent/guardian of Howell Township Board of Education to per emergency medication as prescribed above b proper use of this medication and will be res and hold harmless the Howell Township Boa from any and all losses, claims, injuries, dam administration of medication.	by their physician. My child understands the ponsible for it. I hereby agree to indemnify and of Education and its employees/agents			
Parent/Guardian Signature	Date:			
School Physician	Principal			

Howell Township Public Schools Permission to Self-Administer Emergency Medications

Howell Township Board of Education Policy 508 allows for the self-administration of medication for potentially life-threatening conditions only. A life-threatening condition is a condition that requires an immediate response to specific symptoms that if left untreated may lead to potential loss of life, for example: adrenaline for anaphylaxis, inhalers for asthma. This medication order will remain in effect for the current school year. Please note it is the parent's responsibility to ensure that the medication carried by the child has not reached its expiration date.

****** <u>Part I -</u>	- To be completed by physician *************				
	potentially life-threatening condition. This student has thod of self-medication for this condition and is capable er.				
Student:	nt: Date:				
Potentially Life-Threatening Dia	agnosis:				
Medication:	n: Dosage:				
Side Effects:					
Physician's Name (please print)	:Telephone:				
Physician's Signature:					
Date:					
	Physician's Stamp				
**************************************	e completed by parent/legal guardian**********				
emergency medication as prescr proper use of this medication an and hold harmless the Howell To from any and all losses, claims, administration of medication.	cation to permit my child to carry and self-administer the ibed above by their physician. My child understands the d will be responsible for it. I hereby agree to indemnify ownship Board of Education and its employees/agents injuries, damages or expenses arising from the self-				
Parent/Guardian Signature	Date:				
School Physician	Principal				



FARE FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN


Name:	D.O.B.: PLACE			
Allergy to:	PICTURE HERE			
Weight:Ibs. Asth	ma: Yes (higher risk for a severe re	eaction) No	HERE	
		rs) to treat a severe reaction. USE EPINEPHR	INE.	
			1	
THEREFORE:	wing allergens:	(No. 1) All and the second		
The state of the s	e immediately if the allergen was LIKELY	eaten, for ANY symptoms.		
If checked, give epinephrin	e immediately if the allergen was DEFINI	TELY eaten, even if no symptoms are appa	arent.	
TOD ANY O	OF THE FOLLOWING:			
	SYMPTOMS	MILD SYMPTOI	VIS	
LUNG HEART	THROAT MOUTH	NOSE MOUTH SKIN Itchy/runny Itchy mouth A few hives	GUT s, Mild nausea/	
Short of breath, Pale, blue, wheezing, faint, weak		nose, mild itch sneezing	discomfort	
repetitive cough pulse, dizz	breathing/ tongue and/or lips			
	swallowing	FOR MILD SYMPTOMS FROM MOR System area, give epinep		
	(OR A	No.	***************************************	
SKIN GUT	OTHER of symptoms	FOR MILD SYMPTOMS FROM A SIN AREA, FOLLOW THE DIRECTION		
Many hives over Repetitive	Feeling from different	Antihistamines may be given, if ord		
body, widespread vomiting, seve redness diarrhea	re something bad is body areas. about to happen,	healthcare provider.		
	anxiety, confusion	2. Stay with the person; alert emerger3. Watch closely for changes. If symptom		
INJECT EDINEDLI	The IMMEDIATEIA	give epinephrine.	ionis worsen,	
1. INJECT EPINEPHRINE IMMEDIATELY. 2. Call 911. Tell emergency dispatcher the person is having				
anaphylaxis and may need	anaphylaxis and may need epinephrine when emergency			
responders arrive. Consider giving additional responders.	nedications following epinephrine:	Epinephrine Brand or Generic:		
» Antihistamine		Epinephrine Dose: 0.15 mg IM 0	0.3 mg IM	
 Inhaler (bronchodilator Lay the person flat raise le 		Antihistamine Brand or Generic:		
difficult or they are vomiting, let them sit up or lie on their side.				
	or symptoms return, more doses of out 5 minutes or more after the last dose.	Antihistamine Dose:		
Alert emergency contacts.	out 5 minutes of more after the last dose.	Other (e.g., inhaler-bronchodilator if wheezing):		
	en if symptoms resolve. Patient should			

remain in ER for at least 4 hours because symptoms may return.

FOOD ALLERGY & ANAPHYLAXIS EMERGENCY CARE PLAN

EPIPEN® AUTO-INJECTOR DIRECTIONS

- 1. Remove the EpiPen Auto-Injector from the clear carrier tube.
- Remove the blue safety release by pulling straight up without bending or twisting it.
- 3. Swing and firmly push orange tip against mid-outer thigh until it 'clicks'.
- 4. Hold firmly in place for 3 seconds (count slowly 1, 2, 3).
- Remove auto-injector from the thigh and massage the injection area for 10 seconds.



ADRENACLICK® (EPINEPHRINE INJECTION, USP) AUTO-INJECTOR DIRECTIONS

- 1. Remove the outer case.
- 2. Remove grey caps labeled "1" and "2".
- 3. Place red rounded tip against mid-outer thigh.
- 4. Press down hard until needle enters thigh.
- 5. Hold in place for 10 seconds. Remove from thigh.



ADMINISTRATION AND SAFETY INFORMATION FOR ALL AUTO-INJECTORS:

- 1. Do not put your thumb, fingers or hand over the tip of the auto-injector or inject into any body part other than mid-outer thigh. In case of accidental injection, go immediately to the nearest emergency room.
- 2. If administering to a young child, hold their leg firmly in place before and during injection to prevent injuries.
- Epinephrine can be injected through clothing if needed.
- 4. Call 911 immediately after injection.

OTHER DIRECTIONS/INFORMATION (may self-carry epinephrine, may self-administer epinephrine, etc.):				
*.				

Treat the person before calling emergency contacts. The first signs of a reaction can be mild, but symptoms can worsen quickly.

EMERGENCY CONTACTS — CALL 911	OTHER EMERGENCY CONTACTS
RESCUE SQUAD:	NAME/RELATIONSHIP:
DOCTOR: PHONE:	PHONE:
PARENT/GUARDIAN: PHONE:	NAME/RELATIONSHIP:
	PHONE:



BUS TRANSPORT EMERGENCY MEDICAL PLAN

NAN	ЛЕ:		_					
ADD	RESS:							
ROL	JTE #:							
1.	13			has a history	of severe alle	ergy to		
2.	It can be	so severe tha	t "anaphylaxi	s" can occur.			, va	·
	causing	g substance.	It is brought o	on when the a	llergen enter		n is exposed to eam, causing the ence.	
3.	lips and breath,	mouth, a feeli nausea, vomit	ng of fullness	in the throat, f Il cramps, dia	lushing of fac rrhea, increas	e or body, coug	and/or extremities hing, wheezing, s ow blood pressu	shortness of
4.	If			shows any	of the sympt	oms of anaphyla	xis noted above:	
	t	transporting a _ anaphylaxis. Hi	s/her symptoms	year old child v are	vith a history of	severe	on. Tell the dispar	icher: "I am resulting in
	C. V	Vhen		is to be	transported to	are coming to hele the hospital, send	p. d this form	
	D. 1	with emergency telephone numbers with him/her. D. Make sure that your bus company contacts the parents and the school to explain the reaction and to which						
	E. I		d has been trans ched accident/in		make a copy fo	or your files, and	drop the complete	d form off at
	F. 1	f you have any	ation with me t	e contact the se hroughout the	chool nurse at year with any o	changes that may	. Also, ple	ease keep in s run as the
5.	The stud	dent will be sea	ated at the fron	t of the bus to	the right of th	e bus driver	Accept Decline	ı
Cert	ified School	l Nurse	Date		Bus Driver		Date	
Pare	ent/Guardia	n Signature		Date	-			
EME	RGENCY	CONTACTS						
1. N	lame:		10.0	Relationship		Phone No:_		
2. N	Vame:			Relationship	•	Phone No:		

HOWELL TOWNSHIP SCHOOL DISTRICT INDIVIDUALIZED EMERGENCY HEALTHCARE PLAN for STUDENTS WITH SEVERE ALLERGIES

	CE ALLERGIES			
Student: Date:				
Severe allergy to:				
Birthdate: Physician:	Phone#:			
Preferred hospital in case of emergency:				
Epinephrine delegate(s): YesNo:				
Name of delegate(s):				
Location of Epinephrine: Main Office/ Hea	Ith Office/ Student Carries			
	NFORMATION			
Parent /Guardian:	Home Phone:			
1	Work:			
	Cell:			
2	Work:			
T	Cell:			
Emergency Contact:	Home Phone:			
	Work:			
Previous Reaction:	Cell:			
STUDENT -SPECIFIC	FMEDCENCIES			
If you see any of these signs or symptoms of an	Do This			
allergic reaction	DO TIMO			
Mouth- Itching & swelling of lips, tongue, or	1. If student presents with any of these signs or			
mouth	symptoms, notify nurse immediately@ and			
	Main Office @ If nurse is unavailable, call			
	911 immediately and contact delegate if indicated			
Thurst Making and/an account ticks and	above.*			
Throat- Itching and/or a sense of tightness in the throat, hoarseness, and hacking cough,	2.Student has order formg Benadryl:YesNo Student carries Benadryl: YesNo			
choking	Benadryl kept in Health Office: Yes No			
choking	Student may self administer epinephrine:			
	Yes No			
	Epinephrinemg to be administered			
	Dose may be repeated: Yes No			
Skin- Hives, itchy rash, and/or swelling about	3. Note and Record:			
the face or extremities, flushed face	Time of Incident:			
	Time of Administration of Epinephrine and site:			
	Circumstances (where and what was the allergen):			
	en damstances (where and what was the anergen).			
Op.	Contact parent. Remain with student.			
Gut- Nausea, abdominal cramps, vomiting,	4. Student must be transported to hospital if epinephrine			
and/or diarrhea	is administered.			
Lung- Shortness of breath, repetitive				
coughing, and/or wheezing Heart- "Thready" pulse, "passing-out", rapid	*For After School Activities			
heart rate	Activate EMS 911. Notify administrator or site			
neart rate	supervisor who will contact delegate if in building.			
Other- Dizziness, unsteadiness, sudden fatigue,	*Parent to notify nurse if student is staying after school.			
chills, loss of Consciousness				
If an emergency occurs:				
1. If the emergency is life-threatening, immediately call 9-1-1 and request Advanced Life Support				
Stay with student or designate another adult				
3. Call or designate someone to call the princip				
State who you are, where you are and the problem.				
School Nurse:				
Parent Signature:	Date:			
Copy to:				