Sample Anaphylaxis Training Assessment

(Red font indicates correct answers)

1.	What is anaphylaxis?										
□ An allergic reaction											
	□ A sudden, life-threatening allergic reaction										
	□ An asthma attack										
2.	Signs and symptoms of anaphylaxis could include (check all that apply):										
	□ Itchy, red rash										
	□ Hives										
	□ Sneezing										
	□ Itching, swelling, or hoarseness of the throat										
	□ Shortness of breath, cough, and/or wheezing										
	□ Weak pulse or loss of consciousness ("passing out")										
	□ Hyperactivity										
	□ Abdominal pain/discomfort										
3.	Signs and symptoms of anaphylaxis include (check 1 of the following):										
	□ Extreme agitation, restlessness										
	Itching and swelling of the lips or tongue, hives, difficulty breathing, vomiting										
	□ Lethargy, drowsiness										
4.	a child with a food allergy complains of any of the above symptoms, it is best to wait and be sure rather than										
	provide emergency treatment. True False										
5.	5. A food allergy reaction or anaphylaxis only occurs after the food-allergic person eats a large amount of the										
	allergy food. True False										
6.	If not treated immediately, a food allergy reaction can cause death. True False										
7.	. Epinephrine does not need to be given for a bee sting unless the student complains of difficulty breathing, ex										
	if the nursing care plan documents a history of anaphylaxis. True False										

8.	Wh	Which of the following are possible side effects of epinephrine?											
		□ Elevated blood pressure, itching											
		□ Headache, nausea											
		□ Heart palpitations, anxiousness, headache											
		□ Drowsiness, lethargy											
9.	If the allergy symptoms are relieved after giving epinephrine, Emergency Medical Services (911) do not need to be												
	called. True False												
8.	If a food doesn't have a label, it is better not to give it to a student with food allergies even if he/she says they think												
	they have had it before. True False												
9.	Ev	eryone experiencing a life-threatening allergic reaction will have hives. True False											
10.	Ιh	ave demonstrated I am able to use the epinephrine auto-injector. Yes No											
11.	The epinephrine auto-injector should be given only if an allergy reaction is severe, otherwise treatment should												
	be	egin with an antihistamine while waiting for emergency personnel or doctor's advice. True False											
12.	2. Stops the symptoms of the allergic reaction.												
	(ci	rcle one) Epinephrine Antihistamine											
13.	Le	essens the effect of the allergic reaction.											
	(cir	cle one) Epinephrine Antihistamine											
14.	Wh	nen using the epinephrine auto-injector, it generally must be held in place according to manufacturer's guidance											
	for	all the medication to be released. True False											
15.	Αc	child with a latex allergy can experience a latex allergen exposure from Balls, gym equipment,											
	ba	alloons, erasers, rubber bands, bandages and first aid gloves.											
16.	Αd	child eats a sandwich containing peanut butter and a classmate has a peanut allergy, cross-contact can be											
	reduced by (check 1 of the following):												
	□ Thoroughly washing hands with soap and water after eating and thoroughly washing the eating surface with												
	soap and water.												
		Using hand sanitizer to clean up any peanut butter that falls out of the sandwich.											

17.	Cra	Craft activities that use foods known to cause allergic reactions in students are safe to do because they won't be													
	ea	ten.		True	False										
20.	Sc	chools ar	re not co	onsidere	d a high	n risk set	ting for e	xposure t	o allerger	ns and	d cross-	contact	for stu	idents w	ith
	life	e-threate	ening alle	ergies.		True	False								
21.	Life	e-threate	ening all	ergy is c	classified	d as a di	sability u	nder Sect	ion 504.		True	Fals			
22.	The classroom is the most common area students in school are reported to experience an allergic reaction.														
		True	False												
23.	. A child complains of continued asthma symptoms even after using a rescue medication inhaler. You know this														
	student has a life-threatening allergy to peanuts and it has been 30 minutes since the student finished eating														
	lunch. You suspect this student may have been exposed to peanut butter at lunch.														
	Describe the next steps you would take.														
24.	4. If I have questions about the student's allergy or care plan, I can ask:														
		Principa	al												
		Studen	t												
		Custod	ian												
		School	nurse												