



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3231503

Waltham Services
817 Moody Street
Waltham, MA 02453
781-893-1810

Client: 118352
DENNIS YARMOUTH REGIONAL SCHOOL
SANDY CASHENS
296 STATION AVE
SOUTH YARMOUTH, MA 02664
Phone: 508-398-7600

Service Location: 118352
DENNIS YARMOUTH REGIONAL SCHOOL ADM
SANDY CASHEN
296 STATION AVE
SOUTH YARMOUTH, MA 02664
Phone: 508-398-7600

Customer Signature:

Technician Signature:

Licenses/Certifications

MA - 26175
MA - 26175

Mary Anne Mulhern

Kevin Brown

Time In: 8/2/2018 12:32 PM **Terms:** 30NET
Time Out: 8/2/2018 12:47 PM **PO #:** contract

Order #	Service Description	Quantity
A2296233	MONTHLY SERVICE YEARLY BILL	1.00

Service Comments

Tech Comment: Inspected interior and exterior areas for evidence of pest activity. Checked and replaced insect monitors and glueboards. Received report of 1 spider found today. No evidence of pest observed at this time

Materials Summary	EPA #	Active Ingredient	Finished Quantity	Application Method	Application Rate
Material Applied	Lot #	AI Concentration	Undiluted Quantity	Application Equipment	Sq/Cu/L Ft

Open Conditions

EXTERIOR -> PERIMETER

Condition: Other - Gutter at front of building damaged. Water will collect along foundation

Action: Repair gutter

Severity	Created
Responsibility	Last Inspected

Low 5/3/2018

Client 5/3/2018

EXTERIOR -> PERIMETER

Condition: Other - Debris in gutters at rear of building.

Action: Clean out gutters to prevent standing water that will attract insects

Low 5/3/2018

TBD 5/3/2018

Conditions Resolved This Visit

No Conditions
Added or Updated
this Service

Severity	Created
Responsibility	Last Inspected

Pest Summary

Quantity

None Noted

Device Summary

With Activity	Without Activity	Total Inspected	Device Exceptions
			Replaced Removed Skipped

None Noted

Additional pest findings may have been observed. Please see conditions and comments for more details.

Area Inspections

Area Inspected	Pest Findings	Time
EXTERIOR		12:35 PM
EXTERIOR -> PERIMETER		12:35 PM
Comment: No evidence of pest activity found at this time.		
INTERIOR		12:44 PM



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3231503

Area Inspections

Area Inspected	Pest Findings	Time
INTERIOR -> BREAKROOM Comment: No evidence of pest activity found at this time.		12:43 PM
INTERIOR -> COMMON AREAS Comment: No evidence of pest activity found at this time.		12:43 PM
INTERIOR -> CONFERENCE ROOM Comment: No evidence of pest activity found at this time.		12:43 PM
INTERIOR -> ENTRANCE		12:43 PM
INTERIOR -> OFFICES Comment: Report of a spider in an office this morning. No other evidence of pest activity observed or reported to me		12:44 PM
INTERIOR -> UTILITY ROOM Comment: No evidence of pest activity found at this time.		12:44 PM

Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time
None Noted			None		

Material Application Details

Material Applied	Active Ingredient	AI%	Application Method	Application Rate
EPA #	Lot #	AI Concentration	Application Equipment	Sq/Cu/L Ft
None Noted				
Weather:		N/A	N/A	



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3230148

Waltham Services
817 Moody Street
Waltham, MA 02453
781-893-1810

Client: 25200110
DENNIS YARMOUTH REGIONAL SCHOOLS
HIGH SCHOOL
296 STATION AVENUE
S YARMOUTH, MA 02664-

Phone: 508-398-7615
Alt. Phone: - -

Service Location: 25200110
DENNIS YARMOUTH REGIONAL
210 STATION AVENUE
HIGH SCHOOL
SOUTH YARMOUTH, MA 02664

Phone: 508-398-7615

Customer Signature:

Sandy

Technician Signature:

Kevin Brown

Licenses/Certifications

MA - 26175
MA - 26175

Time In: 8/2/2018 12:54 PM
Time Out: 8/2/2018 01:27 PM

Terms: NET 10 DAYS
PO #: contract

Order #	Service Description	Quantity
A2296234	MONTHLY SERVICE YEARLY BILL	1.00

Service Comments

Tech Comment: Inspected kitchen areas for evidence of pest activity. Checked mouse traps. Checked and replaced insect monitors. No evidence of pest activity observed today

Materials Summary

EPA #	Active Ingredient	Finished Quantity	Application Method	Application Rate
Material Applied	Lot #	Undiluted Quantity	Application Equipment	Sq/Cu/L Ft

Open Conditions

INTERIOR -> KITCHEN

Condition: Exit doors propped open, unattended.

Action: Keep doors closed at all times.

Severity	Created
Responsibility	Last Inspected

High	2/10/2015
Client	6/1/2017

Conditions Resolved This Visit

No Conditions
Added or Updated
this Service

Severity	Created
Responsibility	Last Inspected

Pest Summary

None Noted

Quantity

Device Summary

	With Activity	Without Activity	Total Inspected	Device Exceptions	Replaced	Removed	Skipped
Interior Rodent Trap (multi-c	0	3	3		0	0	0
- Totals	0	3	3		0	0	0

Additional pest findings may have been observed. Please see conditions and comments for more details.

Area Inspections

Area Inspected	Pest Findings	Time
INTERIOR		1:26 PM
INTERIOR -> CAFETERIA		1:24 PM
INTERIOR -> KITCHEN		1:26 PM
Comment: No evidence of pest activity found at this time.		
INTERIOR -> KITCHEN -> DISHWASH		1:23 PM



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3230148

Area Inspections

Area Inspected	Pest Findings	Time
INTERIOR -> KITCHEN -> LEFT STOREROOM		1:24 PM
INTERIOR -> KITCHEN -> RIGHT STOREROOM		1:15 PM
INTERIOR -> KITCHEN -> SERVING		1:24 PM
INTERIOR -> KITCHEN -> UTILITY ROOM		1:24 PM
INTERIOR -> RECEIVING		1:26 PM

Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time
<i>INTERIOR -> KITCHEN</i>					
	3	Interior Rodent Trap (multi-catch)	None		1:20 PM
<i>INTERIOR -> KITCHEN -> DISHWASH</i>					
	2	Interior Rodent Trap (multi-catch)	None		1:23 PM
<i>INTERIOR -> KITCHEN -> RIGHT STOREROOM</i>					
	1	Interior Rodent Trap (multi-catch)	None		1:15 PM

Total Devices: 3 Skipped: 0 No Activity: 3 Activity: 0

Material Application Details

Material Applied	Active Ingredient	AI%	Application Method	Application Rate
EPA #	Lot #	AI Concentration	Application Equipment	Sq/Cu/L Ft

None Noted

N/A

N/A

Weather:



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3241132

Waltham Services
817 Moody Street
Waltham, MA 02453
781-893-1810

Client: 118352
DENNIS YARMOUTH REGIONAL SCHOOL
SANDY CASHENS
296 STATION AVE
SOUTH YARMOUTH, MA 02664
Phone: 508-398-7600

Service Location: 118352
DENNIS YARMOUTH REGIONAL SCHOOL ADM
SANDY CASHEN
296 STATION AVE
SOUTH YARMOUTH, MA 02664
Phone: 508-398-7600

Customer Signature:

Technician Signature:

Joyce Proudfoot

Kevin Brown

Licenses/Certifications

MA - 26175
MA - 26175

Time In: 8/10/2018 12:27 PM **Terms:** 30NET
Time Out: 8/10/2018 12:54 PM **PO #:** contract

Order #	Service Description	Quantity
A2299124	Commercial Return Visit	1.00

Service Comments

Tech Comment: Received reports of ants "everywhere ". No specific areas were identified. I baited the interior office areas for ants and treated the exterior perimeter using products listed on current IPM plans. Both the indoor and outdoor IPM plans were last updated 6/8/18.

Materials Summary

Material Applied	EPA #	Active Ingredient	Finished Quantity	Application Method	Application Rate
	Lot #	AI Concentration	Undiluted Quantity	Application Equipment	Sq/Cu/L Ft
Advion Ant Gel Target Pests: Ants Areas Applied: OFFICES	100-1498	Indoxacarb	30.000 Gram	CRACK & CREVICE	N/A
	N/A	0.0500	0.000 Gram	N/A	
ECO Via EC Target Pests: Ants Areas Applied: EXTERIOR	Exempt	Thyme oil, rosemary oil, 2-phenethyl propionate	0.250 Fluid Ounce	SPOT	N/A
	N/A	0.3	0.000 Fluid Ounce	N/A	

Open Conditions

EXTERIOR -> PERIMETER

Condition: Other - Gutter at front of building damaged. Water will collect along foundation
Action: Repair gutter

Severity	Created
Responsibility	Last Inspected
Low	5/3/2018
Client	5/3/2018

EXTERIOR -> PERIMETER

Condition: Other - Debris in gutters at rear of building.
Action: Clean out gutters to prevent standing water that will attract insects

Low	5/3/2018
TBD	5/3/2018

Conditions Resolved This Visit

No Conditions
Added or Updated
this Service

Severity	Created
Responsibility	Last Inspected



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3241132

Pest Summary

Quantity

None Noted

Device Summary

With Activity	Without Activity	Total Inspected	Device Exceptions		
			Replaced	Removed	Skipped

None Noted

Additional pest findings may have been observed. Please see conditions and comments for more details.

Area Inspections

Area Inspected	Pest Findings	Time
EXTERIOR		12:49 PM
Comment: Few carpenter ants observed on foundation and siding at various areas of exterior perimeter.		
INTERIOR		12:49 PM
INTERIOR -> OFFICES		12:49 PM

Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time
None Noted			None		

Material Application Details

Material Applied	Active Ingredient	AI%	Application Method	Application Rate
EPA #	Lot #	AI Concentration	Application Equipment	Sq/Cu/L Ft
Advion Ant Gel	Indoxacarb	0.0500%	CRACK & CREVICE	
100-1498	N/A	N/A	N/A	

Target Pest: Ants

Area/Device Name	Finished Quantity	Undiluted Quantity	Technician Name	Time
INTERIOR -> OFFICES	30.0000 Gram	N/A	Kevin Brown	12:50 PM
Comment: Baited along perimeters of office areas				
Weather: 0°, 0 MPH				

ECO Via EC	Thyme oil, rosemary oil, 2-phenethyl propionate	40.0000%	SPOT
Exempt	N/A	0.3	N/A

Target Pest: Ants

Area/Device Name	Finished Quantity	Undiluted Quantity	Technician Name	Time
EXTERIOR	0.2500 Fluid Ounce	N/A	Kevin Brown	12:49 PM
Comment: Treated foundation and entrance areas				
Weather: 0°, 0 MPH				



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3242021

Waltham Services
817 Moody Street
Waltham, MA 02453
781-893-1810

Client: 25200110
DENNIS YARMOUTH REGIONAL SCHOOLS
HIGH SCHOOL
296 STATION AVENUE
S YARMOUTH, MA 02664-

Phone: 508-398-7615
Alt. Phone: - -

Service Location: 25200110
DENNIS YARMOUTH REGIONAL
210 STATION AVENUE
HIGH SCHOOL
SOUTH YARMOUTH, MA 02664
Phone: 508-398-7615

Customer Signature:

Technician Signature:

Licenses/Certifications

Sentricr UnAssigned

Time In: 8/16/2018 12:00 AM
Time Out: 8/16/2018 12:00 AM
Terms: NET 10 DAYS
PO #: contract

Order #	Service Description	Quantity
A2300747	Commerical Special Services	1.00

Service Comments

None Noted

Materials Summary	EPA #	Active Ingredient	Finished Quantity	Application Method	Application Rate
Material Applied	Lot #	AI Concentration	Undiluted Quantity	Application Equipment	Sq/Cu/L Ft

Open Conditions

INTERIOR -> KITCHEN

Condition: Exit doors propped open, unattended.

Action: Keep doors closed at all times.

Severity	Created
Responsibility	Last Inspected

High	2/10/2015
Client	6/1/2017

Conditions Resolved This Visit

No Conditions
Added or Updated
this Service

Severity	Created
Responsibility	Last Inspected

Pest Summary

Quantity

None Noted

Device Summary

With Activity	Without Activity	Total Inspected	Device Exceptions
			Replaced Removed Skipped

None Noted

Additional pest findings may have been observed. Please see conditions and comments for more details.

Area Inspections

Area Inspected

Pest Findings

Time

None Noted

Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time
------	-------------	-------------	----------	---------------	------

None Noted

None



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3242021

Material Application Details

Material Applied	Active Ingredient	AI%	Application Method	Application Rate
EPA #	Lot #	AI Concentration	Application Equipment	Sq/Cu/L Ft
<hr/>				
None Noted		N/A	N/A	

Weather:



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3242024

Waltham Services
817 Moody Street
Waltham, MA 02453
781-893-1810

Client: 25200110
DENNIS YARMOUTH REGIONAL SCHOOLS
HIGH SCHOOL
296 STATION AVENUE
S YARMOUTH, MA 02664-

Phone: 508-398-7615
Alt. Phone: - -

Service Location: 25200110
DENNIS YARMOUTH REGIONAL
210 STATION AVENUE
HIGH SCHOOL
SOUTH YARMOUTH, MA 02664

Phone: 508-398-7615

Customer Signature:

Technician Signature:

Licenses/Certifications

Sentricr UnAssigned

Time In: 8/16/2018 12:00 AM
Time Out: 8/16/2018 12:00 AM
Terms: NET 10 DAYS
PO #: contract

Order #	Service Description	Quantity
A2300748	Commerical Special Services	1.00

Service Comments

None Noted

Materials Summary	EPA #	Active Ingredient	Finished Quantity	Application Method	Application Rate
Material Applied	Lot #	AI Concentration	Undiluted Quantity	Application Equipment	Sq/Cu/L Ft

Open Conditions

INTERIOR -> KITCHEN

Condition: Exit doors propped open, unattended.

Action: Keep doors closed at all times.

Severity	Created
Responsibility	Last Inspected

High	2/10/2015
Client	6/1/2017

Conditions Resolved This Visit

No Conditions
Added or Updated
this Service

Severity	Created
Responsibility	Last Inspected

Pest Summary

Quantity

None Noted

Device Summary

With Activity	Without Activity	Total Inspected	Device Exceptions
			Replaced Removed Skipped

None Noted

Additional pest findings may have been observed. Please see conditions and comments for more details.

Area Inspections

Area Inspected

Pest Findings

Time

None Noted

Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time
------	-------------	-------------	----------	---------------	------

None Noted

None



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3242024

Material Application Details

Material Applied	Active Ingredient	AI%	Application Method	Application Rate
EPA #	Lot #	AI Concentration	Application Equipment	Sq/Cu/L Ft

None Noted

N/A

N/A

Weather:



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3242026

Waltham Services
817 Moody Street
Waltham, MA 02453
781-893-1810

Client: 25200110
DENNIS YARMOUTH REGIONAL SCHOOLS
HIGH SCHOOL
296 STATION AVENUE
S YARMOUTH, MA 02664-

Phone: 508-398-7615
Alt. Phone: - -

Service Location: 25200110
DENNIS YARMOUTH REGIONAL
210 STATION AVENUE
HIGH SCHOOL
SOUTH YARMOUTH, MA 02664
Phone: 508-398-7615

Customer Signature:

Technician Signature:

Licenses/Certifications

Sentric UnAssigned

Time In: 8/16/2018 12:00 AM
Time Out: 8/16/2018 12:00 AM
Terms: NET 10 DAYS
PO #:

Order #	Service Description	Quantity
2374215	Commerical Special Services	1.00

Service Comments

None Noted

Materials Summary	EPA #	Active Ingredient	Finished Quantity	Application Method	Application Rate
Material Applied	Lot #	AI Concentration	Undiluted Quantity	Application Equipment	Sq/Cu/L Ft

Open Conditions

INTERIOR -> KITCHEN

Condition: Exit doors propped open, unattended.

Action: Keep doors closed at all times.

Severity	Created
Responsibility	Last Inspected

High	2/10/2015
Client	6/1/2017

Conditions Resolved This Visit

No Conditions
Added or Updated
this Service

Severity	Created
Responsibility	Last Inspected

Pest Summary

Quantity

None Noted

Device Summary

With Activity	Without Activity	Total Inspected	Device Exceptions
			Replaced Removed Skipped

None Noted

Additional pest findings may have been observed. Please see conditions and comments for more details.

Area Inspections

Area Inspected

Pest Findings

Time

None Noted

Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time
------	-------------	-------------	----------	---------------	------

None Noted

None



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3242026

Material Application Details

Material Applied	Active Ingredient	AI%	Application Method	Application Rate
EPA #	Lot #	AI Concentration	Application Equipment	Sq/Cu/L Ft
<hr/>				
None Noted		N/A	N/A	

Weather:



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3253415

Waltham Services
817 Moody Street
Waltham, MA 02453
781-893-1810

Client: 118352
DENNIS YARMOUTH REGIONAL SCHOOL
SANDY CASHENS
296 STATION AVE
SOUTH YARMOUTH, MA 02664

Phone: 508-398-7600

Service Location: 118352
DENNIS YARMOUTH REGIONAL SCHOOL ADM
SANDY CASHEN
296 STATION AVE
SOUTH YARMOUTH, MA 02664

Phone: 508-398-7600

Customer Signature:

Technician Signature:

Kevin Brown

Licenses/Certifications

MA - 26175
MA - 26175

Time In: 8/31/2018 01:34 PM **Terms:** 30NET
Time Out: 8/31/2018 02:18 PM **PO #:** contract

Order #	Service Description	Quantity
A2306401	Commercial Return Visit	1.00

Service Comments

Tech Comment: Received report of ant activity in breakroom. Evidence of carpenter ant activity observed in breakroom and outside building at breakroom area. Treated for carpenter ants as needed using products listed on current IPM plans. Both the interior and exterior IPM plans were last updated 6/8/18

Materials Summary	EPA #	Active Ingredient	Finished Quantity	Application Method	Application Rate
Material Applied	Lot #	AI Concentration	Undiluted Quantity	Application Equipment	Sq/Cu/L Ft
Advion Ant Gel	100-1498	Indoxacarb	15.000 Gram	CRACK & CREVICE	N/A
	N/A	0.0500	0.000 Gram	N/A	
Target Pests: Ants					
Areas Applied: BREAKROOM					
ECO Via EC	Exempt	Thyme oil, rosemary oil, 2-phenethyl propionate	0.500 Fluid Ounce	SPOT	N/A
	N/A	0.3	0.000 Fluid Ounce	N/A	
Target Pests: Ants, Carpenter Ants					
Areas Applied: PERIMETER					

Open Conditions

	Severity	Created
	Responsibility	Last Inspected
EXTERIOR -> PERIMETER		
Condition: Other - Gutter at front of building damaged. Water will collect along foundation	Low	5/3/2018
Action: Repair gutter	Client	5/3/2018
EXTERIOR -> PERIMETER		
Condition: Other - Debris in gutters at rear of building.	Low	5/3/2018
Action: Clean out gutters to prevent standing water that will attract insects	TBD	5/3/2018

Conditions Resolved This Visit

	Severity	Created
	Responsibility	Last Inspected
No Conditions		
Added or Updated this Service		



Waltham Services
9 Erie Drive
Natick, MA 01760
781-893-1810

Service Inspection Report Detailed Service Report #3253415

Pest Summary

Quantity

None Noted

Device Summary

With Activity Without Activity Total Inspected

Device Exceptions
Replaced Removed Skipped

None Noted

Additional pest findings may have been observed. Please see conditions and comments for more details.

Area Inspections

Area Inspected	Pest Findings	Time
EXTERIOR		2:12 PM
EXTERIOR -> PERIMETER		2:12 PM
Comment: Carpenter ants observed entering void behind trimboard at rear corner of breakroom area. Treated exterior of building for carpenter ants using eco via		
INTERIOR		2:10 PM
INTERIOR -> BREAKROOM		2:10 PM
Comment: Carpenter ant activity reported in breakroom. Ants have been found on floor and counter. I observed 1 live carpenter ant on the counter and dead carpenter ants (stepped on) on floor. Also found many carpenter ants in insect monitors. Baited perimeter of breakroom for ants using advion ant gel, and placed glueboards on floor to trap ants		

Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time
None Noted			None		

Material Application Details

Material Applied	Active Ingredient	AI%	Application Method	Application Rate
EPA #	Lot #	AI Concentration	Application Equipment	Sq/Cu/L Ft
Advion Ant Gel	Indoxacarb	0.0500%	CRACK & CREVICE	
100-1498	N/A	N/A	N/A	

Target Pest: Ants

Area/Device Name	Finished Quantity	Undiluted Quantity	Technician Name	Time
INTERIOR -> BREAKROOM	15.0000 Gram	N/A	Kevin Brown	02:10 PM
Weather: 0°, 0 MPH				

ECO Via EC	Thyme oil, rosemary oil, 2-phenethyl propionate	40.0000%	SPOT
Exempt	N/A	0.3	N/A

Target Pest: Ants, Carpenter Ants

Area/Device Name	Finished Quantity	Undiluted Quantity	Technician Name	Time
EXTERIOR -> PERIMETER	0.5000 Fluid Ounce	N/A	Kevin Brown	02:13 PM
Comment: Treated foundation, entrance areas, rake boards and trimboards				
Weather: 0°, 0 MPH				