



Waltham Services  
9 Erie Drive  
Natick, MA 01760  
781-893-1810

## Service Inspection Report Detailed Service Report #3323591

Waltham Services  
817 Moody Street  
Waltham, MA 02453  
781-893-1810

**Client:** 25200111  
DENNIS YARMOUTH REGIONAL SCHOOLS  
SMALL SCHOOL  
296 STATION AVENUE  
S YARMOUTH, MA 02664-

Phone: 508-398-7615  
Alt. Phone: - -

**Service Location:** 25200111  
DENNIS YARMOUTH REGIONAL  
440 HIGGINS CROWELL RD  
SMALL SCHOOL  
WEST YARMOUTH, MA 02673

Phone: 508-398-7677

**Customer Signature:**

**Technician Signature:**

MacArthur

Kevin Brown

### Licenses/Certifications

MA - 26175  
MA - 26175

**Time In:** 3/8/2019 03:17 PM  
**Time Out:** 3/8/2019 04:16 PM

**Terms:** NET 10 DAYS  
**PO #:** contract

Order #	Service Description	Quantity
A2369843	MONTHLY SERVICE YEARLY BILL	1.00

### Service Comments

None Noted

### Materials Summary

Material Applied	EPA #	Active Ingredient	Finished Quantity	Application Method	Application Rate
	Lot #	AI Concentration	Undiluted Quantity	Application Equipment	Sq/Cu/L Ft
<b>Contrac with Lumitrack</b>	12455-133	bromadiolone	4.000 Ounce	STATION	N/A
	K36342	0.0050	0.000	N/A	

Target Pests: MICE, Rodents

Areas Applied: 202, 204B, 201, 205A

<b>SNAP TRAP FOR MICE</b>	N/A	N/A	14.000 Each	N/A	N/A
	N/A	0.0000	0.000 Each	N/A	

Target Pests: MICE

Areas Applied: DISHWASH, 204B

### Open Conditions

INTERIOR

**Condition:** roof leaking at area of room 303 may provide breeding areas for various insects  
**Action:** REPAIR leaks in roof

Severity	Created
Responsibility	Last Inspected

Low	10/19/2018
Client	10/19/2018

### Conditions Resolved This Visit

No Conditions  
Added or Updated  
this Service

Severity	Created
Responsibility	Last Inspected

### Pest Summary

Quantity

None Noted

### Device Summary

	With Activity	Without Activity	Total Inspected	Device Exceptions		
				Replaced	Removed	Skipped
RODENT BAIT STATION EXTE	0	0	0	0	0	0
- Totals	0	0	0	0	0	0



Waltham Services  
9 Erie Drive  
Natick, MA 01760  
781-893-1810

## Service Inspection Report Detailed Service Report #3323591

Additional pest findings may have been observed. Please see conditions and comments for more details.

### Area Inspections

Area Inspected	Pest Findings	Time
INTERIOR		4:15 PM
Comment: I reviewed the IPM plan before service. All products used are listed on current IPM plan. Inspected noted areas. Checked glueboard monitors in kitchen areas. Placed mouse snap trap under dishwasher. Treated for mice in rooms 201, 202, 204 and 205		
INTERIOR -> CLASS ROOMS		4:03 PM
INTERIOR -> CLASS ROOMS -> 201		3:41 PM
Comment: Report of mouse droppings found on counter recently. Mouse droppings found in cabinet under sink. I placed a mouse bait station under the sink		
INTERIOR -> CLASS ROOMS -> 202		4:03 PM
Comment: Teacher report finding a roll of paper towels in cabinet under sink, which appeared to have been chewed by mice. I inspected the room. Mouse droppings were found under the sink. I placed a bait station under the sink to control mouse activity		
INTERIOR -> CLASS ROOMS -> 204B		3:55 PM
Comment: Report of mouse activity in classroom. Mouse droppings found along wall, on floor and tables at left side of room. Placed mouse traps (in trap rite boxes )and 1 bait station along wall in hidden areas		
INTERIOR -> CLASS ROOMS -> 205A		3:58 PM
Comment: No evidence of pest activity observed. Placed a mouse bait station under sink to prevent mouse activity		
INTERIOR -> KITCHEN		3:40 PM
INTERIOR -> KITCHEN -> CAFETERIA		3:39 PM
INTERIOR -> KITCHEN -> DISHWASH		3:40 PM
Comment: Few mouse droppings and mouse fur found on a glueboard under dish machine. Placed snap traps in area		
INTERIOR -> KITCHEN -> FOOD PREP AREAS		3:40 PM
INTERIOR -> KITCHEN -> SERVING		3:40 PM
INTERIOR -> KITCHEN -> STORE ROOM		3:40 PM

### Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time
None Noted			None		

### Material Application Details

Material Applied	Active Ingredient	AI%	Application Method	Application Rate
EPA #	Lot #	AI Concentration	Application Equipment	Sq/Cu/L Ft
<b>Contrac with Lumitrack</b>	bromadiolone	0.0050%	STATION	
<b>12455-133</b>	K36342	N/A	N/A	
Target Pest: MICE, Rodents				
Area/Device Name	Finished Quantity	Undiluted Quantity	Technician Name	Time
INTERIOR -> CLASS ROOMS -> 201	1.0000 Ounce	N/A	Kevin Brown	03:43 PM
Comment: Placed bait station under sink				
Weather: 0°, 0 MPH				
INTERIOR -> CLASS ROOMS -> 202	1.0000 Ounce	N/A	Kevin Brown	04:09 PM
Weather: 0°, 0 MPH				
INTERIOR -> CLASS ROOMS -> 204B	1.0000 Ounce	N/A	Kevin Brown	03:56 PM
Weather: 0°, 0 MPH				
INTERIOR -> CLASS ROOMS -> 205A	1.0000 Ounce	N/A	Kevin Brown	03:58 PM
Weather: 0°, 0 MPH				
<b>SNAP TRAP FOR MICE</b>	N/A	0.0000%	N/A	
	N/A	N/A	N/A	
Target Pest: MICE				
Area/Device Name	Finished Quantity	Undiluted Quantity	Technician Name	Time
INTERIOR -> CLASS ROOMS -> 204B	10.0000 Each	N/A	Kevin Brown	03:56 PM
Weather: 0°, 0 MPH				



Waltham Services  
9 Erie Drive  
Natick, MA 01760  
781-893-1810

## Service Inspection Report Detailed Service Report #3323591

### Material Application Details

Material Applied	Active Ingredient	AI%	Application Method	Application Rate	
EPA #	Lot #	AI Concentration	Application Equipment	Sq/Cu/L Ft	
SNAP TRAP FOR MICE					
	N/A	0.0000%	N/A		
	N/A	N/A	N/A		
Target Pest: MICE					
Area/Device Name		Finished Quantity	Undiluted Quantity	Technician Name	Time
INTERIOR -> KITCHEN -> DISHWASH		4.0000 Each	N/A	Kevin Brown	03:40 PM
Weather: 0°, 0 MPH					



Waltham Services  
9 Erie Drive  
Natick, MA 01760  
781-893-1810

## Service Inspection Report Detailed Service Report #3337220

Waltham Services  
817 Moody Street  
Waltham, MA 02453  
781-893-1810

**Client:** 25200111  
DENNIS YARMOUTH REGIONAL SCHOOLS  
SMALL SCHOOL  
296 STATION AVENUE  
S YARMOUTH, MA 02664-

Phone: 508-398-7615  
Alt. Phone: - -

**Service Location:** 25200111  
DENNIS YARMOUTH REGIONAL  
440 HIGGINS CROWELL RD  
SMALL SCHOOL  
WEST YARMOUTH, MA 02673

Phone: 508-398-7677

**Customer Signature:**

**Technician Signature:**

**Licenses/Certifications**

MA - AL-0044656

Customer is unavailable to sign

Brad Carter

**Time In:** 3/22/2019 12:28 PM  
**Time Out:** 3/22/2019 01:58 PM  
**Terms:** NET 10 DAYS  
**PO #:** contract

Order #	Service Description	Quantity
A2374167	Commercial Return Visit	1.00

### Service Comments

**Tech Comment:** Inspected and treated all problem areas, please see area comments for more detailed information.

### Materials Summary

Material Applied	EPA #	Active Ingredient	Finished Quantity	Application Method	Application Rate
	Lot #	AI Concentration	Undiluted Quantity	Application Equipment	Sq/Cu/L Ft
<b>Contrac with Lumitrack</b>	12455-133	bromadiolone	27.000 Ounce	STATION	N/A
	N/A	0.0050	0.000	N/A	
<i>Target Pests: Rodents</i>					
<i>Areas Applied: PERIMETER, KITCHEN, 204B, 106</i>					
<b>Protecta Evo Express</b>	N/A	N/A	11.000 Each	STATION	N/A
	N/A	0.0000	0.000	N/A	
<i>Target Pests: Rodents</i>					
<i>Areas Applied: KITCHEN, 204B, 106</i>					

### Open Conditions

INTERIOR

**Condition:** roof leaking at area of room 303 may provide breeding areas for various insects  
**Action:** REPAIR leaks in roof

Severity	Created
Responsibility	Last Inspected

Low	10/19/2018
Client	10/19/2018

### Conditions Resolved This Visit

No Conditions  
Added or Updated  
this Service

Severity	Created
Responsibility	Last Inspected

### Pest Summary

Quantity

None Noted

### Device Summary

	With Activity	Without Activity	Total Inspected	Device Exceptions		
				Replaced	Removed	Skipped
RODENT BAIT STATION EXTE	2	0	2	0	0	0



Waltham Services  
9 Erie Drive  
Natick, MA 01760  
781-893-1810

## Service Inspection Report Detailed Service Report #3337220

### Pest Summary

Quantity

### Device Summary

	With Activity	Without Activity	Total Inspected	Device Exceptions		
				Replaced	Removed	Skipped
- Totals	2	0	2	0	0	0

Additional pest findings may have been observed. Please see conditions and comments for more details.

### Area Inspections

Area Inspected	Pest Findings	Time
EXTERIOR		1:56 PM
EXTERIOR -> PERIMETER		1:56 PM
Comment: Checked the two exterior bait stations and they were completely consumed, I replaced the bait for rodent control. I also did a visual inspection around the entire perimeter of the school and I suggest adding several more bait stations to the exterior. I have a map of the building and marked all the spots I think the bait stations would make a big difference		
INTERIOR		1:55 PM
INTERIOR -> CLASS ROOMS		1:55 PM
INTERIOR -> CLASS ROOMS -> 106		1:11 PM
Comment: I inspected room 106 where it was reported to me that there was a strong order of something dead. I did not smell anything in the room, the smell must have gone away. I found no evidence of mouse activity but that is most likely due to the fact that the maintenance staff did a great job cleaning the place up. They did a very thorough job. I placed bait stations under and behind equipment out of plain view and made sure they were inaccessible to children for control of mice. The bait stations are locked and need a key to open as they are tamper resistant		
INTERIOR -> CLASS ROOMS -> 204B		1:55 PM
Comment: Checked all the bait stations and traps under equipment, none of the snap traps had any activity but all of the bait stations were empty. I replaced the bait for rodent control and placed out additional bait stations under and behind equipment		
INTERIOR -> KITCHEN		1:06 PM
Comment: Inspected kitchen and storage areas for mouse activity, i was informed that mice have been climbing up onto the storage shelves and chewing through the bags of chips and cereal. I highly recommend placing all bags and boxes of food and storing them in a glass or hard plastic container to prevent mice accessing food. To ensure success we must eliminate any possible food sources. I placed bait stations under and behind equipment throughout kitchen and storage areas for control of mice		

### Device Inspection Details

Area	Device Name	Device Type	Activity	Pest Findings	Time
EXTERIOR -> PERIMETER					
	*6	RODENT BAIT STATION EXTERIOR	Activity		1:55 PM
	*7	RODENT BAIT STATION EXTERIOR	Activity		1:55 PM

Total Devices: 2 Skipped: 0 No Activity: 0 Activity: 2

### Material Application Details

Material Applied	Active Ingredient	AI%	Application Method	Application Rate
EPA #	Lot #	AI Concentration	Application Equipment	Sq/Cu/L Ft
Contrac with Lumitrack	bromadiolone	0.0050%	STATION	
12455-133	N/A	N/A	N/A	

Target Pest: Rodents

Area/Device Name	Finished Quantity	Undiluted Quantity	Technician Name	Time
EXTERIOR -> PERIMETER	8.0000 Ounce	N/A	Brad Carter	01:55 PM
Weather: 0°, 0 MPH				
INTERIOR -> CLASS ROOMS -> 106	1.0000 Ounce	N/A	Brad Carter	01:13 PM
Weather: 0°, 0 MPH				
INTERIOR -> CLASS ROOMS -> 204B	8.0000 Ounce	N/A	Brad Carter	01:55 PM
Weather: 0°, 0 MPH				
INTERIOR -> KITCHEN	10.0000 Ounce	N/A	Brad Carter	01:04 PM
Weather: 0°, 0 MPH				



Waltham Services  
9 Erie Drive  
Natick, MA 01760  
781-893-1810

## Service Inspection Report Detailed Service Report #3337220

### Material Application Details

Material Applied	Active Ingredient	AI%	Application Method	Application Rate
EPA #	Lot #	AI Concentration	Application Equipment	Sq/Cu/L Ft
<b>Protecta Evo Express</b>	N/A	0.0000%	STATION	
<b>N/A</b>	N/A	N/A	N/A	

Target Pest: Rodents

Area/Device Name	Finished Quantity	Undiluted Quantity	Technician Name	Time
INTERIOR -> CLASS ROOMS -> 106 Weather: 0°, 0 MPH	2.0000 Each	N/A	Brad Carter	01:13 PM
INTERIOR -> CLASS ROOMS -> 204B Weather: 0°, 0 MPH	4.0000 Each	N/A	Brad Carter	01:55 PM
INTERIOR -> KITCHEN Weather: 0°, 0 MPH	5.0000 Each	N/A	Brad Carter	01:04 PM