PARAMUS MIDDLE SCHOOLS - EASTBROOK & WESTBROOK

ATHLETIC/STUDENT ACTIVITY PHYSICAL PROCEDURE FOR 2021-2022

All students who will participate in intramural sports/clubs are required to obtain a physical examination prior to the first practice or tryout session.

All students participating in ski club or open gym are required to obtain a physical examination prior to the first day of participation.

Be advised that ALL physical examinations forms submitted must be reviewed by the school physician prior to participation. This process may take up to two weeks. Please plan accordingly when handing in paperwork and adhere to the announced due dates.

YOU MUST SUBMIT AN ATHLETIC REGISTRATION FORM FOR EACH SPORT/STUDENT ACTIVITY

- I. Physical Examination Procedures: (required every 365 days)
 ANNUAL FORMS
 - 1) Preparticipation Physical Evaluation HISTORY FORM and if needed THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM- completed by the parent and student prior to the physical exam and reviewed by the examining provider.
 - 2) Preparticipation Physical Evaluation PHYSICAL EXAMINATION FORM and CLEARANCE FORM —must be signed by a licensed provider with MD, DO, APN, or PA status. **Must have a physical signature not a signature stamp.** Both sides must be completed and signed.
 - 3) Parent/Guardian Concussion Policy Acknowledgement Form
 - 4) Sudden Cardiac Death in Young Athletes- Parent Sign-off Sheet.
 - 5) Students who self-medicate with an inhaler for ASTHMA MUST complete the Asthma Action Plan
 - 6) Students who self-medicate with an <u>EPIPEN or AUVI-Q MUST</u> complete the district Emergency Health Care Plan for Epinephrine Auto —Injector.
 - 7) Students with <u>DIABETES MUST</u> submit orders for diabetes management in school and sports from their health care provider.

NO PHYSICAL WILL BE CLEARED UNLESS ALL FORMS ARE PROPERLY COMPLETED INCLUDING STUDENT AND PARENT/GUARDIAN SIGNATURES. DO NOT LEAVE ANY BLANKS.

II. HEALTH HISTORY UPDATE QUESTIONNAIRE

According to NJ "Scholastic Student-Athlete Safety Act", each student whose medical examination was completed more than 90 days prior to the first day of practice shall provide a health history update of medical problems experienced since the last medical examination. Read the instructions carefully. Your child will not be permitted to participate until this sheet is completed.

ALL FORMS SHOULD BE RETURNED AT THE SAME TIME. LOOSE PAPERS WILL NOT BE ACCEPTED.

PAPERWORK THAT IS INCOMPLETE OR SUBMITTED INCORRECTLY WILL BE RETURNED

FAXES WILL NOT BE ACCEPTED

Return ALL forms to the SCHOOL NURSE.

<u>DO NOT RETURN FORMS TO COACHES, TEACHERS OR ANY OTHER OFFICES.</u>

THERE ARE NO GUARANTEES ON RECEIPT OF MAILED FORMS!!

As per the Scholastic Student-Athletic Safety Act (P.L. 2013, c.71), the preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Module. Please check with your health care provider before your exam to make sure they have done this. Physical Exams done by providers who have not completed this module will not be accepted and will be returned to the student.

PARAMUS MIDDLE SCHOOLS - EASTBROOK/WESTBROOK ATHLETIC REGISTRATION

(Please Print)

YOU MUST SUBMIT A REGISTRATION FORM FOR EACH SPORT SEASON

| Name | Sport |
|---|--|
| Grade School Year | Date of Birth |
| Name of Parent/Guardian | |
| Address | Home Phone |
| Mother Work Phone | Mother Cell Phone |
| Father Work Phone | Father Cell Phone |
| Family Physician | Phone |
| TRAIN | ING RULE PLEDGE |
| | ring or possessing alcohol, drugs, or tobacco unless prescribed by a any of the above rules shall result in a suspension from the team |
| EQUI | PMENT RESPONSIBILITY |
| 2015 - 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. | me in the best possible condition and to return it at the end of the High School athletics only. I assume full financial responsibility for |
| <u>P</u> A | ARENTAL PERMISSION |
| insurance provided by the Board of Education bills to my own insurance company first. The sinsurance up to the policy limits. I understand I understand that the insurance carrier also provided also realize that these activities involve that acknowledge that even with the best coaching | to participate in during the 20 20 school year. I understand that the sports is a full excess plan, which means that I must submit any medical school's insurance will pay those expenses not covered by my own if that any costs not covered by insurance shall be my own expense. To vides coverage on a voluntary basis and at my expense. The potential for injury, which is inherent in all sports. I/We go, use of the most advanced protective equipment, and the strict ity. On rare occasions, these injuries can be severe as to result in |
| | acknowledge that I/We have read and understand this warning. |
| I/We also agree to support the training rule pl | ledge/policy as summarized above. |
| Student's Signature | Date |
| Parent's Signature | Date |

ATTENTION PARENT/GUARDIAN: The preparticipation physical examination (page 3) must be completed by a health care provider who has completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

HISTORY FORM

| me | | | Date of birth | | |
|--|-----------------|----------|---|--------|----|
| | | | Sport(s) | | |
| ledicines and Allergies: Please list all of the prescription an | d over-the-co | unter me | edicines and supplements (herbal and nutritional) that you are currently | taking | |
| | | | | | |
| | | | | | |
| lo you have any allergies? ☐ Yes ☐ No ☐ If yes, plea☐ Medicines ☐ Pollens | se identify spe | | ergy below. □ Food □ Stinging Insects | | |
| plain "Yes" answers below. Circle questions you don't know | the answers t | 0. | | | |
| ENERAL QUESTIONS | Yes | No | MEDICAL QUESTIONS | Yes | N |
| 1. Has a doctor ever denied or restricted your participation in sports for any reason? | or | | Do you cough, wheeze, or have difficulty breathing during or after exercise? | | |
| 2. Do you have any ongoing medical conditions? If so, please identify | | | 27. Have you ever used an inhaler or taken asthma medicine? | _ | ⊢ |
| below: ☐ Asthma ☐ Anemia ☐ Diabetes ☐ Infections Other: | | | 28. Is there anyone in your family who has asthma? 29. Were you born without or are you missing a kidney, an eye, a testicle | | |
| 3. Have you ever spent the night in the hospital? | | | (males), your spleen, or any other organ? | | |
| 4. Have you ever had surgery? | | | 30. Do you have groin pain or a painful bulge or hernia in the groin area? | | |
| IEART HEALTH QUESTIONS ABOUT YOU | Yes | No | 31. Have you had infectious mononucleosis (mono) within the last month? | | |
| 5. Have you ever passed out or nearly passed out DURING or | | | 32. Do you have any rashes, pressure sores, or other skin problems? | | _ |
| AFTER exercise? | _ | | 33. Have you had a herpes or MRSA skin infection? | | - |
| Have you ever had discomfort, pain, tightness, or pressure in your chest during exercise? | | | 34. Have you ever had a head injury or concussion? | | 1 |
| 7. Does your heart ever race or skip beats (irregular beats) during exe | rcise? | | 35. Have you ever had a hit or blow to the head that caused confusion, prolonged headache, or memory problems? | | |
| 8. Has a doctor ever told you that you have any heart problems? If so, | | | 36. Do you have a history of seizure disorder? | | T |
| check all that apply: High blood pressure | | | 37. Do you have headaches with exercise? | | |
| ☐ High blood pressure ☐ A heart murmur ☐ High cholesterol ☐ A heart infection ☐ Kawasaki disease Other: | | | 38. Have you ever had numbness, tingling, or weakness in your arms or legs after being hit or falling? | | |
| Has a doctor ever ordered a test for your heart? (For example, ECG, echocardiogram) | ÆKG, | | 39. Have you ever been unable to move your arms or legs after being hit or falling? | | |
| 0. Do you get lightheaded or feel more short of breath than expected | | | 40. Have you ever become ill while exercising in the heat? | | L |
| during exercise? | | | 41. Do you get frequent muscle cramps when exercising? | | ╀ |
| Have you ever had an unexplained seizure? | | | 42. Do you or someone in your family have sickle cell trait or disease? | | ╀ |
| Do you get more tired or short of breath more quickly than your frie during exercise? | ends | | 43. Have you had any problems with your eyes or vision? | | ╀ |
| HEART HEALTH QUESTIONS ABOUT YOUR FAMILY | Yes | No | 44. Have you had any eye injuries? 45. Do you wear glasses or contact lenses? | | + |
| 3. Has any family member or relative died of heart problems or had a | n | | 46. Do you wear protective eyewear, such as goggles or a face shield? | | + |
| unexpected or unexplained sudden death before age 50 (including drowning, unexplained car accident, or sudden infant death syndro | | | 47. Do you worry about your weight? | | |
| 4. Does anyone in your family have hypertrophic cardiomyopathy, Ma | | | 48. Are you trying to or has anyone recommended that you gain or | | t |
| syndrome, arrhythmogenic right ventricular cardiomyopathy, long (|)T | | lose weight? | | |
| syndrome, short QT syndrome, Brugada syndrome, or catecholamic polymorphic ventricular tachycardia? | nergic | | 49. Are you on a special diet or do you avoid certain types of foods? | | 1 |
| 5. Does anyone in your family have a heart problem, pacemaker, or | | | 50. Have you ever had an eating disorder? | | 1 |
| implanted defibrillator? | | | 51. Do you have any concerns that you would like to discuss with a doctor? | | - |
| 6. Has anyone in your family had unexplained fainting, unexplained | | | FEMALES ONLY | | |
| seizures, or near drowning? | Voc | No | 52. Have you ever had a menstrual period? 53. How old were you when you had your first menstrual period? | | 1_ |
| BONE AND JOINT QUESTIONS 17. Have you ever had an injury to a bone, muscle, ligament, or tendor | Yes | HO | 54. How many periods have you had in the last 12 months? | | _ |
| that caused you to miss a practice or a game? | | | Explain "yes" answers here | | |
| 18. Have you ever had any broken or fractured bones or dislocated join | nts? | | | | |
| Have you ever had an injury that required x-rays, MRI, CT scan, injections, therapy, a brace, a cast, or crutches? | | | | | |
| injections, therapy, a brace, a cast, or crutches? 20. Have you ever had a stress fracture? | | | | | |
| 20. Have you ever had a stress fracture? 21. Have you ever been told that you have or have you had an x-ray fo | r neck | | | | _ |
| instability or atlantoaxial instability? (Down syndrome or dwarfism) | | | | | |
| 22. Do you regularly use a brace, orthotics, or other assistive device? | | | | | - |
| 23. Do you have a bone, muscle, or joint injury that bothers you? | 10 | - | | | |
| | on? | 1 | | | _ |
| 24. Do any of your joints become painful, swollen, feel warm, or took r 25. Do you have any history of juvenile arthritis or connective tissue di | | | | | |

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

HE0503

9-2831/0410

■ PREPARTICIPATION PHYSICAL EVALUATION

THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

| Date of Exam _ | | | | | | |
|--|---|------------------------|--|--------------|------|-----|
| Name | | | | Date of bi | rth | |
| Sex | Age | Grade | School | Sport(s) | | |
| 1. Type of disabl | lity | | | | | |
| 2. Date of disabi | lity | | | | | |
| 3. Classification | | | | | | |
| | bility (birth, disease, acc | ident/trauma, other) | | | | |
| | you are interested in p | | | | | |
| | | | | | Yes | No |
| 6. Do you regula | rly use a brace, assistiv | e device, or prosthet | lic? | | | |
| 7. Do you use ar | ny special brace or assis | stive device for sport | s? | | | |
| 8. Do you have a | any rashes, pressure sor | res, or any other skir | problems? | | | |
| 9. Do you have a | hearing loss? Do you u | use a hearing aid? | | 0 | | |
| 10. Do you have a | visual impairment? | | | | | |
| 11. Do you use ar | ny special devices for bo | owel or bladder funct | tion? | | | |
| | ourning or discomfort wi | | | | | |
| | autonomic dysreflexia? | | | | | |
| | | heat-related (hyper | thermia) or cold-related (hypothermia) illne | ss? | | |
| | nuscle spasticity? | | | | | |
| 16. Do you have I | requent seizures that ca | annot be controlled b | by medication? | | | |
| Explain "yes" ans | wers here | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| Diagea indicate # | you have over had one | of the following | | | | |
| riease maicate if | you have ever had any | or the following. | | | Yes | No |
| Atlantoaxial Instat | sility | | | | 103 | 110 |
| | or atlantoaxial instability | , | | | | |
| Dislocated joints (| | | | | | |
| Easy bleeding | , v siai sily | | | | | |
| Enlarged spleen | | | | | | |
| Hepatitis | | | | | | |
| - Property | | | | | | |
| Osteopenia or ost | eopor os is | | | | | |
| Osteopenia or ost Difficulty controlli | | | | | | |
| Difficulty controlli | ng bowel | | | | | |
| Difficulty controlli Difficulty controlli | ng bowel ng bladder | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting | ng bowel ng bladder ling in arms or hands | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting | ng bowel ng bladder ling in arms or hands ling in legs or feet | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arms | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arms Weakness in legs | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arms Weakness in legs Recent change in | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arm: Weakness in legs Recent change in Recent change in Spina bifida | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arm: Weakness in legs Recent change in Recent change in Spina bifida Latex allergy | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination ability to walk | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arm: Weakness in legs Recent change in Recent change in Spina bifida | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination ability to walk | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arm: Weakness in legs Recent change in Recent change in Spina bifida Latex allergy | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination ability to walk | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arm: Weakness in legs Recent change in Recent change in Spina bifida Latex allergy | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination ability to walk | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arm: Weakness in legs Recent change in Recent change in Spina bifida Latex allergy | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination ability to walk | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arm Weakness in legs Recent change in Recent change in Spina bifida Latex allergy | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination ability to walk | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arm: Weakness in legs Recent change in Recent change in Spina bifida Latex allergy | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination ability to walk | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Weakness in arm: Weakness in legs Recent change in Recent change in Spina bifida Latex allergy | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination ability to walk | | | | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Numbness or ting Weakness in legs Recent change in Recent change in Spina bifida Latex allergy Explain "yes" ans | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination ability to walk | nwledge my grow | ers to the above questions are complete | and correct. | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Numbness or ting Weakness in legs Recent change in Recent change in Spina bifida Latex allergy Explain "yes" ans | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination ability to walk | owledge, my answ | ers to the above questions are complete | and correct. | | |
| Difficulty controlli Difficulty controlli Numbness or ting Numbness or ting Numbness or ting Weakness in legs Recent change in Recent change in Spina bifida Latex allergy Explain "yes" ans | ng bowel ng bladder ling in arms or hands ling in legs or feet s or hands or feet coordination ability to walk wers here | | ers to the above questions are complete Signature of parent/guardian | and correct. | Date | |

NOTE: The preparticiaption physical examination must be conducted by a health care provider who 1) is a licensed physician, advanced practice nurse, or physician assistant; and 2) completed the Student-Athlete Cardiac Assessment Professional Development Module.

■ PREPARTICIPATION PHYSICAL EVALUATION

PHYSICAL EXAMINATION FORM

| Name | | | Date | of birth |
|---|---|---------------------|------------------------|--|
| PHYSICIAN REMINDERS 1. Consider additional questions on more sensitive issues • Do you feel stressed out or under a lot of pressure? • Do you ever feel sad, hopeless, depressed, or anxious | , | × | | |
| Do you feel safe at your home or residence? Have you ever tried cigarettes, chewing tobacco, snuf During the past 30 days, did you use chewing tobacco Do you drink alcohol or use any other drugs? Have you ever taken anabolic steroids or used any other Have you ever taken any supplements to help you gal Do you wear a seat belt, use a helmet, and use condoit Consider reviewing questions on cardiovascular sympto | , snuff, or dip? er performance supplement? n or lose weight or improve your p ns? | performance? | | |
| EXAMINATION | nis (questions 5–14). | | | |
| Height Weight | ☐ Male | ☐ Female | 20 MONTH | |
| BP / (/) Pulse | Vision I | | L 20/ | Corrected Y N |
| MEDICAL Appearance | | NORMAL | | ABNORMAL FINDINGS |
| Marfan stigmata (kyphoscollosis, high-arched palate, pectu arm span > height, hyperlaxity, myopia, MVP, aortic insuffic | | | | |
| Eyes/ears/nose/throat Pupils equal Hearing | | | | |
| Lymph nodes | | | | |
| Heart a Murmurs (auscultation standing, supine, +/- Valsalva) Location of point of maximal impulse (PMI) | | | | |
| Pulses Simultaneous femoral and radial pulses | | | | |
| Lungs | | | | |
| Abdomen | | 1 | | |
| Genitourinary (males only) ^b | | | | |
| Skin HSV, lesions suggestive of MRSA, tinea corporis | | | | |
| Neurologic ^c | | | | |
| MUSCULOSKELETAL Neck | | | | |
| Back | | | | |
| Shoulder/arm | | | | |
| Elbow/forearm | | | | |
| Wrist/hand/fingers Hip/thigh | | | | |
| Knee | | | | |
| Leg/ankle | | | | |
| Foot/toes Functional | | | | |
| Duck-walk, single leg hop | | | | |
| Consider ECG, echocardiogram, and referral to cardiology for abnormal c Consider GU exam if in private setting. Having third party present is recor Consider cognitive evaluation or baseline neuropsychiatric testing if a his | nmended. | | | |
| ☐ Cleared for all sports without restriction | | | | |
| ☐ Cleared for all sports without restriction with recommendat | ons for further evaluation or treatm | ent for | | |
| □ Not cleared | | | | |
| □ Pending further evaluation | | | | |
| ☐ For any sports | | | | |
| ☐ For certain sports | | | | |
| Reason | | | | |
| Recommendations | | | | |
| have examined the above-named student and completed participate in the sport(s) as outlined above. A copy of the arise after the athlete has been cleared for participation, a to the athlete (and parents/guardians). | physical exam is on record in my | office and can be m | ade available to the s | school at the request of the parents. If condition |
| Name of physician, advanced practice nurse (APN), phys | cian assistant (PA) (print/type) | | | Date of exam |
| Address | | | | |
| Signature of physician, APN, PA | | | | |

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine, Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

■ PREPARTICIPATION PHYSICAL EVALUATION

CLEARANCE FORM

| Name | Sex □ M □ F Age | Date of birth |
|--|--------------------------------------|---|
| ☐ Cleared for all sports without restriction | | |
| ☐ Cleared for all sports without restriction with recommendations for further eva | luation or treatment for | |
| | | |
| ☐ Not cleared | | |
| □ Pending further evaluation | | |
| ☐ For any sports | | |
| ☐ For certain sports | | |
| Reason | | |
| Recommendations | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| EMERGENCY INFORMATION | | |
| Allergies | | |
| | | |
| | | |
| | | |
| | | |
| - | | |
| Other information | | |
| | | |
| | | |
| | | |
| HCP OFFICE STAMP | SCHOOL PHYSICIAN: | |
| IN OTHER STAIN | | |
| | Reviewed on | (Date) |
| | Approved Not | Approved |
| | Signature: | |
| | | |
| I have examined the above-named student and completed the prep clinical contraindications to practice and participate in the sport(s) | | |
| and can be made available to the school at the request of the parer | its. If conditions arise after the a | thlete has been cleared for participation |
| the physician may rescind the clearance until the problem is resolv (and parents/guardians). | red and the potential consequence | es are completely explained to the athle |
| Name of physician, advanced practice nurse (APN), physician assistant (PA | | Data |
| Name of physician, advanced practice nurse (APN), physician assistant (PA) Address | | |
| Signature of physician, APN, PA | | |
| Completed Cardiac Assessment Professional Development Module | | |
| | | |
| DateSignature | | |

© 2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

New Jersey Department of Education 2014; Pursuant to P.L.2013, c.71

State of New Jersey DEPARTMENT OF EDUCATION

HEALTH HISTORY UPDATE QUESTIONNAIRE PARAMUS MIDDLE SCHOOLS – EASTBROOK & WESTBROOK

To participate on a school-sponsored interscholastic or intramural athletic team or squad, each student whose physical examination was completed more than 90 days prior to the first day of official practice shall provide a health history update questionnaire completed and signed by the student's parent or ouardian.

| Student Name | | Age | Grade | |
|------------------|---|-----------------|---------------------------|--------------------------|
| Date of Last Pl | hysical Examination Sport | | | |
| Since the last p | ore-participation physical examination, has your son/daughter: | | | |
| l. | Been medically advised not to participate in a sport? If yes, describe in detail | Yes 1 | No | _ |
| 2. | Sustained a concussion, been unconscious or lost memory from a blow to the head? If yes, describe in detail | Yes | No | |
| 3. | Broken a bone or sprained, strained/dislocated any muscle or joints? Yes_ If yes, describe in detail | No | | |
| 4. | Fainted or "blacked out"? | Yes | No | |
| 5. | If yes, was this during or immediately after exercise? Experienced chest pains, shortness of breath or "racing heart"? | Yes | No | |
| 6. | If yes, explain | Yes | No | |
| 7. | Been hospitalized or had to go to the emergency room? | Yes | No | |
| | If yes, explain in detail | Wa Wood | | |
| 8. | Since the last physical examination, has there been a sudden death in the family or has an | ny member of th | e family under age 50 had | a heart attack or "heart |
| 0 | trouble"? Yes No | | Land mythitional \2 | |
| 9. | Started or stopped taking any prescribed medication, over-the-counter medication or sup | piements (neroa | i and nutritional): | |
| | Yes No If yes, name of medication(s) or supplements | | | |
| 10. | Been diagnosed with Coronavirus (COVID-19)? Yes DATE: No | | | |
| | If diagnosed with Coronavirus (COVID-19), was your son/daughter symptomatic? Yes | | | |
| | If diagnosed with Coronavirus (COVID-19), was your son/daughter hospitalized? Yes_ | No | | |
| 11. | Has any member of the student-athlete's household been diagnosed with Coronavirus (C | OVID-19)? Ye | es No | |
| | HAT THE INFORMATION I HAVE PROVIDED IS ACCURATE TO THE BEST OF MY D THAT SCHOOL PERSONNEL WILL RELY ON THE INFORMATION PROVIDED A thlete Signature of parent/guardian | ABOVE. | | II SIGNATORE. I |
| Signature of A | Signature of parent/guardian | | Duto | - |
| | WERED YES TO ANY QUESTION 1-7 of 10, FURTHER CLEARANCE FROM TH ILL BE ELIGIBLE TO PARTICIPATE IN THE SPORT. | HE TREATING | PHYSICIAN WILL BE | NEEDED BEFORE THE |
| Physician, API | N, PA, please choose ONE of the following: | | | |
| Cleared fo | or all sports without restrictions | | | |
| Cleared fo | or all sports without restriction with recommendations for further evaluations or treatment | for | | |
| Not Clear | ed | | | |
| Pendir | ng further evaluation | | | |
| For an | y sports | | | |
| For ce | rtain sports Reason | | , | <u> </u> |
| Signature of p | hysician, APN, PA | | Date | |
| Name and add | rece of physician ADN DA | | Phone | |

PARENT/GUARDIAN CONCUSSION POLICYACKNOWLEDGMENT FORM

A concussion is a brain injury and all brain injuries are serious. They are caused by a bump, blow, or jolt to the head, or by a blow to another part of the body with the force transmitted to the head. They can range from mild to severe and can disrupt the way the brain normally works. Even though most concussions are mild, all concussions are potentially serious and may result in complications including prolonged brain damage and death if not recognized and managed properly. In other words, even a "ding" or a bump on the head can be serious. You can't see a concussion and most sports concussions occur without loss of consciousness. Signs and symptoms of concussion may show up right after the injury or can take hours or days to fully appear. If your child/player reports any symptoms of concussion, or if you notice the symptoms or signs of concussion yourself, seek medical attention right away.

Symptoms may include one or more of the following:

- 1. Headache.
- 2 Nausea/vomiting.
- 3. Balance problems or dizziness.
- 4. Double vision or changes in vision
- 5. Sensitivity to light or sound/noise.
- 6. Feeling of sluggishness or fogginess.
- 7. Difficulty with concentration, short-term memory, and/or confusion.
- 8. Irritability or agitation.
- 9. Depression or anxiety.
- 10. Sleep disturbance

Signs observed by teammates, parents and coaches include:

- 1. Appears dazed, stunned, or disoriented.
- 2 Forgets plays or demonstrates short-term memory difficulties (e.g. is unsure of the game, score, or opponent)
- 3. Exhibits difficulties with balance or coordination.
- 4. Answers questions slowly or inaccurately.
- Loses consciousness.
- Demonstrates behavior or personality changes.
- 7. Is unable to recall events prior to or after the hit.

PARENT/GUARDIAN CONCUSSION POLICYACKNOWLEDGMENT FORM

What can happen if my child/player keeps on playing with a concussion or returns too soon?

Athletes with the signs and symptoms of concussion should be removed from play immediately. Continuing to play with the signs and symptoms of a concussion leaves the young athlete especially vulnerable to greaterinjury. There is an increased risk of significant damage from a concussion for a peirod of time after that concussion occurs, particularly if the athlete suffers another concussion before completely recovering from the first one. This can lead to prolonged recovery, or even to severe brain swelling (second impact syndrome) with devastating and even fatal consequences. It is well known that adolescent or teenage athletes will often under report symptoms of injuries. And concussions are no different. As a result, education of administrators, coaches, parents and students is the key for student-athlete's safety.

If you think your child/player has suffered a concusison

Any athlete even suspected of suffering a concussion should be removed from the game or practice immediately. No athlete may return to activity after an apparent head injury or concussion, regardless of how mild it seems or how quickly symptoms clear. Close observation of the athlete should continue for several hours.

An athlete who is suspected of sustaining a concussion or headinjury in a practice orgame shall be removed from competition at that time and may not return to play until the athlete is evaluated by a medical doctor or doctor of Osteopathy, trained in the evaluation and management of concussion and received written clearance to return to play from that health care provider.

You should also inform you child's Coach, and/or School Nurse, if you think that your child/player may have a concussion. And when in doubt, the athlete sits out.

For current and up-to-date information on concussions you can

go to: http://www.cdc.gov/ConcussioninYouthSports/

union ofhelearn com

| | www.mmsiearn.com | |
|------------------------------|------------------------------|------|
| Signature of Student-Athlete | Print Student-Athlete's Name | Date |
| | | ii w |
| Signature of Parent/Guardian | Print Parent/Guardian's Name | Date |

Website Resources

- http://tinyurl.com/m2gjmvq Sudden Death in Athletes
- Hypertrophic Cardiomyopathy Association www.4hcm.org
- American Heart Association www.heart.org

Collaborating Agencies:

3836 Quakerbridge Road, Suite 108 Hamilton, NJ 08619 American Academy of Pediatrics New Jersey Chapter (p) 609-842-0014 (f) 609-842-0015



American Heart Association

www.aapnj.org

1 Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020

www.heart.org

New Jersey Department of Education

www.state.nj.us/education/ frenton, NJ 08625-0500 (p) 609-292-5935

PO Box 500



New Jersey Department of Health

renton, NJ 08625-0360 www.state.nj.us/health (p) 609-292-7837

P.O. Box 360



Lead Author: American Academy of Pediatrics, **New Jersey Chapter**

Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD

NJ Academy of Family Practice, Pediatric Cardiologists, Additional Reviewers: NJ Department of Education, American Heart Association/New Jersey Chapter, NJ Department of Health and Senior Services, New Jersey State School Nurses

Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Louis Teichholz, MD; Perry Weinstock, MD Christene DeWitt-Parker, MSN, CSN, RN; Lakota Kruse, MD, MPH; Susan Martz, EdM; Revised 2014: Nancy Curry, EdM;

CARDIAC SUDDEN DEATH



other sports; and in African-Americans than

common: in males than in females;

Sudden cardiac death is more

in football and basketball than in in other races and ethnic groups.

What are the most common causes?

udden death in young athletes

between the ages of 10

CARDIAC DEATH IN YOUNG ATHLETES

SUDDEN

by one of several cardiovascular abnormalities roo-LAY-shun). The problem is usually caused ventricular fibrillation (ven-TRICK-you-lar fib-Research suggests that the main cause is a and electrical diseases of the heart that go loss of proper heart rhythm, causing the blood to the brain and body. This is called unnoticed in healthy-appearing athletes. heart to quiver instead of pumping

also called HCM. HCM is a disease of the heart, muscle, which can cause serious heart rhythm The most common cause of sudden death in problems and blockages to blood flow. This (hi-per-TRO-fic CAR- dee-oh-my-OP-a-thee) genetic disease runs in families and usually an athlete is hypertrophic cardiomyopathy with abnormal thickening of the heart develops gradually over many years.

ultimately dies unless normal heart rhythm

is restored using an automated external

defibrillator (AED).

time) during or immediately after exercise

pumping adequately, the athlete quickly

collapses, loses consciousness, and

without trauma. Since the heart stops

heart function, usually (about 60% of the

result of an unexpected failure of proper

Sudden cardiac death is the

What is sudden cardiac death

in the young athlete?

done to prevent this kind of What, if anything, can be and 19 is very rare.

tragedy?

How common is sudden death in young

athletes?

Sudden cardiac death in young athletes is

very rare. About 100 such deaths are

to any individual high school athlete is The chance of sudden death occurring reported in the United States per year.

about one in 200,000 per year.

The second most likely cause is congenital (con-JEN-it-al) (i.e., present from birth)

abnormalities of the coronary

blood vessels are connected to arteries. This means that these heart in an abnormal way. This differs from blockages that may the main blood vessel of the occur when people get older

(commonly called "coronary artery disease," which may lead to a heart

Sudden Cardiac Death STATE OF NEW JERSEY ATHLETES The Basic Facts on n Young Athletes

DEPARTMENT OF EDUCATION

American Academy of Pediatrics

DEDICATED TO THE HEALTH OF ALL CHILDRENT



Other diseases of the heart that can lead to sudden death in young people include:

- Myocarditis (my-oh-car-DIE-tis), an acute inflammation of the heart muscle (usually due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- Long QT syndrome and other electrical abnormalities of the heart which cause abnormal fast heart rhythms that can also run in families.
- Marfan syndrome, an inherited disorder that affects heart valves, walls of major arteries, eyes and the skeleton. It is generally seen in unusually tall athletes, especially if being tall is not common in other family members.

Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- Fainting or a seizure from emotional excitement, emotional distress or being startled;
- Dizziness or lightheadedness, especially during exertion;
 - Chest pains, at rest or during exertion;
- Palpitations awareness of the heart beating unusually (skipping, irregular or extra beats) during athletics or during cool down periods after athletic participation;
- Fatigue or tiring more quickly than peers; or
- Being unable to keep up with friends due to shortness of breath (labored breathing).

What are the current recommendations for screening young athletes?

SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

New Jersey requires all school athletes to be examined by their primary care physician ("medical home") or school physician at least once per year. The New Jersey Department of Education requires use of the specific Preparticipation Physical Examination Form (PPE).

This process begins with the parents and student-athletes answering questions about symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or shortness of breath); and questions about family health history.

The primary healthcare provider needs to know if any family member died suddenly during physical activity or during a seizure. They also need to know if anyone in the family under the age of 50 had an unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to identify those at risk for sudden cardiac death.

The required physical exam includes measurement of blood pressure and a careful listening examination of the heart, especially for murmurs and rhythm abnormalities. If there are no warning signs reported on the health history and no abnormalities discovered on exam, no further evaluation or testing is recommended.

Are there options privately available to screen for cardiac conditions?

Technology-based screening programs including a 12-lead electrocardiogram (ECG) and echocardiogram (ECHO) are noninvasive and painless options parents may consider in addition to the required

PPE. However, these procedures may be expensive and are not currently advised by the American Academy of Pediatrics and the American College of Cardiology unless the PPE reveals an indication for these tests. In addition to the expense, other limitations of technology-based tests include the possibility of "false positives" which leads to unnecessary stress for the student and parent or guardian as well as unnecessary restriction from athletic participation.

The United States Department of Health and Human Services offers risk assessment options under the Surgeon General's Family History Initiative available at http://www.hhs.gov/familyhistory/index.html.

When should a student athlete see a heart specialist?

If the primary healthcare provider or school physician has concerns, a referral to a child heart specialist, a pediatric cardiologist, is recommended. This specialist will perform a more thorough evaluation, including an electrocardiogram (ECG), which is a graph of the electrical activity of the heart. An echocardiogram, which is an ultrasound test to allow for direct visualization of the heart structure, will likely also be done. The specialist may also order a treadmill exercise test and a monitor to enable a longer recording of the heart rhythm. None of the testing is invasive or uncomfortable.

Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death in the athlete. This is because some diseases are difficult to uncover and may only develop later in life, Others can develop following a

normal screening evaluation, such as an infection of the heart muscle from a virus.

This is why screening evaluations and a review of the family health history need to be performed on a yearly basis by the athlete's primary healthcare provider. With proper screening and evaluation, most cases can be identified and prevented.

Why have an AED on site during sporting

The only effective treatment for ventricular fibrillation is immediate use of an automated external defibrillator (AED). An AED can restore the heart back into a normal rhythm. An AED is also life-saving for ventricular fibrillation caused by a blow to the chest over the heart (commotio cordis).

NJ.S.A. 18A:40-41a through c, known as "Janet's Law," requires that at any schoolsponsored athletic event or team practice in New Jersey public and nonpublic schools including any of grades K through 12, the following must be available:

- An AED in an unlocked location on school property within a reasonable proximity to the athletic field or gymnasium; and
- A team coach, licensed athletic trainer, or other designated staff member if there is no coach or licensed athletic trainer present, certified in cardiopulmonary resuscitation (CPR) and the use of the AED; or
- A State-certified emergency services provider or other certified first responder.

The American Academy of Pediatrics recommends the AED should be placed in central location that is accessible and ideally no more than a 1 to 1½ minute walk from any location and that a call is made to activate 911 emergency system while the AED is being retrieved.

State of New Jersey DEPARTMENT OF EDUCATION

Sudden Cardiac Death Pamphlet Sign-Off Sheet

| Name of School District: |
|---|
| Name of Local School: |
| I/We acknowledge that we received and reviewed the Sudden Cardiac Death in Young Athletes pamphle |
| Student Signature: |
| |
| Parent or Guardian |
| Signature: |
| Date: |

SPORTS-RELATED EYE INJURIES:

AN EDUCATIONAL FACT SHEET FOR PARENTS



Participating in sports and recreational activities is an important part of a healthy, physically active lifestyle for children. Unfortunately, injuries can, and do, occur. Children are at particular risk for sustaining a sports-related eye injury and most of these injuries can be prevented. Every year, more than 30,000 children sustain serious sports-related eye injuries. Every 13 minutes, an emergency room in the United States treats a sports-related eye injury. According to the National Eye Institute, the sports with the highest rate of eye injuries are: baseball/softball, ice hockey, racquet sports, and basketball, followed by fencing, lacrosse, paintball and boxing.

Thankfully, there are steps that parents can take to ensure their children's safety on the field, the court, or wherever they play or participate in sports and recreational activities.

Prevention of Sports-Related
Eye Injuries

Approximately 90% of sports-related eye injuries can be prevented with simple precautions, such as using protective eyewear.² Each sport has a certain type of recommended protective eyewear, as determined by the American Society for Testing and Materials (ASTM). Protective eyewear should sit comfortably on the face. Poorly fitted equipment may be uncomfortable, and may not offer the best eye protection. Protective eyewear for sports includes, among other things, safety goggles and eye guards, and it should be made of polycarbonate lenses, a strong, shatterproof plastic. Polycarbonate lenses are much stronger than regular lenses.³

Health care providers (HCP), including family physicians, ophthalmologists, optometrists, and others, play a critical role in advising students, parents and guardians about the proper use of protective eyewear. To find out what kind of eye protection is recommended, and permitted for your child's sport, visit the National Eye Institute at http://www.nei.nih.gov/sports/findingprotection.asp. Prevent Blindness America also offers tips for choosing and buying protective eyewear at http://www.preventblindness.org/tips-buying-sports-eye-protectors, and http://www.preventblindness.org/ recommended-sports-eye-protectors.

It is recommended that all children participating in school sports or recreational sports wear protective eyewear. Parents and coaches need to make sure young athletes protect their eyes, and properly gear up for the game. Protective eyewear should be part of any uniform to help reduce the occurrence of sports-related eye injuries. Since many youth teams do not require eye protection, parents may need to ensure that their children wear safety glasses or goggles whenever they play sports. Parents can set a good example by wearing protective eyewear when they play sports.

¹ National Eye Institute, National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

² Rodriguez, Jorge O., D.O., and Lavina, Adrian M., M.D., Prevention and Treatment of Common Eye Injuries in Sports, http://www.aafp.org/afp/2003/0401/p1481.html, September 4, 2014; National Eye Health Education Program, Sports-Related Eye Injuries: What You Need to Know and Tips for Prevention, www.nei.nih.gov/sports/pdf/sportsrelatedeyeInjuries.pdf, December 26, 2013.

³ Bedinghaus, Troy, O.D., Sports Eye Injuries, http://vision.about.com/od/emergencyeyecare/a/Sports_Injuries.htm, December 27, 2013.

Most Common
Types of Eye
Injuries

The most common types of eye injuries that can result from sports injuries are blunt injuries, corneal abrasions and penetrating injuries.

- Blunt injuries: Blunt injuries occur when the eye is suddenly compressed by impact from an object. Blunt injuries, often caused by tennis balls, racquets, fists or elbows, sometimes cause a black eye or hyphema (bleeding in front of the eye). More serious blunt injuries often break bones near the eye, and may sometimes seriously damage important eye structures and/or lead to vision loss.
- Corneal abrasions: Corneal abrasions are painful scrapes on the outside of the eye, or the cornea. Most corneal abrasions eventually heal on their

own, but a doctor can best assess the extent of the abrasion, and may prescribe medication to help control the pain. The most common cause of a sports-related corneal abrasion is being poked in the eye by a finger.

- ◆ Penetrating injuries: Penetrating injuries are caused by a foreign object piercing the eye. Penetrating injuries are very serious, and often result in severe damage to the eye. These injuries often occur when eyeglasses break while they are being worn. Penetrating injuries must be treated quickly in order to preserve vision.⁴
- Pain when looking up and/or down, or difficulty seeing;
- Tenderness;
- Sunken eye;
- Double vision;
- Severe eyelid and facial swelling;
- Difficulty tracking;

Signs or Symptoms of an Eye Injury



- The eye has an unusual pupil size or shape;
- Blood in the clear part of the eye;
- Numbness of the upper cheek and gum; and/or
- Severe redness around the white part of the eye.

What to do if a Sports-Related Eye Injury
Occurs

If a child sustains an eye injury, it is recommended that he/she receive immediate treatment from a licensed HCP (e.g., eye doctor) to reduce the risk of serious damage, including blindness. It is also recommended that the child, along with his/her parent or guardian, seek guidance from the HCP regarding the appropriate amount of time to wait before returning to sports competition or practice after sustaining an eye injury. The school nurse and the child's teachers should also be notified when a child sustains an eye injury. A parent or guardian should also provide the school nurse with a physician's note detailing the nature of the eye injury, any diagnosis, medical orders for

the return to school, as well as any prescription(s) and/or treatment(s) necessary to promote healing, and the safe resumption of normal activities, including sports and recreational activities.

According to the American Family Physician Journal, there are several guidelines that should be followed when students return to play after sustaining an eye injury. For

Return to Play and Sports

example, students who have sustained significant ocular injury should receive a full examination and clearance by an ophthalmologist or optometrist. In addition, students should not return to play until the period of time recommended by their HCP has elapsed. For more minor eye injuries, the athletic trainer may determine that

it is safe for a student to resume play based on the nature of the injury, and how the student feels. No matter what degree of eye injury is sustained, it is recommended that students wear protective eyewear when returning to play and immediately report any concerns with their vision to their coach and/or the athletic trainer.

Additional information on eye safety can be found at http://isee.nei.nih.gov and http://www.nei.nih.gov/sports.