



# MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890  
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724  
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885  
www.mvtl.com



Report Date: 23 Oct 2020

STEVE MUSSER  
MUSSER ENVIRONMENTAL CONSULTANT  
24594 UPSALA LANE  
HUTCHINSON MN 55350

Work Order #: 12-15154  
Account #: 68616  
Purchase Order #: CREDIT CARD

Date Received: 9 Oct 2020  
Date Sampled: 7 Oct 2020  
Time Sampled: 6:40  
Temperature at Receipt: 22.3C

PROJECT NAME: GLENCOE/SILVER LAKE

LAB NUMBER	SAMPLE DESCRIPTION	LEAD RESULTS	MCL	DATE ANALYZED	ANALYST
20-A49938	#1-ROOM 322-TEACHERS DESK	35.2 ug/L	15.0	16 Oct 20	KAM
20-A49939	#2-ROOM 322-NE	25.7 ug/L	15.0	21 Oct 20	KAM
20-A49940	#3-ROOM 322-SE	10.3 ug/L	15.0	16 Oct 20	KAM
20-A49941	#4-ROOM 322-S	16.0 ug/L	15.0	21 Oct 20	KAM
20-A49942	#5-ROOM 322-SW	6.82 ug/L	15.0	16 Oct 20	KAM
20-A49943	#6-ROOM 322-NW	47.8 ug/L	15.0	21 Oct 20	KAM
20-A49944	#7-ROOM 324-TEACHERS DESK	3.06 ug/L	15.0	21 Oct 20	KAM
20-A49945	#8-ROOM 324-NE	13.6 ug/L	15.0	16 Oct 20	KAM
20-A49946	#9-ROOM 324-E	15.4 ug/L	15.0	16 Oct 20	KAM
20-A49947	#10-ROOM 324-SE	40.4 ug/L	15.0	16 Oct 20	KAM
20-A49948	#11-ROOM 324-SW	8.00 ug/L	15.0	21 Oct 20	KAM
20-A49949	#12-ROOM 324-W	26.2 ug/L	15.0	16 Oct 20	KAM
20-A49950	#13-ROOM 324-NW	13.0 ug/L	15.0	21 Oct 20	KAM
20-A49951	#14-ROOM 326-NW	2.27 ug/L	15.0	16 Oct 20	KAM
20-A49952	#15-ROOM 326-TEACHERS DESK	20.6 ug/L	15.0	16 Oct 20	KAM
20-A49953	#16-ROOM 326-CHEM. STORAGE	81.6 ug/L	15.0	16 Oct 20	KAM

Approved by:

Dan O'Connell

David Smahel

Chemistry Laboratory Managers New Ulm, MN

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.

The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix

# = Due to concentration of other analytes

! = Due to sample quantity

+ = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND WW/DW # R-040

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



# MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890  
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724  
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885  
www.mvttl.com



Report Date: 23 Oct 2020

STEVE MUSSER  
MUSSER ENVIRONMENTAL CONSULTANT  
24594 UPSALA LANE  
HUTCHINSON MN 55350

Work Order #: 12-15154  
Account #: 68616  
Purchase Order #: CREDIT CARD

Date Received: 9 Oct 2020  
Date Sampled: 7 Oct 2020  
Time Sampled: 7:06  
Temperature at Receipt: 22.3C

PROJECT NAME: GLENCOE/SILVER LAKE

LAB NUMBER	SAMPLE DESCRIPTION	LEAD RESULTS	MCL	DATE ANALYZED	ANALYST
20-A49954	#17-ROOM 326-NE	6.16 ug/L	15.0	16 Oct 20	KAM
20-A49955	#18-ROOM 326-E	4.24 ug/L	15.0	16 Oct 20	KAM
20-A49956	#19-ROOM 326-SE	9.93 ug/L	15.0	16 Oct 20	KAM
20-A49957	#20-ROOM 326-SW	8.71 ug/L	15.0	16 Oct 20	KAM
20-A49958	#21-ROOM 326-W	4.09 ug/L	15.0	16 Oct 20	KAM
20-A49959	#22-ROOM 330-NORTH SINK	34.8 ug/L	15.0	21 Oct 20	KAM
20-A49960	#23-ROOM 331-WEST	4.74 ug/L	15.0	16 Oct 20	KAM
20-A49961	#24-ROOM 331-NORTH	9.74 ug/L	15.0	16 Oct 20	KAM
20-A49962	#25-ROOM 334	2.95 ug/L	15.0	16 Oct 20	KAM
20-A49963	#26-ROOM 345	1.25 ug/L	15.0	16 Oct 20	KAM
20-A49964	#27-ROOM 341	0.68 ug/L	15.0	16 Oct 20	KAM
20-A49965	#28-MAINT. HALL-BOYS RR-NW	1.15 ug/L	15.0	16 Oct 20	KAM
20-A49966	#29-MAINT. HALL-BOYS RR-NE	1.22 ug/L	15.0	16 Oct 20	KAM
20-A49967	#30-MAINT. HALL-GIRLS RR-S	2.39 ug/L	15.0	16 Oct 20	KAM
20-A49968	#31-MAINT. HALL-GIRLS RR-N	1.31 ug/L	15.0	16 Oct 20	KAM

Approved by:

Dan O'Connell David Smahel  
Chemistry Laboratory Managers New Ulm, MN

Page: 2

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.

The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix

# = Due to concentration of other analytes

! = Due to sample quantity

+ = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND WW/DW # R-040

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.





# MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890  
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724  
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885  
www.mvttl.com



Report Date: 23 Oct 2020

STEVE MUSSER  
MUSSER ENVIRONMENTAL CONSULTANT  
24594 UPSALA LANE  
HUTCHINSON MN 55350

Work Order #: 12-15154  
Account #: 68616  
Purchase Order #: CREDIT CARD

Date Received: 9 Oct 2020  
Date Sampled: 7 Oct 2020  
Time Sampled: 7:38  
Temperature at Receipt: 22.3C

PROJECT NAME: GLENCOE/SILVER LAKE

LAB NUMBER	SAMPLE DESCRIPTION	LEAD RESULTS	MCL	DATE ANALYZED	ANALYST
20-A49969	#32-NURSES OFFICE-BATHROOM S.	2.23 ug/L	15.0	16 Oct 20	KAM
20-A49970	#33-NURSES OFFICE-SINK	2.84 ug/L	15.0	16 Oct 20	KAM
20-A49971	#34-NURSES OFFICE-NORTH BATHROOM	0.72 ug/L	15.0	16 Oct 20	KAM
20-A49972	#35-MAIN OFFICE H.S.	< 0.5 ug/L	15.0	16 Oct 20	KAM
20-A49973	#36-SOUTH BOYS R.R.-N	0.70 ug/L	15.0	16 Oct 20	KAM
20-A49974	#37-SOUTH BOYS R.R.-MIDDLE	1.34 ug/L	15.0	16 Oct 20	KAM
20-A49975	#38-SOUTH BOYS R.R.-S	1.70 ug/L	15.0	16 Oct 20	KAM
20-A49976	#39-SOUTH GIRLS R.R.-W	1.82 ug/L	15.0	16 Oct 20	KAM
20-A49977	#40-SOUTH GIRLS R.R.-MIDDLE	0.84 ug/L	15.0	16 Oct 20	KAM
20-A49978	#41-SOUTH GIRLS R.R.-E	1.64 ug/L	15.0	16 Oct 20	KAM
20-A49979	#42-STAFF MENS ROOM	1.18 ug/L	15.0	16 Oct 20	KAM
20-A49980	#43-STAFF WOMENS ROOM	1.55 ug/L	15.0	16 Oct 20	KAM
20-A49981	#44-SOUTH HALL AREA	< 0.5 ug/L	15.0	16 Oct 20	KAM
20-A49982	#45-MEDIA CENTER	21.4 ug/L	15.0	16 Oct 20	KAM
20-A49983	#46-BOYS SWIM L.R. DF	1.56 ug/L	15.0	16 Oct 20	KAM

Approved by:

Dan O'Connell

David Smahel

Chemistry Laboratory Managers New Ulm, MN

Page: 3

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.

The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix

# = Due to concentration of other analytes

! = Due to sample quantity

+ = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND WW/DW # R-040

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.



# MINNESOTA VALLEY TESTING LABORATORIES, INC.

1126 North Front St. ~ New Ulm, MN 56073 ~ 800-782-3557 ~ Fax 507-359-2890  
2616 East Broadway Ave. ~ Bismarck, ND 58501 ~ 800-279-6885 ~ Fax 701-258-9724  
1201 Lincoln Hwy. ~ Nevada, IA 50201 ~ 800-362-0855 ~ Fax 515-382-3885  
www.mvttl.com



Report Date: 23 Oct 2020

STEVE MUSSER  
MUSSER ENVIRONMENTAL CONSULTANT  
24594 UPSALA LANE  
HUTCHINSON MN 55350

Work Order #: 12-15154  
Account #: 68616  
Purchase Order #: CREDIT CARD

Date Received: 9 Oct 2020  
Date Sampled: 7 Oct 2020  
Time Sampled: 8:30  
Temperature at Receipt: 22.3C

PROJECT NAME: GLENCOE/SILVER LAKE

LAB NUMBER	SAMPLE DESCRIPTION	LEAD RESULTS	MCL	DATE ANALYZED	ANALYST
20-A49984	#47-GIRLS SWIM L.R. DF	2.96 ug/L	15.0	16 Oct 20	KAM
20-A49985	#48-L.L. BOYS L.R. DF	1.53 ug/L	15.0	16 Oct 20	KAM
20-A49986	#49-NEW BOYS L.R.	< 0.5 ug/L	15.0	16 Oct 20	KAM
20-A49987	#50-NEW GIRLS L.R.	< 0.5 ug/L	15.0	16 Oct 20	KAM
20-A49988	#51-STAFF LOUNGE LINCOLN	14.5 ug/L	15.0	16 Oct 20	KAM
20-A49989	#52-204 CONF. ROOM-LINCOLN	11.6 ug/L	15.0	16 Oct 20	KAM
20-A49990	#53-STAFF LOUNGE CAFETERIA	< 0.5 ug/L	15.0	16 Oct 20	KAM

Approved by:

Dan O'Connell

David Smahel

Chemistry Laboratory Managers New Ulm, MN

Page: 4

Analyses performed under our Minnesota Department of Health Accreditation conform to the current TNI standards.

The reporting limit was elevated for any analyte requiring a dilution as coded below:

@ = Due to sample matrix

# = Due to concentration of other analytes

! = Due to sample quantity

+ = Due to internal standard response

CERTIFICATION: MN LAB # 027-015-125 ND WW/DW # R-040

MVTL guarantees the accuracy of the analysis done on the sample submitted for testing. It is not possible for MVTL to guarantee that a test result obtained on a particular sample will be the same on any other sample unless all conditions affecting the sample are the same, including sampling by MVTL. As a mutual protection to clients, the public and ourselves, all reports are submitted as the confidential property of clients, and authorization for publication of statements, conclusions or extracts from or regarding our reports is reserved pending our written approval.