## **Chapter 11: Inference for Distributions of Categorical Data**

## **Key Vocabulary:**

- one way table
- chi-square test for goodness of fit
- chi-square statistic
- expected count
- observed count

- chi square distribution
- degrees of freedom
- chi-square distribution
- components of chi-square
- cell counts
- r x c table

- chi square test for homogeneity
- chi square test for association/ independence

## 11.1 Chi-Square Goodness of Fit Test (pp.678-690)

- 1. What is a *one-way table*?
- 2. What is a *chi-square goodness-of-fit test*?
- 3. What is the difference between the notation  $X^2$  and  $\chi^2$ ?
- 4. State the general form for the *null hypotheses* for a  $\chi^2$  goodness of fit test.
- 5. State the general form for the *alternative hypotheses* for a  $\chi^2$  goodness of fit test.
- 6. How do you calculate the *expected counts* for a chi-square goodness-of-fit test? How should you round the answer for the expected counts?
- 7. What is the shape of a *chi-square distribution*? What happens to the shape as the degrees of freedom increases? (Illustrate with a diagram)

8. Describe the <i>center and spread</i> of the chi-square distributions.
9. What is the <i>chi-square test statistic</i> ? Is it on the formula sheet? What does it measure?
10. How many degrees of freedom does the <i>chi-square distribution</i> have?
11. What is the <i>rule of thumb</i> for all expected counts in a chi-square goodness of fit test?
12. What conditions must be met in order to use the <i>goodness of fit test</i> ?
12. How do you calculate <i>p</i> -values using chi-square distributions?
14. Can you use your calculator to conduct a chi-square goodness-of-fit test? If yes, what are the calculator commands?
15. What is meant by a <i>component</i> of chi-square?
1. What does the <i>largest component</i> of chi-square signify?
17. Why is it necessary to perform <i>follow-up analysis</i> to a chi-square test?

## 11.2 Inference for Relationships (pp.696-721)

1.	What is the <i>hypothesis</i> for a test of homogeneity?
2.	Describe the complications with <i>multiple comparisons</i> ? How are they overcome?
3.	Explain how to calculate the expected counts for a test that compares the distribution of a categorical variable in multiple groups or populations.
4.	Write the <i>formula</i> for the Chi-square test statistic? Is this on the AP Exam formula sheet?
5.	What does the Chi-square test statistic measure?
6.	What information is contained in a <i>two-way table</i> for a Chi-square test?
7.	How many $degrees$ of $freedom$ does a chi-square test for a two-way table with $r$ rows and $c$ columns have?
8.	What requirements must be checked before carrying out a Chi-square test for Homogeneity?
9.	State the null and alternative hypothesis for the Chi-square test for Homogeneity?
10.	Can you use your calculators to do a Chi-square test of homogeneity? If yes, what are the calculator commands?

11. Summarize how to carry out a Chi-square Test for Homogeneity of Population	s:
12. Explain how and when to conduct a <i>follow-up analysis</i> for a test of homogenei	tyʻ
13. What does it mean if two variables have an <i>association</i> ?	
14. What does it mean if two variables are <i>independent</i> ?	
11. What does it mean if two variables are macpenaem.	
15. State the <i>null and alternative hypotheses</i> for a Chi-square test for	
Association/Independence.	
16. How is a test of association/independence different than a test of homogeneity	?
17. How do you calculate <i>expected counts</i> for a test of association/independence?	

18. Summarize how to carry out a Chi-square Test for Association/Independence:
19. What are the <i>conditions</i> for a test of association/independence?
20. When should you use a <i>chi-square test</i> and when should you use a <i>two-sample z test</i> ?