

Fourth Grade



Teacher Survival Kit

Math Survival Kit: Table of Contents

-Grade 4-

Description	Page
Grade Level Overview: Cluster Level Emphases	<i>i</i>
CA Dept of Ed Grade Level Mathematics Framework	1 – 41
Common addition and subtraction situations	43
Common multiplication and division situations	44
Grade Level Math Vocabulary	45-46
PUSD Universal Problem Solving Poster	47
5 Principals of Effective Questioning	49-50
Standards for Math Practices Posters	51-54
Standards for Math Practices: Summary and Questions to Develop Mathematical Thinking	55-56
Blackline Masters	57
Website Resources: Virtual Manipulatives, Number Talks, Lessons, Performance Tasks, Blackline Masters	R

Fourth Grade Overview: Cluster Level Emphases

Operations and Algebraic Thinking

4.OA

- Use the four operations with whole numbers to solve problems. (4.OA.1-3)(m)
- Gain familiarity with factors and multiples. (4.OA.4)(a/s)
- Generate and analyze patterns. (4.OA.5)(a/s)

Number and Operations in Base Ten

4.NBT

- Generalize place value understanding for multi-digit whole numbers. (4.NBT.1-3)(m)
- Use place value understanding and properties of operations to perform multi-digit arithmetic (4.NBT.4-6)(m)

Number and Operations - Fractions

4.NF

- Extend understanding of fraction equivalence and ordering (4.NF.1-2)(m)
- Build fractions from unit fractions by applying and extending previous understandings of operations on whole numbers. (4.NF.3-4)(m)
- Understand decimal notation for fractions and compare decimal fractions (4.NF.5-7)(m)

Major Clusters (m) — Areas of intensive focus where students need fluent understanding and application of the core concepts. These clusters require greater emphasis than others based on the depth of the ideas, the time needed to master them, and their importance to future mathematics or the demands of college and career readiness.

Additional Clusters (a) — Expose students to other subjects; may not connect tightly or explicitly to the major work of the grade.

Supporting Clusters (s) — Designed to support and strengthen areas of major emphasis.

Note of caution: Neglecting material, whether it is found in the major or additional/supporting clusters, will leave gaps in students' skills and understanding and will leave students unprepared for the challenges they face in later grades.

Measurement and Data

4.MD

- Solve problems involving measurement and conversion of measurements from a larger unit to a smaller unit. (4.MD.1-2)(a/s)
- Represent and interpret data. (4.MD.4)(a/s)
- Geometric measurement: understand concepts of angle and angle measurement. (4.MD.5-7)(a/s)

Geometry


4.G

- Draw and identify lines and angles, and classify shapes by properties of their lines and angles. (4.G.1-3)(a/s)

Fluency Standard:

Add and subtract multi-digit whole numbers using the standard algorithm (4NBT.4)

See Mathematics Framework, page 14, for fluency definition.



Grade Four

In grade four, students continue to build a strong foundation for higher mathematics. In previous grades, students developed place-value understandings, generalized written methods for addition and subtraction, and added and subtracted fluently within 1000. They gained an understanding of single-digit multiplication and division and became fluent with such operations. They also developed an understanding of fractions built from unit fractions (adapted from Charles A. Dana Center 2012).

Critical Areas of Instruction

In grade four, instructional time should focus on three critical areas: (1) developing understanding and fluency with multi-digit multiplication and developing understanding of dividing to find quotients involving multi-digit dividends; (2) developing an understanding of fraction equivalence, addition and subtraction of fractions with like denominators, and multiplication of fractions by whole numbers; and (3) understanding that geometric figures can be analyzed and classified based on their properties, such as having parallel sides, perpendicular sides, particular angle measures, and symmetry (National Governors Association Center for Best Practices, Council of Chief State School Officers [NGA/CCSSO] 2010k). Students also work toward fluency in addition and subtraction within 1,000,000 using the standard algorithm.

Standards for Mathematical Content

The Standards for Mathematical Content emphasize key content, skills, and practices at each grade level and support three major principles:

- **Focus**—Instruction is focused on grade-level standards.
- **Coherence**—Instruction should be attentive to learning across grades and to linking major topics within grades.
- **Rigor**—Instruction should develop conceptual understanding, procedural skill and fluency, and application.

Grade-level examples of focus, coherence, and rigor are indicated throughout the chapter.

The standards do not give equal emphasis to all content for a particular grade level. Cluster headings can be viewed as the most effective way to communicate the **focus** and **coherence** of the standards. Some clusters of standards require a greater instructional emphasis than others based on the depth of the ideas, the time needed to master those clusters, and their importance to future mathematics or the later demands of preparing for college and careers.

Table 4-1 highlights the content emphases at the cluster level for the grade-four standards. The bulk of instructional time should be given to “Major” clusters and the standards within them, which are indicated throughout the text by a triangle symbol (▲). However, standards in the “Additional/Supporting” clusters should not be neglected; to do so would result in gaps in students’ learning, including skills and understandings they may need in later grades. Instruction should reinforce topics in major clusters by using topics in the additional/supporting clusters and including problems and activities that support natural connections between clusters.

Teachers and administrators alike should note that the standards are not topics to be checked off after being covered in isolated units of instruction; rather, they provide content to be developed throughout the school year through rich instructional experiences presented in a coherent manner (adapted from Partnership for Assessment of Readiness for College and Careers [PARCC] 2012).

Table 4-1. Grade Four Cluster-Level Emphases

Operations and Algebraic Thinking	4.OA
Major Clusters	
<ul style="list-style-type: none">Use the four operations with whole numbers to solve problems. (4.OA.1–3▲)	
Additional/Supporting Clusters	
<ul style="list-style-type: none">Gain familiarity with factors and multiples.¹ (4.OA.4)Generate and analyze patterns. (4.OA.5)	
Number and Operations in Base Ten	4.NBT
Major Clusters	
<ul style="list-style-type: none">Generalize place-value understanding for multi-digit whole numbers. (4.NBT.1–3▲)Use place-value understanding and properties of operations to perform multi-digit arithmetic. (4.NBT.4–6▲)	
Number and Operations—Fractions	4.NF
Major Clusters	
<ul style="list-style-type: none">Extend understanding of fraction equivalence and ordering. (4.NF.1–2▲)Build fractions from unit fractions by applying and extending previous understandings of operations on whole numbers. (4.NF.3–4▲)Understand decimal notation for fractions, and compare decimal fractions. (4.NF.5–7▲)	
Measurement and Data	4.MD
Additional/Supporting Clusters	
<ul style="list-style-type: none">Solve problems involving measurement and conversion of measurements from a larger unit to a smaller unit.² (4.MD.1–3)Represent and interpret data. (4.MD.4)Geometric measurement: understand concepts of angle and measure angles. (4.MD.5–7)	
Geometry	4.G
Additional/Supporting Clusters	
<ul style="list-style-type: none">Draw and identify lines and angles, and classify shapes by properties of their lines and angles. (4.G.1–3)	

Table continues on next page

1. Supports students' work with multi-digit arithmetic as well as their work with fraction equivalence.

2. Students use a line plot to display measurements in fractions of a unit and to solve problems involving addition and subtraction of fractions, connecting this work to the "Number and Operations—Fractions" clusters.

Table 4-1 (continued)

Explanations of Major and Additional/Supporting Cluster-Level Emphases

Major Clusters (▲) — Areas of intensive focus where students need fluent understanding and application of the core concepts. These clusters require greater emphasis than others based on the depth of the ideas, the time needed to master them, and their importance to future mathematics or the demands of college and career readiness.

Additional Clusters — Expose students to other subjects; may not connect tightly or explicitly to the major work of the grade.

Supporting Clusters — Designed to support and strengthen areas of major emphasis.

Note of caution: Neglecting material, whether it is found in the major or additional/supporting clusters, will leave gaps in students' skills and understanding and will leave students unprepared for the challenges they face in later grades.

Adapted from Smarter Balanced Assessment Consortium 2011, 84.

Connecting Mathematical Practices and Content

The Standards for Mathematical Practice (MP) are developed throughout each grade and, together with the content standards, prescribe that students experience mathematics as a rigorous, coherent, useful, and logical subject. The MP standards represent a picture of what it looks like for students to understand and do mathematics in the classroom and should be integrated into every mathematics lesson for all students.

Although the description of the MP standards remains the same at all grade levels, the way these standards look as students engage with and master new and more advanced mathematical ideas does change. Table 4-2 presents examples of how the MP standards may be integrated into tasks appropriate for students in grade four. (Refer to the “Overview of the Standards Chapters” for a description of the MP standards.)

Table 4-2. Standards for Mathematical Practice—Explanation and Examples for Grade Four

Standards for Mathematical Practice	Explanation and Examples
MP.1 Make sense of problems and persevere in solving them.	<p>In grade four, students know that doing mathematics involves solving problems and discussing how they solved them. Students explain to themselves the meaning of a problem and look for ways to solve it. Students might use an equation strategy to solve a word problem. For example: “Chris bought clothes for school. She bought 3 shirts for \$12 each and a skirt for \$15. How much money did Chris spend on her new school clothes?” Students could solve this problem with the equation $3 \times \\$12 + \\$15 = a$.</p> <p>Students may use visual models to help them conceptualize and solve problems. They may check their thinking by asking themselves, “Does this make sense?” They listen to the strategies of others and will try different approaches. They often use another method to check their answers.</p>

Table 4-2 (continued)

<p>MP.2 Reason abstractly and quantitatively.</p>	<p>Grade-four students recognize that a number represents a specific quantity. They connect the quantity to written symbols and create a logical representation of the problem at hand, considering both the appropriate units involved and the meaning of quantities. They extend this understanding from whole numbers to their work with fractions and decimals. Students write simple expressions, record calculations with numbers, and represent or round numbers using place-value concepts. Students might use array or area drawings to demonstrate and explain 154×6 as 154 added six times, and so they develop an understanding of the distributive property. For example:</p> $\begin{aligned} 154 \times 6 &= (100 + 50 + 4) \times 6 \\ &= (100 \times 6) + (50 \times 6) + (4 \times 6) \\ &= 600 + 300 + 24 \\ &= 924 \end{aligned}$ <p>To reinforce students' reasoning and understanding, teachers might ask, "How do you know?" or "What is the relationship of the quantities?"</p>
<p>MP.3 Construct viable arguments and critique the reasoning of others.</p>	<p>Students may construct arguments using concrete referents, such as objects, pictures, drawings, and actions. They practice their mathematical communication skills as they participate in mathematical discussions involving questions such as "How did you get that?", "Explain your thinking," and "Why is that true?" They not only explain their own thinking, but also listen to others' explanations and ask questions. Students explain and defend their answers and solution strategies as they answer questions that require an explanation.</p>
<p>MP.4 Model with mathematics.</p>	<p>Students experiment with representing problem situations in multiple ways, including writing numbers; using words (mathematical language); creating math drawings; using objects; making a chart, list, or graph; and creating equations. Students need opportunities to connect the different representations and explain the connections. They should be able to use all of these representations as needed. Students should be encouraged to answer questions such as "What math drawing or diagram could you make and label to represent the problem?" or "What are some ways to represent the quantities?"</p> <p>Fourth-grade students evaluate their results in the context of the situation and reflect on whether the results make sense. For example, a student may use an area/array rectangle model to solve the following problem by extending from multiplication to division: "A fourth-grade teacher bought 4 new pencil boxes. She has 260 pencils. She wants to put the pencils in the boxes so that each box has the same number of pencils. How many pencils will there be in each box?"</p>
<p>MP.5 Use appropriate tools strategically.</p>	<p>Students consider the available tools (including estimation) when solving a mathematical problem and decide when certain tools might be helpful. For instance, they might use graph paper, a number line, or drawings of dimes and pennies to represent and compare decimals, or they might use protractors to measure angles. They use other measurement tools to understand the relative size of units within a system and express measurements given in larger units in terms of smaller units. Students should be encouraged to answer questions such as, "Why was it helpful to use _____?"</p>

Table 4-2 (continued)

Standards for Mathematical Practice	Explanation and Examples
MP.6 Attend to precision.	As fourth-grade students develop their mathematical communication skills, they try to use clear and precise language in their discussions with others and in their own reasoning. They are careful about specifying units of measure and state the meaning of the symbols they choose. For instance, they use appropriate labels when creating a line plot.
MP.7 Look for and make use of structure.	Students look closely to discover a pattern or structure. For instance, students use properties of operations to explain calculations (partial products model). They generate number or shape patterns that follow a given rule. Teachers might ask, "What do you notice when _____?" or "How do you know if something is a pattern?"
MP.8 Look for and express regularity in repeated reasoning.	In grade four, students notice repetitive actions in computation to make generalizations. Students use models to explain calculations and understand how algorithms work. They examine patterns and generate their own algorithms. For example, students use visual fraction models to write equivalent fractions. Students should be encouraged to answer questions such as "What is happening in this situation?" or "What predictions or generalizations can this pattern support?"

Adapted from Arizona Department of Education (ADE) 2010 and North Carolina Department of Public Instruction (NCDPI) 2013b.

Standards-Based Learning at Grade Four

The following narrative is organized by the domains in the Standards for Mathematical Content and highlights some necessary foundational skills from previous grade levels. It also provides exemplars to explain the content standards, highlight connections to the various Standards for Mathematical Practice (MP), and demonstrate the importance of developing conceptual understanding, procedural skill and fluency, and application. A triangle symbol (▲) indicates standards in the major clusters (see table 4-1).

Domain: Operations and Algebraic Thinking

In grade three, students focused on concepts, skills, and problem solving with single-digit multiplication and division (within 100). A critical area of instruction in grade four is developing understanding and fluency with multi-digit multiplication and developing understanding of division to find quotients involving multi-digit dividends.

Use the four operations with whole numbers to solve problems.

1. Interpret a multiplication equation as a comparison, e.g., interpret $35 = 5 \times 7$ as a statement that 35 is 5 times as many as 7 and 7 times as many as 5. Represent verbal statements of multiplicative comparisons as multiplication equations.
2. Multiply or divide to solve word problems involving multiplicative comparison, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem, distinguishing multiplicative comparison from additive comparison.³
3. Solve multistep word problems posed with whole numbers and having whole-number answers using the four operations, including problems in which remainders must be interpreted. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.

In earlier grades, students focused on addition and subtraction of positive whole numbers and worked with additive comparison problems (e.g., what *amount* would be added to one quantity in order to result in the other?). In grade four, students compare quantities multiplicatively for the first time.

In a multiplicative comparison problem, the underlying structure is that a *factor* multiplies one quantity to result in another quantity (e.g., b is n times as much as a , represented by $b = n \times a$). Students interpret a multiplication equation as a comparison and solve word problems involving multiplicative comparison (4.OA.1–2▲) and should be able to identify and verbalize all three quantities involved: which quantity is being multiplied, which number tells how many times, and which number is the product. Teachers should be aware that students often have difficulty understanding the order and meaning of numbers in multiplicative comparison problems, and therefore special attention should be paid to understanding these types of problem situations (MP.1).

Example: Multiplicative Comparison Problems

4.OA.2▲

Unknown Product: “Sally is 5 years old. Her mother is 8 times as old as Sally is. How old is Sally’s mother?” This problem takes the form $a \times b = ?$, where the factors are known but the product is unknown.

Unknown Factor (Group Size Unknown): “Sally’s mother is 40 years old. That is 8 times as old as Sally is. How old is Sally?” This problem takes the form $a \times ? = p$, where the product is known, but the quantity being multiplied is unknown.

Unknown Factor 2 (Number of Groups Unknown): “Sally’s mother is 40 years old. Sally is 5 years old. How many times older than Sally is this?” This problem takes the form $? \times b = p$, where the product is known but the multiplicative factor, which does the enlarging in this case, is unknown.

Adapted from Kansas Association of Teachers of Mathematics (KATM) 2012, 4th Grade Flipbook.

In grade four, students solve various types of multiplication and division problems, which are summarized in table 4-3.

3. See glossary, table GL-5.

Table 4-3. Types of Multiplication and Division Problems (Grade Four)

	Unknown Product	Group Size Unknown ⁴	Number of Groups Unknown ⁵
	$3 \times 6 = ?$	$3 \times ? = 18$ and $18 \div 3 = ?$	$? \times 6 = 18$ and $18 \div 6 = ?$
Equal Groups	<p>There are 3 bags with 6 plums in each bag. How many plums are there altogether?</p> <p>Measurement example You need 3 lengths of string, each 6 inches long. How much string will you need altogether?</p>	<p>If 18 plums are shared equally and packed inside 3 bags, then how many plums will be in each bag?</p> <p>Measurement example You have 18 inches of string, which you will cut into 3 equal pieces. How long will each piece of string be?</p>	<p>If 18 plums are to be packed, with 6 plums to a bag, then how many bags are needed?</p> <p>Measurement example You have 18 inches of string, which you will cut into pieces that are 6 inches long. How many pieces of string will you have?</p>
Arrays, Area	<p>There are 3 rows of apples with 6 apples in each row. How many apples are there?</p> <p>Area example What is the area of a rectangle that measures 3 centimeters by 6 centimeters?</p>	<p>If 18 apples are arranged into 3 equal rows, how many apples will be in each row?</p> <p>Area example A rectangle has an area of 18 square centimeters. If one side is 3 centimeters long, how long is a side next to it?</p>	<p>If 18 apples are arranged into equal rows of 6 apples, how many rows will there be?</p> <p>Area example A rectangle has an area of 18 square centimeters. If one side is 6 centimeters long, how long is a side next to it?</p>
Compare	<p>A blue hat costs \$6. A red hat costs 3 times as much as the blue hat. How much does the red hat cost?</p> <p>Measurement example A rubber band is 6 centimeters long. How long will the rubber band be when it is stretched to be 3 times as long?</p>	<p>A red hat costs \$18, and that is three times as much as a blue hat costs. How much does a blue hat cost?</p> <p>Measurement example A rubber band is stretched to be 18 centimeters long and that is three times as long as it was at first. How long was the rubber band at first?</p>	<p>A red hat costs \$18 and a blue hat costs \$6. How many times as much does the red hat cost as the blue hat?</p> <p>Measurement example A rubber band was 6 centimeters long at first. Now it is stretched to be 18 centimeters long. How many times as long is the rubber band now as it was at first?</p>
General	$a \times b = ?$	$a \times ? = p$ and $p \div a = ?$	$? \times b = p$ and $p \div b = ?$

Source: NGA/CCSSD 2010d. A nearly identical version of this table appears in the glossary (table GL-5).


Students need many opportunities to solve contextual problems. A tape diagram or bar diagram can help students visualize and solve multiplication and division word problems. Tape diagrams are useful for connecting what is happening in the problem with an equation that represents the problem (MP.2, MP.4, MP.5, MP.7).

4. These problems ask the question, "How many in each group?" The problem type is an example of *partitive or fair-share* division.

5. These problems ask the question, "How many groups?" The problem type is an example of *quotitive or measurement* division.


Unknown Product: “Skyler has 4 times as many books as Araceli. If Araceli has 36 books, how many books does Skyler have?”

Solution: If we represent the number of books that Araceli has with a piece of tape, then the number of books Skyler has is represented by 4 pieces of tape of the same size. Students can represent this as $4 \times 36 = \square$.




Unknown Factor (Group Size Unknown): “Kiara sold 45 tickets to the school play, which is 3 times as many as the number of tickets sold by Tomás. How many tickets did Tomás sell?”

Solution: The number of tickets Kiara sold (the *product*) is known and is represented by 3 pieces of tape. The number of tickets Tomás sold would be represented by one piece of tape. This representation helps students see that the equations $3 \times \square = 45$ or $45 \div 3 = \square$ represent the problem.



Unknown Factor (Number of Groups Unknown): “A used bicycle costs \$75; a new one costs \$300. How many times as much does the new bike cost compared with the used bike?”

Solution: The student represents the cost of the used bike with a piece of tape and decides how many pieces of this tape will make up the cost of the new bike. The representation leads to the equations $\square \times 75 = 300$ and $300 \div 75 = \square$.



Adapted from KATM 2012, 4th Grade Flipbook.

Additionally, students solve multi-step word problems using the four operations, including problems in which remainders must be interpreted (4.OA.3▲). Students use estimation to assess the reasonableness of answers. They determine the level of accuracy needed to estimate the answer to a problem and select the appropriate method of estimation. This strategy gives rounding usefulness, instead of making it a separate topic that is covered arbitrarily.

Examples: Multi-Step Word Problems and Strategies Called for in Standard 4.OA.3▲

1. There are 146 students going on a field trip. If each bus holds 30 students, how many buses are needed?
Solution: “Since $150 \div 30 = 5$, it seems like there should be around 5 buses. When we try to divide 146 by 30, we get 4 groups with 26 left over. This means that $146 = 4 \times 30 + 26$. There are 4 buses filled with 30 students, with a fifth bus holding only 26 students.” (Given the context of the problem, one more than the quotient is the answer.)
2. Suppose that 250 colored pencils were distributed equally among 33 students for a geometry project. What is the largest number of colored pencils each student can receive?
Solution: “Since $240 \div 30 = 8$, it seems like each student should receive close to 8 colored pencils. When we divide 250 by 33, we get 7 with a remainder of 19. This means that $250 = 33 \times 7 + 19$. This tells us that each student can have 7 colored pencils with 19 left over for the teacher.”
3. Your class is collecting bottled water for a service project. The goal is to collect 300 bottles of water. On the first day, Max brings in 3 packs, with 6 bottles of water in each pack. Sarah wheels in 6 packs, each containing 6 bottles of water. About how many bottles of water still need to be collected?
Solution: “First, I multiplied 3 packs by 6 bottles per pack, which equals 18 bottles. Then I multiplied 6 packs by 6 bottles per pack, which is 36 bottles. I added 18 and 36 and got 54. Then I subtracted $300 - 54$ and got 246. I know 18 is close to 20, and 20 plus 36 is around 50. Since we’re trying to get to 300, we’ll need about 250 more bottles, so my answer of 246 seems reasonable.”

Adapted from KATM 2012, 4th Grade Flipbook.

As students compute and interpret multi-step problems with remainders (4.OA.3▲), they also reinforce important mathematical practices as they make sense of the problem and reason about how the context is connected to the four operations (MP.1, MP.2).

Common Misconceptions

- Teachers may try to help their students by telling them that multiplying two numbers in a multiplicative comparison situation always makes the product *bigger*. While this is true with whole numbers greater than 1, it is *not* true when one of the factors is a fraction smaller than 1 (or when one of the factors is negative), something students will encounter in later grades. Teachers should be careful to emphasize that multiplying by a number *greater than 1* results in a product larger than the original number (4.OA.1–2▲).
- Students might be confused by the difference between 6 more than a number (additive) and 6 times a number (multiplicative). For example, using 18 and 6, a question could be “How much more is 18 than 6?” Thinking multiplicatively, the answer is 3; however, thinking additively, the answer is 12 (adapted from KATM 2012, 4th Grade Flipbook).
- It is common practice when dividing numbers to write, for example, $250 \div 33 = 7R19$. Although this notation has been used for quite some time, it obscures the relationship between the numbers in the problem. When students find fractional answers, the correct equation for the present example becomes $250 \div 33 = 7\frac{19}{33}$. It is more accurate to write the answer in words, such as by saying, “When we divide 250 by 33, the quotient is 7 with 19 left over,” or to write the equation as $250 = 33 \times 7 + 19$ (see standard 4.NBT.6▲).

At grade four, students find all factor pairs for whole numbers in the range 1–100 (4.OA.4). Knowing how to determine factors and multiples is the foundation for finding common multiples and factors in grade six.

Operations and Algebraic Thinking

4.OA

Gain familiarity with factors and multiples.

4. Find all factor pairs for a whole number in the range 1–100. Recognize that a whole number is a multiple of each of its factors. Determine whether a given whole number in the range 1–100 is a multiple of a given one-digit number. Determine whether a given whole number in the range 1–100 is prime or composite.

Students extend the idea of decomposition to multiplication and learn to use the term *multiple*. Any whole number is a multiple of each of its factors. For example, 21 is a multiple of 3 and a multiple of 7 because $21 = 3 \times 7$. A number can be multiplicatively decomposed into equal groups (e.g., 3 equal groups of 7) and expressed as a product of these two factors (called *factor pairs*). The only factors for a *prime number* are 1 and the number itself. A *composite number* has two or more factor pairs. The number 1 is neither prime nor composite. To find all factor pairs for a given number, students need to search systematically—by checking if 2 is a factor, then 3, then 4, and so on, until they start to see a “reversal” in the pairs. For example, after finding the pair 6 and 9 for 54, students will next find the reverse pair, 9 and 6 (adapted from the University of Arizona [UA] Progressions Documents for the Common Core Math Standards 2011a).

Common Misconceptions

- Students may think the number 1 is a prime number or that all prime numbers are odd numbers. (*Counterexample*: 2 has only two factors—1 and 2—and is therefore prime.)
- When listing multiples of numbers, students may omit the number itself. Students should be reminded that the smallest multiple is the number itself.
- Students may think larger numbers have more factors. (*Counterexample*: 98 has six factors: 1, 2, 7, 14, 49, and 98; 36 has nine factors: 1, 2, 3, 4, 6, 9, 12, 18, and 36.)

Having students share all factor pairs and explain how they found them will help students avoid some of these misconceptions.

Adapted from KATM 2012, 4th Grade Flipbook.

Focus, Coherence, and Rigor

The concepts and terms *prime* and *composite* are new at grade four. As students gain familiarity with factors and multiples (4.OA.4), they also reinforce and support major work at the grade, such as multi-digit arithmetic in the cluster “Use place-value understanding and properties of operations to perform multi-digit arithmetic” (4.NBT.4–6▲) and fraction equivalence in the cluster “Extend understanding of fraction equivalence and ordering” (4.NF.1–2▲).

Understanding patterns is fundamental to algebraic thinking. In grade four, students generate and analyze number and shape patterns that follow a given rule (4.OA.5).

Operations and Algebraic Thinking

4.OA

Generate and analyze patterns.

5. Generate a number or shape pattern that follows a given rule. Identify apparent features of the pattern that were not explicit in the rule itself. *For example, given the rule “Add 3” and the starting number 1, generate terms in the resulting sequence and observe that the terms appear to alternate between odd and even numbers. Explain informally why the numbers will continue to alternate in this way.*

Students begin by reasoning about patterns, connecting a rule for a given pattern with its sequence of numbers or shapes. A *pattern* is a sequence that repeats or evolves in a predictable process over and over. A *rule* dictates what that process will look like. Patterns that consist of repeated sequences of shapes or growing sequences of designs can be appropriate for the grade. For example, students could examine a sequence of dot designs in which each design has 4 more dots than the previous one and then reason about how the dots are organized in the design to determine the total number of dots in the 100th design (MP.2, MP.4, MP.5, MP.7) [adapted from UA Progressions Documents 2011a].

Illustrative Mathematics (2013a) offers two examples of problems that can help students understand patterns: “Double Plus One” and “Multiples of Nine” (<https://www.illustrativemathematics.org/4> [accessed November 5, 2014]).

Focus, Coherence, and Rigor

Numerical patterns (4.OA.5) allow students to reinforce facts and develop fluency with operations. They also support major work in grade four in the cluster “Use place-value understanding and properties of operations to perform multi-digit arithmetic” (4.NBT.4–6▲). This is an example of a standard in an additional/supporting cluster that reinforces standards in a major cluster.

Domain: Number and Operations in Base Ten

In grade four, students extend their work in the base-ten number system and generalize previous place-value understanding to multi-digit whole numbers (less than or equal to 1,000,000).


Number and Operations in Base Ten

4.NBT

Generalize place-value understanding for multi-digit whole numbers.

1. Recognize that in a multi-digit whole number, a digit in one place represents ten times what it represents in the place to its right. *For example, recognize that $700 \div 70 = 10$ by applying concepts of place value and division.*
2. Read and write multi-digit whole numbers using base-ten numerals, number names, and expanded form. Compare two multi-digit numbers based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record the results of comparisons.
3. Use place-value understanding to round multi-digit whole numbers to any place.

Students read, write, and compare numbers based on the meaning of the digits in each place (4.NBT.1–2▲). In the base-ten system, the value of each place is 10 times the value of the place to the immediate right. Students can come to see and understand that multiplying by 10 yields a product in which each digit of the multiplicand is shifted one place to the left (adapted from UA Progressions Documents 2012b). Students can develop their understanding of millions by using a place-value chart to understand the pattern of *times ten* in the base-ten system; for example, 20 hundreds can be bundled into 2 thousands.



2 thousands = 20 hundreds

Students need multiple opportunities to use real-world contexts to read and write multi-digit whole numbers. As they extend their understanding of numbers to 1,000,000, students reason about the magnitude of digits in a number and analyze the relationships of numbers. They can build larger numbers by using graph paper and labeling examples of each place with digits and words (e.g., *10,000* and *ten thousand*).

Millions	Hundred-thousands	Ten-thousands	Thousands	Hundreds	Tens	Ones
						4
					4	0
			4	0	0	0
			4	0	0	0
		4	0	0	0	0
	4	0	0	0	0	0
	4	4	4	4	4	4

"Four hundred forty-four thousand, four hundred forty-four"

To read and write numerals between 1,000 and 1,000,000, students need to understand the role of commas. Each sequence of three digits made by commas is read as hundreds, tens, and ones, followed by the name of the appropriate base-thousand unit (e.g., *thousand*, *million*). Layered place-value cards such as those used in earlier grades can be put on a frame with the base-thousand units labeled below. Then cards that form hundreds, tens, and ones can be placed on each section and the name read off using the card values followed by the word *million*, then *thousand*, then the silent ones (MP.2, MP.3, MP.8).

Grade-four students build on the grade-three skill of rounding to the nearest 10 or 100 to round multi-digit numbers and to make reasonable estimates of numerical values (4.NBT.3▲).

Example: Rounding Numbers in Context

4.NBT.3▲ (MP.4)

The population of the fictional Midtown, USA, was last recorded as 76,398. The city council wants to round the population to the nearest thousand for a business brochure. What number should they round the population to?

Solution: When students represent numbers stacked vertically, they can see the relationships between the numbers more clearly. Students might think: "I know the answer is either 76,000 or 77,000. If I write 76,000 below 76,398 and 77,000 above it, I can see that the midpoint is 76,500, which is *above* 76,398. This tells me they should round the population to 76,000."

77,000
76,398
76,000

Adapted from ADE 2010.

Use place-value understanding and properties of operations to perform multi-digit arithmetic.

4. Fluently add and subtract multi-digit whole numbers using the standard algorithm.
5. Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.
6. Find whole-number quotients and remainders with up to four-digit dividends and one-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.

At grade four, students become fluent with addition and subtraction with multi-digit whole numbers to 1,000,000 using standard algorithms (4.NBT.4▲). A central theme in multi-digit arithmetic is to encourage students to develop methods they understand and can explain rather than merely following a sequence of directions, rules, or procedures they do not understand. In previous grades, students built a conceptual understanding of addition and subtraction with whole numbers as they applied multiple methods to compute and solve problems. The emphasis in grade four is on the power of the regular one-for-ten trades between adjacent places that let students extend a method they already know to many places. Because students in grades two and three have been using at least one method that will generalize to 1,000,000, this extension in grade four should not take a long time. Thus, students will also have sufficient time for the major new topics of multiplication and division (4.NBT.5–6▲).

FLUENCY

California's Common Core State Standards for Mathematics (K–6) set expectations for fluency in computations using the standard algorithm (e.g., “*Fluently* add and subtract multi-digit whole numbers using the standard algorithm” [4.NBT.4▲]). Such standards are culminations of progressions of learning, often spanning several grades, involving conceptual understanding, thoughtful practice, and extra support where necessary. The word *fluent* is used in the standards to mean “reasonably fast and accurate” and possessing the ability to use certain facts and procedures with enough facility that using such knowledge does not slow down or derail the problem solver as he or she works on more complex problems. Procedural fluency requires skill in carrying out procedures flexibly, accurately, efficiently, and appropriately. Developing fluency in each grade may involve a mixture of knowing some answers, knowing some answers from patterns, and knowing some answers through the use of strategies.

Adapted from UA Progressions Documents 2011a.

In grade four, students extend multiplication and division to include whole numbers greater than 100. Students should use methods they understand and can explain to multiply and divide. The standards (4.NBT.5–6▲) call for students to use visual representations such as area and array models that students

draw and connect to equations, as well as written numerical work, to support student reasoning and explanation of methods. By reasoning repeatedly about the connections between math drawings and written numerical work, students can come to see multiplication and division algorithms as abbreviations or summaries of their reasoning about quantities.


Students can use area models to represent various multiplication situations. The rows can represent the equal groups of objects in the situation, and students then imagine that the objects lie in the squares forming an array. With larger numbers, such array models become too difficult to draw, so students can make sketches of rectangles and then label the resulting product as the number of things or square units. When area models are used to represent an actual area situation, the two factors are expressed in length units (e.g., cm) while the product is in square units (e.g., cm^2).

Example: Area Models and Strategies for Multi-Digit Multiplication with a Single-Digit Multiplier


4.NBT.5▲

Chairs are being set up for a small play. There should be 3 rows of chairs and 14 chairs in each row. How many chairs will be needed?

Solution: As in grade three, when students first made the connection between array models and the area model, students might start by drawing a sketch of the situation. They can then be reminded to see the chairs as if surrounded by unit squares and hence a model of a rectangular region. With base-ten blocks or math drawings (MP.2, MP.5), students represent the problem and see it broken down into $3 \times (10 + 4)$.



Making a sketch like the one above becomes cumbersome, so students move toward representing such drawings more abstractly, with rectangles, as shown to the right. This builds on the work begun in grade three. Such diagrams help children see the distributive property: " 3×14 can be written as $3 \times (10 + 4)$, and I can do the multiplications separately and add the results: $3 \times (10 + 4) = 3 \times 10 + 3 \times 4$. The answer is $30 + 12 = 42$, or 42 chairs."



In grade three, students multiplied single-digit numbers by multiples of 10 (3.NBT.3). This idea is extended in grade four. For example, since $6 \times 7 = 42$, the following equations and statements must be true:

- $6 \times 70 = 420$, since this is "6 times 7 tens," which is 42 tens.
- $6 \times 700 = 4200$, since this is "6 times 7 hundreds," which is 42 hundreds.
- $6 \times 7000 = 42,000$, since this is "6 times 7 thousands," which is 42 thousands.
- $60 \times 70 = 4200$, since this is "60 times 7 tens," which is 420 tens, or 4200.

Math drawings and base-ten blocks support the development of these *extended multiplication facts*. The ability to find products such as these is important when variations of the standard algorithm are used for multi-digit multiplication, as described in the following examples.

Examples: Developing Written Methods for Multi-Digit Multiplication

4.NBT.5▲

Find the product: 6×729

Solution: Sufficient practice with drawing rectangles (or constructing them with base-ten blocks) will help students understand that the

problem can be represented with a rectangle such as the one shown. The product is given by the total area: $6 \times 729 = 6 \times 700 + 6 \times 20 + 6 \times 9$. Understanding extended multiplication facts allows students to find the *partial products* quickly. Students can record the multiplication in several ways:

	729 =	700	+ 20	+ 9
6	$6 \times 700 =$		$6 \times 20 =$	
	6 groups of 7 hundreds =		6 groups of 2 tens =	$6 \times 9 = 54$
	42 hundreds = 4200		12 tens = 120	

Left to right, showing the partial products

729	
$\times 6$	Thinking:
4200	6×7 hundreds
120	6×2 tens
54	6×9
4374	

Right to left, showing the partial products

729	
$\times 6$	
54	6×9
120	6×2 tens
4200	6×7 hundreds
4374	

Right to left, recording the newly composed tens and hundreds below the line

729
$\times 6$
15
4224
4374

Find the product: 27×65

Solution: This time, a rectangle is drawn, and like base-ten units (i.e., tens and ones) are represented by subregions of the rectangle. Repeated use of the distributive property shows that:

$$\begin{aligned} 27 \times 65 &= (20 + 7) \times 65 = 20 \times 65 + 7 \times 65 \\ &= 20 \times (60 + 5) + 7 \times (60 + 5) \\ &= 20 \times 60 + 20 \times 5 + 7 \times 60 + 7 \times 5. \end{aligned}$$

The product is again given by the total area:

$$1200 + 100 + 420 + 35 = 1755$$

	60	+	5
20	$20 \times 60 =$		$20 \times 5 =$
	2 tens times 6 tens =		2 tens \times 5 =
	12 hundreds = 1200		10 tens = 100
+			
7	$7 \times 60 =$		
	7 \times 6 tens =		$7 \times 5 = 35$
	42 tens = 420		

Below are two written methods for recording the steps of the multiplication.

Showing the partial products

65	Thinking:
$\times 27$	
35	7×5
420	7×6 tens
100	2 tens \times 5
1200	2 tens \times 6 tens
1755	

Recording the newly composed tens and hundreds below the line for correct place-value position

$$\begin{array}{r}
 65 \\
 \times 27 \\
 \hline
 435 \\
 1100 \\
 \hline
 1755
 \end{array}$$

In this example, digits that represent newly composed tens and hundreds are written below the line instead of above 65. The digit 3 from $7 \times 5 = 35$ is placed correctly in the tens place, and the 5 is correctly placed in the ones. Similarly, the digit 4 from $7 \times 6 = 42$ is correctly placed in the hundreds place and the 2 in the tens place. When these digits are placed above the 65, it becomes harder to see where the digits came from and what their true place value is.

Notice that the boldface 0 is included in the second method, indicating that we are multiplying not just by 2 in this row, but by 2 *tens*.


General methods for computing quotients of multi-digit numbers and one-digit numbers (4.NBT.6▲) rely on the same understandings as for multiplication, but these are cast in terms of division. For example, students may see division problems as knowing the area of a rectangle but not one side length (the quotient), or as finding the size of a group when the number of groups is known (measurement division).

Example: Using the Area Model to Develop Division Strategies


4.NBT.6▲

Find the quotient: $750 \div 6$

Solution: “Just as with multiplication, I can set this up as a rectangle, but with one side unknown since this is the same as $? \times 6 = 750$. I find out what the number of hundreds would be for the unknown side length; that’s 1 hundred or 100, since $100 \times 6 = 600$, and that’s as large as I can go. Then, I have $750 - 600 = 150$ square units left, so I find the number of tens that are in the other side. That’s 2 tens, or 20, since $20 \times 6 = 120$. Last, there are $150 - 120 = 30$ square units left, so the number of ones on the other side must be 5, since $5 \times 6 = 30$.”



One way students can record this is shown at right: *partial quotients* are stacked atop one another, with zeros included to indicate place value and as a reminder of how students obtained the numbers. The full quotient is the sum of these stacked numbers.




General methods for multi-digit division computation include decomposing the dividend into like base-ten units and finding the quotient unit by unit, starting with the largest unit and continuing on to smaller units. As with multiplication, this method relies on the distributive property. This work continues in grade five and culminates in fluency with the standard algorithm in grade six (adapted from PARCC 2012).

In grade four, students also find whole-number quotients with remainders (4.NBT.6▲) and learn the appropriate way to write the result. For instance, students divide and find that $195 \div 9 = 21$, with 6 left over. This can be written as $195 = 21(9) + 6$. When put into a context, the latter equation makes sense. For instance, if 195 books are distributed equally among 9 classrooms, then each classroom gets 21 books, and 6 books will be left over. The equation $195 = 21(9) + 6$ is closely related to the equation $195 \div 9 = 21\frac{6}{9}$, which students will write in later grades. It is best to avoid the notation $195 \div 9 = 21R6$.

As students decompose numbers to solve division problems, they also reinforce important mathematical practices such as seeing and making use of structure (MP.7). As they illustrate and explain calculations, they model (MP.4), strategically use appropriate drawings as tools (MP.5), and attend to precision (MP.6) using base-ten units.

Table 4-4 presents a sample classroom activity that connects the Standards for Mathematical Content and Standards for Mathematical Practice.

Table 4-4. Connecting to the Standards for Mathematical Practice—Grade Four

Standards Addressed	Explanation and Examples																					
<p>Connections to Standards for Mathematical Practice</p> <p>MP.1. Students make sense of the problem when they see that the measurements on the side and top of the diagram persist and yield the measurements of the smaller areas.</p> <p>MP.2. Students reason abstractly as they represent the areas of the yard as multiplication problems to be solved.</p> <p>MP.5. Students use appropriate tools strategically when they apply the formula for the area of a rectangle to solve the problem. They organize their work in a way that makes sense to them.</p> <p>MP.7. Teachers can use this problem and similar problems to illustrate the distributive property of multiplication. In this case, we find that $18 \times 14 = (10 \times 14) + (8 \times 14) = (10 \times 10) + (10 \times 4) + (8 \times 10) + (8 \times 4)$.</p>	<p>Sample Problem: What are the areas of the four sections of Mr. Griffin's backyard? The yard has a stone patio, a tomato garden, a flower garden, and a grass lawn. What is the area of his entire backyard? How did you find your answer?</p>  <table style="margin-left: auto; margin-right: auto;"> <tr> <td></td> <td style="text-align: right;">18</td> <td></td> </tr> <tr> <td></td> <td style="text-align: right;">×14</td> <td></td> </tr> <tr> <td style="border-top: 1px solid black;">Area of Stone Patio →</td> <td style="text-align: right; border-top: 1px solid black;">32</td> <td style="text-align: right;">(4×8)</td> </tr> <tr> <td>Area of Tomato Garden →</td> <td style="text-align: right;">40</td> <td style="text-align: right;">(4×10)</td> </tr> <tr> <td>Area of Flower Garden →</td> <td style="text-align: right;">80</td> <td style="text-align: right;">(10×8)</td> </tr> <tr> <td>Area of Grass Lawn →</td> <td style="text-align: right; border-top: 1px solid black;">100</td> <td style="text-align: right; border-top: 1px solid black;">(10×10)</td> </tr> <tr> <td style="border-top: 1px solid black;">Area of Entire Backyard →</td> <td style="text-align: right; border-top: 1px solid black;">252</td> <td></td> </tr> </table>		18			×14		Area of Stone Patio →	32	(4×8)	Area of Tomato Garden →	40	(4×10)	Area of Flower Garden →	80	(10×8)	Area of Grass Lawn →	100	(10×10)	Area of Entire Backyard →	252	
	18																					
	×14																					
Area of Stone Patio →	32	(4×8)																				
Area of Tomato Garden →	40	(4×10)																				
Area of Flower Garden →	80	(10×8)																				
Area of Grass Lawn →	100	(10×10)																				
Area of Entire Backyard →	252																					
<p>Standards for Mathematical Content</p> <p>4.NBT.5. Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and properties of operations. Illustrate and explain the calculation using equations, rectangular arrays, and/or area models.</p> <p>4.MD.3. Apply the area and perimeter formulas for rectangles in real-world and mathematical problems. <i>For example, find the width of a rectangular room given the area of the flooring and the length, by viewing the area formula as a multiplication equation with an unknown factor.</i></p>	<p>Solution. The areas of the four sections are 32 square feet, 40 square feet, 80 square feet, and 100 square feet, respectively. The area of the entire backyard is the sum of these areas: $(32+40+80+100)$, or 252 square feet. This is the same as finding the product of $18 \times 14 = 252$ square feet.</p> <p>Classroom Connections. The purpose of this task is to illuminate the connection between the area of a rectangle as representing the product of two numbers and the partial products algorithm for multiplying multi-digit numbers. In this algorithm, which is shown beneath the area model, each digit of one number is multiplied by each digit of the other number, and the “partial products” are written down. The sum of these partial products is the product of the original numbers. Place value can be emphasized by specifically reminding students that if we multiply the 2 tens together, since each represents 1 ten, the product is 100. Finally, the area model provides a visual justification for how the algorithm works.</p>																					

Domain: Number and Operations—Fractions

Student proficiency with fractions is essential to success in algebra. In grade three, students developed an understanding of fractions as built from unit fractions. A critical area of instruction in grade four is fractions, including developing an understanding of fraction equivalence, addition and subtraction of fractions with like denominators, and multiplication of fractions by whole numbers. In grade four, fractions include those with denominators 2, 3, 4, 5, 6, 8, 10, 12, and 100.

Number and Operations—Fractions


4.NF

Extend understanding of fraction equivalence and ordering.

1. Explain why a fraction $\frac{a}{b}$ is equivalent to a fraction $\frac{(n \times a)}{(n \times b)}$ by using visual fraction models, with attention to how the number and size of the parts differ even though the two fractions themselves are the same size. Use this principle to recognize and generate equivalent fractions.
2. Compare two fractions with different numerators and different denominators, e.g., by creating common denominators or numerators, or by comparing to a benchmark fraction such as $\frac{1}{2}$. Recognize that comparisons are valid only when the two fractions refer to the same whole. Record the results of comparisons with symbols $>$, $=$, or $<$, and justify the conclusions, e.g., by using a visual fraction model.

Grade-four students learn a fundamental property of equivalent fractions: multiplying the numerator and denominator of a fraction by the same non-zero whole number results in a fraction that represents the same number as the original fraction (e.g., $\frac{a}{b} = \frac{n \times a}{n \times b}$, for $n \neq 0$). Students use visual fraction models, with attention to how the number and size of the parts differ even though the two fractions themselves are the same size (4.NF.1▲). This property forms the basis for much of the work with fractions in grade four, including comparing, adding, and subtracting fractions and the introduction of finite decimals.

Students use visual models to reason about and explain why fractions are equivalent. For example, the area models below all show fractions equivalent to $\frac{1}{2}$, and although students in grade three justified that all the models represent the same amount visually, fourth-grade students reason about *why* it is true that $\frac{1}{2} = \frac{2 \times 1}{2 \times 2} = \frac{3 \times 1}{3 \times 2} = \frac{4 \times 1}{4 \times 2}$, and so on.



Adapted from ADE 2010.

Students use reasoning such as this: when a horizontal line is drawn through the center of the first model to obtain the second, both the number of equal parts and the number of those parts being counted are doubled ($2 \times 2 = 4$ in the denominator, $2 \times 1 = 2$ in the numerator, respectively), but even though there are more parts counted, they are smaller parts. Students notice connections between the models and the fractions represented by the models in the way both the parts and wholes are counted, and they begin to generate a rule for writing equivalent fractions. Students also emphasize the inversely related changes: the number of unit fractions becomes larger, but the size of the unit fraction becomes smaller.

Students should have repeated opportunities to use math drawings such as these (and the ones that follow in this chapter) to understand the general method for finding equivalent fractions. Of course, students may also come to see that the rule works both ways. For example:

$$\frac{28}{35} = \frac{7 \times 4}{7 \times 5} = \frac{4}{5}$$

Teachers must be careful to avoid overemphasizing this “simplifying” of fractions, as there is no mathematical reason for doing so—although, depending on the problem context, one form (renamed or not renamed) may be more desirable than another. In particular, teachers should avoid using the term *reducing* fractions for this process, as the value of the fraction itself is *not* being reduced. A more neutral term, such as *renaming* (which hints at these fractions being different names for the same amount), allows teachers to refer to this strategy with less potential for student misunderstanding.

Focus, Coherence, and Rigor

It is true that one can justify that $\frac{a}{b} = \frac{n \times a}{n \times b}$ by arguing as follows:

$$\frac{n \times a}{n \times b} = \frac{n}{n} \times \frac{a}{b} = 1 \times \frac{a}{b} = \frac{a}{b}$$

This is simply multiplying by 1 in the form of $\frac{n}{n}$. Since students in grade four have not yet encountered the general notion of fraction multiplication, this argument should be avoided in favor of developing an understanding with diagrams and reasoning about the size and number of parts that are created in this process. In grade five, students will learn the general rule that $\frac{a}{b} \times \frac{c}{d} = \frac{ac}{bd}$.


Examples: Reasoning with Diagrams That $\frac{a}{b} = \frac{n \times a}{n \times b}$

4.NF.1▲

Using an Area Model. The area of the rectangle represents one whole. In the illustrations provided, the rectangle on the left shows the area divided into three rectangles of equal area (thirds), with two of them shaded (2 pieces of size $\frac{1}{3}$), representing $\frac{2}{3}$. In the figure on the right, the vertical lines divide the parts (the thirds) into smaller parts. There are now 4×3 smaller rectangles of equal area, and the shaded area now comprises 4×2 of them, so it represents $\frac{4 \times 2}{4 \times 3} = \frac{8}{12}$.



Using a Number Line. The top number line shown below indicates $\frac{4}{3}$. Each unit length is divided into three equal parts. When each $\frac{1}{3}$ is further divided into 5 equal parts, there are now 5×3 of these new equal parts. Since 4 of the $\frac{1}{3}$ parts were circled before, and each of these has been subdivided into 5 parts, there are now 5×4 of these new small parts. Therefore, $\frac{4}{3} = \frac{5 \times 4}{5 \times 3} = \frac{20}{15}$.



Adapted from UA Progressions Documents 2013a.

Creating equivalent fractions by dividing and shading squares or circles and matching each fraction to its location on the number line can reinforce students' understanding of fractions. The National Council of Teachers of Mathematics (NCTM) provides an activity on creating equivalent fractions at <http://illuminations.nctm.org/Activity.aspx?id=3510> (NCTM Illuminations 2013b).

Students apply their new understanding of equivalent fractions to compare two fractions with different numerators and different denominators (4.NF.2▲). They compare fractions by using benchmark fractions and finding common denominators or common numerators. Students explain their reasoning and record their results using the symbols $>$, $=$, and $<$.

Examples: Comparing Fractions**4.NF.2▲**

1. Students might compare fractions to benchmark fractions—for example, comparing to $\frac{1}{2}$ when comparing $\frac{3}{8}$ and $\frac{2}{3}$. Students see that $\frac{3}{8} < \frac{4}{8} = \frac{1}{2}$, and that since $\frac{2}{3} = \frac{4}{6}$ and $\frac{4}{6} > \frac{3}{6} = \frac{1}{2}$, it must be true that $\frac{3}{8} < \frac{2}{3}$.
2. Students compare $\frac{5}{8}$ and $\frac{7}{12}$ by writing them with a common denominator. They find that $\frac{5}{8} = \frac{5 \times 12}{8 \times 12} = \frac{60}{96}$ and $\frac{7}{12} = \frac{7 \times 8}{12 \times 8} = \frac{56}{96}$ and reason therefore that $\frac{5}{8} > \frac{7}{12}$. Notice that students do not need to find the smallest common denominator for two fractions; any common denominator will work.
3. Students can also find a common numerator to compare $\frac{5}{8}$ and $\frac{7}{12}$. They find that $\frac{5}{8} = \frac{5 \times 7}{8 \times 7} = \frac{35}{56}$ and $\frac{7}{12} = \frac{7 \times 5}{12 \times 5} = \frac{35}{60}$. Then they reason that, since parts of size $\frac{1}{56}$ are larger than parts of size $\frac{1}{60}$ when the whole is the same, $\frac{5}{8} > \frac{7}{12}$.

Adapted from ADE 2010.

In grade four, students extend previous understanding of addition and subtraction of whole numbers to add and subtract fractions with like denominators (4.NF.3▲).

Number and Operations—Fractions**4.NF**

Build fractions from unit fractions by applying and extending previous understandings of operations on whole numbers.


3. Understand a fraction $\frac{a}{b}$ with $a > 1$ as a sum of fractions $\frac{1}{b}$.
 - a. Understand addition and subtraction of fractions as joining and separating parts referring to the same whole.
 - b. Decompose a fraction into a sum of fractions with the same denominator in more than one way, recording each decomposition by an equation. Justify decompositions, e.g., by using a visual fraction model. *Examples:* $\frac{3}{8} = \frac{1}{8} + \frac{1}{8} + \frac{1}{8}$; $\frac{3}{8} = \frac{1}{8} + \frac{2}{8}$; $2\frac{1}{8} = 1 + 1 + \frac{1}{8} = \frac{8}{8} + \frac{8}{8} + \frac{1}{8}$.
 - c. Add and subtract mixed numbers with like denominators, e.g., by replacing each mixed number with an equivalent fraction, and/or by using properties of operations and the relationship between addition and subtraction.
 - d. Solve word problems involving addition and subtraction of fractions referring to the same whole and having like denominators, e.g., by using visual fraction models and equations to represent the problem.

Students begin by understanding a fraction $\frac{a}{b}$ as a sum of the unit fractions $\frac{1}{b}$. In grade three, students learned that the fraction $\frac{a}{b}$ represents a parts when a whole is broken into b equal parts (i.e., parts of size $\frac{1}{b}$.) However, in grade four, students connect this understanding of a fraction with the operation of addition; for instance, they see now that if a whole is broken into 4 equal parts and 5 of them are taken, then this is represented by both $\frac{5}{4}$ and the expression $\frac{1}{4} + \frac{1}{4} + \frac{1}{4} + \frac{1}{4} + \frac{1}{4}$ (4.NF.3b▲). They experience composing fractions from and decomposing fractions into sums of unit fractions and non-unit fractions in this general way—for example, by seeing $\frac{5}{4}$ also as:

$$\boxed{\frac{1}{4} + \frac{1}{4} + \frac{3}{4}} \quad \text{or} \quad \boxed{\frac{2}{4} + \frac{3}{4}} \quad \text{or} \quad \boxed{\frac{1}{4} + \frac{3}{4} + \frac{1}{4}}$$

Students write and use unit fractions while working with standard 4.NF.3b▲, which supports their conceptual understanding of adding fractions and solving problems (4.NF.3a▲, 4.NF.3d▲). Students write and use unit fractions while decomposing fractions in several ways (4.NF.3b▲). This work helps students understand addition and subtraction of fractions (4.NF.3a▲) and how to solve word problems involving fractions with the same denominator (4.NF.3d▲). Writing and using unit fractions also helps students avoid the common misconception of adding two fractions by adding their numerators and denominators—for example, erroneously writing $\frac{1}{2} + \frac{5}{6} = \frac{6}{8}$. In general, the meaning of addition is the same for both fractions and whole numbers. Students understand addition as “putting together” like units, and they visualize how fractions are built from unit fractions and that a fraction is a sum of unit fractions.

Students may use visual models to support this understanding—for example, showing that $\frac{5}{3} = \frac{1}{3} + \frac{1}{3} + \frac{1}{3} + \frac{1}{3} + \frac{1}{3}$ by using a number line model (MP.1, MP.2, MP.4, MP.6, MP.7).



Source: UA Progressions Documents 2013a.

Students add or subtract fractions with like denominators, including mixed numbers (4.NF.3a, c▲), and solve word problems involving fractions (4.NF.3d▲). They use their understanding that every fraction is composed of unit fractions to make connections such as this:

$$\frac{7}{5} + \frac{4}{5} = \frac{1}{5} + \frac{1}{5} + \frac{1}{5} + \frac{1}{5} + \frac{1}{5} + \frac{1}{5} + \frac{1}{5} + \frac{1}{5} + \frac{1}{5} + \frac{1}{5} + \frac{1}{5} = \frac{7+4}{5}$$

This quickly allows students to develop a general principle that $\frac{a}{b} + \frac{c}{b} = \frac{a+c}{b}$. Using similar reasoning, students understand that $\frac{a}{b} - \frac{c}{b} = \frac{a-c}{b}$.

Students also compute sums of whole numbers and fractions, realizing that any whole number can be written as an equivalent number of unit fractions of a given size. For example, they find the sum $3 + \frac{7}{2}$ in the following way:

$$3 + \frac{7}{2} = \frac{6}{2} + \frac{7}{2} = \frac{13}{2}$$

Understanding this method of adding a whole number and a fraction allows students to accurately convert mixed numbers into fractions, as in this example:


$$4\frac{5}{8} = 4 + \frac{5}{8} = \frac{32}{8} + \frac{5}{8} = \frac{37}{8}$$

Students should develop a firm understanding that a mixed number indicates the sum of a whole number and a fraction (i.e., $a\frac{b}{c} = a + \frac{b}{c}$). They should also learn a method for converting mixed numbers to fractions that is connected to the meaning of fractions (such as the one demonstrated above), rather than typical rote methods.

Examples: Reasoning with Addition and Subtraction of Fractions

4.NF.3a–d▲

- Mary and Lacey share a pizza. Mary ate $\frac{3}{6}$ of the pizza and Lacey ate $\frac{2}{6}$ of the pizza. How much of the pizza did the girls eat altogether? (MP.3, MP.4). Use the picture of a pizza to explain your answer.




Solution: “I labeled three of the one-sixth pieces for Mary and two of the one-sixth pieces for Lacey. I can see that altogether, they’ve eaten five of the one-sixth pieces, or $\frac{5}{6}$ of the pizza. Also, I know that $\frac{3}{6} + \frac{2}{6} = \frac{2+3}{6} = \frac{5}{6}$.”

Adapted from KATM 2012, 4th Grade Flipbook.


- Susan and Maria need $8\frac{3}{8}$ feet of ribbon to package gift baskets. Susan has $3\frac{1}{8}$ feet of ribbon and Maria has $5\frac{3}{8}$ feet of ribbon. How much ribbon do they have altogether? Is it enough to complete the packaging?

Solution: “I know I need to find $5\frac{3}{8} + 3\frac{1}{8}$ to find out how much they have altogether. I know that Susan and Maria have $3 + 5 = 8$ feet of ribbon plus the other $\frac{3}{8} + \frac{1}{8}$ feet of ribbon. Altogether, this is $8\frac{4}{8}$ feet of ribbon, which means they have enough ribbon to do their packaging. They even have $\frac{1}{8}$ feet of ribbon left.”



Adapted from KATM 2012, 4th Grade Flipbook.

3. Elena, Matthew, and Kevin painted a wall. Elena painted $\frac{5}{12}$ of the wall and Matthew painted $\frac{3}{12}$ of the wall. Kevin painted the rest. How much of the wall did Kevin paint? Use the picture below to help find your answer.



Solution: "By shading what Elena and Matthew painted, I can show in the picture that Elena and Matthew painted $\frac{8}{12}$ of the wall. The remaining part that Kevin painted was $\frac{4}{12}$ of the wall. I can write this as $\frac{12}{12} - \frac{8}{12} = \frac{4}{12}$, or $1 - \frac{8}{12} = \frac{4}{12}$, or even $1 - \frac{5}{12} - \frac{3}{12} = \frac{4}{12}$."

Adapted from New York State Education Department (NYSED) 2012.

Number and Operations—Fractions

4.NF


Build fractions from unit fractions by applying and extending previous understandings of operations on whole numbers.

4. Apply and extend previous understandings of multiplication to multiply a fraction by a whole number.
- Understand a fraction $\frac{a}{b}$ as a multiple of $\frac{1}{b}$. For example, use a visual fraction model to represent $\frac{5}{4}$ as the product $5 \times (\frac{1}{4})$, recording the conclusion by the equation $\frac{5}{4} = 5 \times (\frac{1}{4})$.
 - Understand a multiple of $\frac{a}{b}$ as a multiple of $\frac{1}{b}$, and use this understanding to multiply a fraction by a whole number. For example, use a visual fraction model to express $3 \times (\frac{2}{5})$ as $6 \times (\frac{1}{5})$, recognizing this product as $\frac{6}{5}$. (In general, $n \times (\frac{a}{b}) = (\frac{n \times a}{b})$.)
 - Solve word problems involving multiplication of a fraction by a whole number, e.g., by using visual fraction models and equations to represent the problem. For example, if each person at a party will eat $\frac{3}{8}$ of a pound of roast beef, and there will be 5 people at the party, how many pounds of roast beef will be needed? Between what two whole numbers does your answer lie?

In grade three, students learned that 3×7 can be represented as the total number of objects in 3 groups of 7 objects and that they could solve this by adding $7 + 7 + 7$. Fourth-grade students apply this concept to fractions, understanding a fraction $\frac{a}{b}$ as a multiple of $\frac{1}{b}$ (4.NF.4a▲). This understanding is connected with standard 4.NF.3, and students make the shift to see $\frac{5}{3}$ as $5 \times \frac{1}{3}$. For example, they see the following:

$$\frac{5}{3} = \frac{1}{3} + \frac{1}{3} + \frac{1}{3} + \frac{1}{3} + \frac{1}{3} = 5 \times \frac{1}{3}$$

Students then extend this understanding to make meaning of the product of a whole number and a fraction (4.NF.4b▲)—for example, seeing $3 \times \frac{2}{5}$ in the following ways:



Source: UA Progressions Documents 2013a.


Students are also presented with opportunities to work with word problems involving multiplication of a fraction by a whole number to relate situations, models, and corresponding equations (4.NF.4c▲).

Example: Multiplying a Fraction by a Whole Number

4.NF.4c▲

Each person at a dinner party eats $\frac{3}{8}$ of a pound of pasta. There are 5 people at the party. How many pounds of pasta are needed? Pasta comes in 1-pound boxes. How many boxes of pasta should be purchased? (MP.1, MP.2, MP.7)

Solution: If 5 rectangles are drawn, with $\frac{3}{8}$ of a pound shaded in each rectangle, then students see that they are finding $5 \times \frac{3}{8} = \frac{15}{8}$.



The separate eighths can be collected together to illustrate that a total of $1\frac{7}{8}$ pounds of pasta will be needed for the party. This means that 2 boxes of pasta should be purchased.

Adapted from ADE 2010 and NCDPI 2013b.

Understand decimal notation for fractions, and compare decimal fractions.

- Express a fraction with denominator 10 as an equivalent fraction with denominator 100, and use this technique to add two fractions with respective denominators 10 and 100.⁶ For example, express $\frac{3}{10}$ as $\frac{30}{100}$, and add $\frac{3}{10} + \frac{4}{100} = \frac{34}{100}$.
- Use decimal notation for fractions with denominators 10 or 100. For example, rewrite 0.62 as $\frac{62}{100}$; describe a length as 0.62 meters; locate 0.62 on a number line diagram.
- Compare two decimals to hundredths by reasoning about their size. Recognize that comparisons are valid only when the two decimals refer to the same whole. Record the results of comparisons with the symbols $>$, $=$, or $<$, and justify the conclusions, e.g., by using the number line or another visual model. CA

Fourth-grade students develop an understanding of decimal notation for fractions and compare *decimal fractions* (fractions with a denominator of 10 or 100). This work lays the foundation for performing operations with decimal numbers in grade five. Students learn to add decimal fractions by converting them to fractions with the same denominator (4.NF.5▲). For example, students express $\frac{3}{10}$ as $\frac{30}{100}$ before they add $\frac{30}{100} + \frac{4}{100} = \frac{34}{100}$. Students can use graph paper, base-ten blocks, and other place-value models to explore the relationship between fractions with denominators of 10 and 100 (adapted from UA Progressions Documents 2013a).


In grade four, students first use decimal notation for fractions with denominators 10 or 100 (4.NF.6▲), understanding that the number of digits to the right of the decimal point indicates the number of zeros in the denominator. Students make connections between fractions with denominators of 10 and 100 and place value. They read and write decimal fractions; for example, students say 0.32 as “thirty-two hundredths” and learn to flexibly write this as both 0.32 and $\frac{32}{100}$.

Focus, Coherence, and Rigor

To reinforce student understanding, teachers are urged to consistently use place-value-based language when naming decimals—for example, by saying “four-tenths” rather than “point four” when referring to 0.4, and by saying “sixty-eight hundredths” as opposed to “point sixty-eight” or “point six eight” when referring to 0.68.

6. Students who can generate equivalent fractions can develop strategies for adding fractions with unlike denominators in general. But addition and subtraction with unlike denominators in general is not a requirement at this grade.

Students represent values such as 0.32 or $\frac{32}{100}$ on a number line. They reason that $\frac{32}{100}$ is a little more than $\frac{30}{100}$ (or $\frac{3}{10}$) and less than $\frac{40}{100}$ (or $\frac{4}{10}$). It is closer to $\frac{30}{100}$, so it would be placed on the number line near that value (MP.2, MP.4, MP.5, MP.7).



Students compare two decimals to hundredths by reasoning about their size (4.NF.7▲). They relate their understanding of the place-value system for whole numbers to fractional parts represented as decimals. Students compare decimals using the meaning of a decimal as a fraction, making sure to compare fractions with the same denominator and ensuring that the “wholes” are the same.

Common Misconceptions

- Students sometimes treat decimals as whole numbers when making comparisons of two decimals, ignoring place value. For example, they may think that $0.2 < 0.07$ simply because $2 < 7$.
- Students sometimes think, “The longer the decimal number, the greater the value.” For example, they may think that 0.03 is greater than 0.3.

Domain: Measurement and Data

Measurement and Data

4.MD

Solve problems involving measurement and conversion of measurements from a larger unit to a smaller unit.

1. Know relative sizes of measurement units within one system of units including km, m, cm; kg, g; lb, oz.; l, ml; hr, min, sec. Within a single system of measurement, express measurements in a larger unit in terms of a smaller unit. Record measurement equivalents in a two-column table. *For example, know that 1 ft is 12 times as long as 1 in. Express the length of a 4 ft snake as 48 in. Generate a conversion table for feet and inches listing the number pairs (1, 12), (2, 24), (3, 36), . . .*
2. Use the four operations to solve word problems involving distances, intervals of time, liquid volumes, masses of objects, and money, including problems involving simple fractions or decimals, and problems that require expressing measurements given in a larger unit in terms of a smaller unit. Represent measurement quantities using diagrams such as number line diagrams that feature a measurement scale.

Students will need ample opportunities to become familiar with new units of measure. In prior years, work with units was limited to units such as pounds, ounces, grams, kilograms, and liters, and students did not convert measurements.

Students may use two-column tables to convert from larger to smaller units and record equivalent measurements. For example:

kg	g
1	1000
2	2000
3	3000

ft	in
1	12
2	24
3	36

lb	oz
1	16
2	32
3	48

Students in grade four begin using the four operations to solve word problems involving measurement quantities such as liquid volume, mass, and time (4.MD.2), including problems involving simple fractions or decimals.

Examples: Word Problems Involving Measures

4.MD.2

1. **Division/Fractions:** Susan has 2 feet of ribbon. She wants to give her ribbon to her 3 best friends so each friend gets the same amount. How much ribbon will each friend get? Students may record their solutions by using fractions or inches.

Solution: The answer would be $\frac{2}{3}$ of a foot, or 8 inches. Students are able to express the answer in inches because they understand that $\frac{1}{3}$ of a foot is 4 inches and $\frac{2}{3}$ of a foot is 2 groups of $\frac{1}{3}$.

2. **Addition:** Mason ran for an hour and 15 minutes on Monday, 25 minutes on Tuesday, and 40 minutes on Wednesday. What was the total number of minutes Mason ran?

Solution: Students know that 60 minutes make up one hour. We know Mason ran one hour, which is 60 minutes. He also ran $15 + 25 + 40 = 80$ minutes more, which makes 140 total minutes.

3. **Multiplication:** Mario and his two brothers are selling lemonade. Mario brought one and a half liters, Javier brought 2 liters, and Ernesto brought 450 milliliters. How many total milliliters of lemonade did the boys have?

Solution: Students know that 1 liter is 1000 milliliters (ml), so Mario brought $1000 + 500 = 1500$ ml, and Javier brought $2 \times 1000 = 2000$ ml. This means the three brothers had a total of $1500 + 2000 + 450 = 3950$ ml.

Adapted from ADE 2010.

Focus, Coherence, and Rigor

In grade four, students use the four operations to solve word problems involving measurement quantities such as liquid volume, mass, and time (4.MD.1–2). Measurement provides a context for solving problems using the four operations and connects to and supports major grade-level work in the cluster “Use the four operations with whole numbers to solve problems” (4.OA.1–3▲) and clusters in the domain “Number and Operations—Fractions” (4.NF.1–4▲). For example, students use whole-number multiplication to express measurements given in a larger unit in terms of a smaller unit, and they solve word problems involving addition and subtraction of fractions or multiplication of a fraction by a whole number.

Adapted from PARCC 2012.

Measurement and Data**4.MD**

Solve problems involving measurement and conversion of measurements from a larger unit to a smaller unit.

3. Apply the area and perimeter formulas for rectangles in real-world and mathematical problems. *For example, find the width of a rectangular room given the area of the flooring and the length, by viewing the area formula as a multiplication equation with an unknown factor.*

In grade three, students developed an understanding of area and perimeter by using visual models. Students in grade four are expected to use formulas to calculate area and perimeter of rectangles; however, they still need to understand and be able to communicate their understanding of why the formulas work. It is still important for students to draw length units or square units inside a small rectangle to keep the distinction fresh and visual, and some students may still need to write the lengths of all four sides before finding the perimeter. Students know that answers for the area formula ($\ell \times w$) will be in square units and that answers for the perimeter formula ($2\ell + 2w$ or $2(\ell + w)$) will be in linear units (adapted from ADE 2010).

Example: Area and Perimeter of Rectangles (MP.2, MP.4)

4.MD.3

Sally wants to build a pen for her dog, Callie. Her parents give her \$200 to buy the fencing material, but they want Sally to design the pen. Her parents suggest that she consider different plans. Her parents also remind her that Callie needs as much room as possible to run and play, that the pen can be placed anywhere in the yard, and that the wall of the house could be used as one side of the pen. Sally decides to buy fencing material that costs \$8.50 per foot. She also needs at least one three-foot-wide gate for the pen that costs \$15.

- Design a pen for Callie. Experiment with different pen designs and consider the advice from Sally's parents. Sally's house can be any configuration.
- Write a letter to Sally with your diagrams and calculations. Explain why some designs are better for Callie than others.

Measurement and Data**4.MD**


Represent and interpret data.

4. Make a line plot to display a data set of measurements in fractions of a unit ($\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$). Solve problems involving addition and subtraction of fractions by using information presented in line plots. *For example, from a line plot find and interpret the difference in length between the longest and shortest specimens in an insect collection.*

As students work with data in kindergarten through grade five, they build foundations for the study of statistics and probability in grades six and beyond, and they strengthen and apply what they learn in arithmetic.

Fourth-grade students make a line plot to display a data set of measurements in fractions of a unit ($\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$), and they solve problems involving addition and subtraction of fractions by using information presented in line plots (4.MD.4).

Ten students measure objects in their desk to the nearest $\frac{1}{8}$ inch. They record their results on the line plot below (in inches).



Possible related questions:

- How many objects measured $\frac{1}{2}$, $\frac{1}{4}$, and $\frac{1}{8}$ inch?
- If you put the objects end to end, what would the total length be?
- If five $\frac{1}{8}$ -inch pencils are placed end to end, what would the total length of the pencils be?

Adapted from ADE 2010.


Measurement and Data

4.MD

Geometric measurement: understand concepts of angle and measure angles.

- Recognize angles as geometric shapes that are formed wherever two rays share a common endpoint, and understand concepts of angle measurement:
 - An angle is measured with reference to a circle with its center at the common endpoint of the rays, by considering the fraction of the circular arc between the points where the two rays intersect the circle. An angle that turns through $\frac{1}{360}$ of a circle is called a “one-degree angle,” and can be used to measure angles.
 - An angle that turns through n one-degree angles is said to have an angle measure of n degrees.
- Measure angles in whole-number degrees using a protractor. Sketch angles of specified measure.
- Recognize angle measure as additive. When an angle is decomposed into non-overlapping parts, the angle measure of the whole is the sum of the angle measures of the parts. Solve addition and subtraction problems to find unknown angles on a diagram in real-world and mathematical problems, e.g., by using an equation with a symbol for the unknown angle measure.

Students in grade four learn that angles are geometric shapes formed by two rays that share a common endpoint (4.MD.5). They understand angle measure as being that portion of a circular arc that is formed by the angle when a circle is centered at their shared vertex. The following figure helps students see that an angle is determined by the arc it creates relative to the size of the entire circle, evidenced by the picture showing two angles of the same measure (though their circles are not the same).



However, the pie-shaped pieces formed by each angle are not the same size; this shows that angle measure is not defined in terms of these areas. The angle in each case is 60° , since it measures an arc that is $\frac{1}{6}$ the total circumference of the circle in both the larger and smaller circles—but the pie-shaped pieces formed by the angle have different areas.


Before students begin measuring angles with protractors (4.MD.6), they need to have some experience with benchmark angles. They transfer their understanding that a 360° rotation about a point makes a complete circle to recognize and sketch angles that measure approximately 90° and 180° . They extend this understanding and recognize and sketch angles that measure approximately 45° and 30° . Students use appropriate terminology (*acute*, *right*, and *obtuse*) to describe angles and rays (*perpendicular*). Students recognize angle measure as additive and use this to solve addition and subtraction problems to find unknown angles on a diagram.

Examples: Angle measure is additive.

4.MD.7 (MP.1, MP.2, MP.4, MP.7)


1. If ray a is perpendicular to ray d (see 4.G.1), what is the value of m ?

Solution: “Since perpendicular lines make an angle that measures 90° , I know that $25 + m + 20 = 90$. This means that $m = 90 - 45 = 45$.”



2. Joey knows that when a clock’s hands are exactly on 12 and 1, the angle formed by the clock’s hands measures 30° . What is the measure of the angle formed when a clock’s hands are exactly on the 12 and 4?

Solution: “This looks like it is four times as much, so it is $4 \times 30^\circ = 120^\circ$.”



Adapted from ADE 2010.

Focus, Coherence, and Rigor

Students’ work with concepts of angle measures (4.MD.5a, 4.MD.7) also connects to and supports the addition of fractions, which is major work at the grade in the cluster “Build fractions from unit fractions by applying and extending previous understandings of operations on whole numbers” (4.NF.3–4▲). For example, a 1° measure is a fraction of an entire rotation, and adding angle measures together is the same as adding fractions with a denominator of 360.

Before students solve word problems involving unknown angle measures (4.MD.7), they need to understand concepts of angle measure (4.MD.5) and, presumably, gain some experience measuring angles (4.MD.6). Students also need some familiarity with the geometric terms that are used to define angles as geometric shapes (4.G.1) [adapted from PARCC 2012].


Domain: Geometry

A critical area of instruction in grade four is for students to understand that geometric figures can be analyzed and classified based on their properties, such as having parallel sides, perpendicular sides, particular angle measures, and symmetry.

Geometry	4.G
Draw and identify lines and angles, and classify shapes by properties of their lines and angles.	
<ol style="list-style-type: none"> 1. Draw points, lines, line segments, rays, angles (right, acute, obtuse), and perpendicular and parallel lines. Identify these in two-dimensional figures. 2. Classify two-dimensional figures based on the presence or absence of parallel or perpendicular lines, or the presence or absence of angles of a specified size. Recognize right triangles as a category, and identify right triangles. (Two-dimensional shapes should include special triangles, e.g., equilateral, isosceles, scalene, and special quadrilaterals, e.g., rhombus, square, rectangle, parallelogram, trapezoid.) CA 3. Recognize a line of symmetry for a two-dimensional figure as a line across the figure such that the figure can be folded along the line into matching parts. Identify line-symmetric figures and draw lines of symmetry. 	

In grade four, students are exposed to the concepts of rays, angles, and perpendicular and parallel lines (4.G.1) for the first time. In addition, students classify figures based on the presence and absence of parallel or perpendicular lines and angles (4.G.2). It is helpful to provide students with a visual reminder of examples of points, line segments, lines, angles, parallelism, and perpendicularity. For example, a wall chart with the images shown at right could be displayed in the classroom.

Students need to see all of these representations in different orientations. Students could draw these in different orientations and decide if all of the drawings are correct. They also need to see and draw the range of angles that are acute and obtuse.



Two-dimensional figures may be classified according to characteristics, such as the presence of parallel or perpendicular lines or by angle measurements. Students may use transparencies with lines drawn on them to arrange two lines in different ways to determine that the two lines might intersect at one point or might never intersect, thereby understanding the notion of parallel lines. Further investigations may be initiated with geometry software. These types of explorations may lead to a discussion on angles.

Students' prior experience with drawing and identifying right, acute, and obtuse angles helps them classify two-dimensional figures based on specified angle measurements. They use the benchmark angles of 90° , 180° , and 360° to approximate the measurement of angles. Right triangles (triangles with one right angle) can be a category for classification, with subcategories—for example, an isosceles right triangle has two or more congruent sides and a scalene right triangle has no congruent sides.

Examples: Classifying Shapes According to Attributes

4.G.2 (MP.3)


1. Identify which of the following shapes have perpendicular or parallel sides, and justify your selection(s).



Solution: “I know that pairs of lines are perpendicular if they cross to form square corners or right angles. Lines are parallel if they are always the same distance apart and never cross each other. I compared pairs of line segments in each of the four figures and found the first figure includes both parallel and perpendicular lines, and the last figure includes one pair of parallel lines. The other two figures do not include either perpendicular or parallel lines.”

-
-
2. Explain why a square is considered a rectangle, but a rectangle is not necessarily a square.

Solution: “I know that rectangles are four-sided shapes that have four right angles. This makes any square a rectangle, since a square has four sides and four right angles also. But a square is a *special* kind of rectangle. What I mean is that you can have a rectangle that has its sides not all equal, and then it isn't a square. I drew examples to show what I mean.”



Finally, students recognize a line of symmetry for a two-dimensional figure as a line across the figure, such that the figure can be folded along the line into matching parts (adapted from ADE 2010).

Essential Learning for the Next Grade

In kindergarten through grade five, the focus is on the addition, subtraction, multiplication, and division of whole numbers, fractions, and decimals, with a balance of concepts, procedural skills, and problem solving. Arithmetic is viewed as an important set of skills and also as a thinking subject that, done thoughtfully, prepares students for algebra. Measurement and geometry develop alongside number and operations and are tied specifically to arithmetic along the way. Multiplication and division of whole numbers and fractions are instructional foci in grades three through five.

To be prepared for grade-five mathematics, students should be able to demonstrate that they have learned certain mathematical concepts and acquired procedural skills by the end of grade four and have met the fluency expectations for the grade level. For students in grade four, the expected fluencies are to add and subtract multi-digit whole numbers using the standard algorithm within 1,000,000 (4.NBT.4▲). These fluencies and the conceptual understandings that support them are foundational for work in later grades.

Of particular importance at grade four are concepts, skills, and understandings needed to use the four operations with whole numbers to solve problems (4.OA.1–3▲); generalize place-value understanding for multi-digit whole numbers (4.NBT.1–3▲); use place-value understanding and properties of operations to perform multi-digit arithmetic (4.NBT.4–6▲); extend understanding of fraction equivalence and ordering (4.NF.1–2▲); build fractions from unit fractions by applying and extending previous understandings of operations on whole numbers (4.NF.3–4▲); and understand decimal notation for fractions and compare decimal fractions (4.NF.5–7▲).

Fractions

Fraction equivalence is an important theme in the standards. Understanding fraction equivalence is necessary to extend arithmetic from whole numbers to fractions and decimals. Students need to understand fraction equivalence and that $\frac{a}{b} = \frac{n \times a}{n \times b}$. They should be able to represent equivalent common fractions and apply this understanding to compare fractions and express their relationships using the symbols $>$, $=$, or $<$. Students understand how to represent and read fractions and mixed numbers in multiple ways.

Grade-four students should understand addition and subtraction with fractions having like denominators. This understanding represents a multi-grade progression, as students add and subtract fractions in grade four with like denominators by thinking of adding or subtracting so many unit fractions. Students should be able to solve word problems involving addition and subtraction of fractions that refer to the same whole and have like denominators (e.g., by using visual fraction models and equations to represent the problem). Students should understand how to add and subtract fractions and mixed numbers with like denominators.

Students further extend their understanding of multiplication to multiply fractions by whole numbers. To support their understanding, students should understand a fraction as the numerator times the unit fraction with the same denominator. Students should be able to rewrite fractions as multiples of the unit fraction of the same denominator, use a visual model to multiply a fraction by a whole number, and use equations to represent problems involving the multiplication of a fraction by a whole number by multiplying the whole number times the numerator.

Four Operations with Whole Numbers

By the end of grade four, students should fluently add and subtract multi-digit whole numbers to 1,000,000 using the standard algorithm. Students should also be able to use the four operations to solve multi-step word problems with whole-number remainders.

In grade four, students develop their understanding and skills with multiplication and division. They combine their understanding of the meanings and properties of multiplication and division with their understanding of base-ten units to begin to multiply and divide multi-digit numbers. Fourth-grade students should know how to express the product of two multi-digit numbers as another multi-digit number. They also should know how to find whole-number quotients and remainders with up to four-digit dividends and one-digit divisors. Using a rectangular area model to represent multiplication and division helps students visualize these operations. This work will develop further in grade five and culminates in fluency with the standard algorithms in grade six.

Grade 4 Overview

Operations and Algebraic Thinking

- Use the four operations with whole numbers to solve problems.
- Gain familiarity with factors and multiples.
- Generate and analyze patterns.

Number and Operations in Base Ten

- Generalize place-value understanding for multi-digit whole numbers.
- Use place-value understanding and properties of operations to perform multi-digit arithmetic.

Number and Operations—Fractions

- Extend understanding of fraction equivalence and ordering.
- Build fractions from unit fractions by applying and extending previous understandings of operations on whole numbers.
- Understand decimal notation for fractions, and compare decimal fractions.

Measurement and Data

- Solve problems involving measurement and conversion of measurements from a larger unit to a smaller unit.
- Represent and interpret data.
- Geometric measurement: understand concepts of angle and measure angles.

Geometry

- Draw and identify lines and angles, and classify shapes by properties of their lines and angles.

Mathematical Practices

1. Make sense of problems and persevere in solving them.
2. Reason abstractly and quantitatively.
3. Construct viable arguments and critique the reasoning of others.
4. Model with mathematics.
5. Use appropriate tools strategically.
6. Attend to precision.
7. Look for and make use of structure.
8. Look for and express regularity in repeated reasoning.

Operations and Algebraic Thinking

4.OA

Use the four operations with whole numbers to solve problems.

1. Interpret a multiplication equation as a comparison, e.g., interpret $35 = 5 \times 7$ as a statement that 35 is 5 times as many as 7 and 7 times as many as 5. Represent verbal statements of multiplicative comparisons as multiplication equations.
2. Multiply or divide to solve word problems involving multiplicative comparison, e.g., by using drawings and equations with a symbol for the unknown number to represent the problem, distinguishing multiplicative comparison from additive comparison.⁷
3. Solve multistep word problems posed with whole numbers and having whole-number answers using the four operations, including problems in which remainders must be interpreted. Represent these problems using equations with a letter standing for the unknown quantity. Assess the reasonableness of answers using mental computation and estimation strategies including rounding.

Gain familiarity with factors and multiples.

4. Find all factor pairs for a whole number in the range 1–100. Recognize that a whole number is a multiple of each of its factors. Determine whether a given whole number in the range 1–100 is a multiple of a given one-digit number. Determine whether a given whole number in the range 1–100 is prime or composite.

Generate and analyze patterns.

5. Generate a number or shape pattern that follows a given rule. Identify apparent features of the pattern that were not explicit in the rule itself. *For example, given the rule “Add 3” and the starting number 1, generate terms in the resulting sequence and observe that the terms appear to alternate between odd and even numbers. Explain informally why the numbers will continue to alternate in this way.*

Number and Operations in Base Ten⁸

4.NBT

Generalize place-value understanding for multi-digit whole numbers.

1. Recognize that in a multi-digit whole number, a digit in one place represents ten times what it represents in the place to its right. *For example, recognize that $700 \div 70 = 10$ by applying concepts of place value and division.*
2. Read and write multi-digit whole numbers using base-ten numerals, number names, and expanded form. Compare two multi-digit numbers based on meanings of the digits in each place, using $>$, $=$, and $<$ symbols to record the results of comparisons.
3. Use place-value understanding to round multi-digit whole numbers to any place.

Use place-value understanding and properties of operations to perform multi-digit arithmetic.

4. Fluently add and subtract multi-digit whole numbers using the standard algorithm.

⁷ See glossary, table GL-5.

⁸ Grade-four expectations in this domain are limited to whole numbers less than or equal to 1,000,000.

- Multiply a whole number of up to four digits by a one-digit whole number, and multiply two two-digit numbers, using strategies based on place value and the properties of operations. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.
- Find whole-number quotients and remainders with up to four-digit dividends and one-digit divisors, using strategies based on place value, the properties of operations, and/or the relationship between multiplication and division. Illustrate and explain the calculation by using equations, rectangular arrays, and/or area models.

Number and Operations—Fractions⁹**4.NF****Extend understanding of fraction equivalence and ordering.**

- Explain why a fraction $\frac{a}{b}$ is equivalent to a fraction $(n \times a) / (n \times b)$ by using visual fraction models, with attention to how the number and size of the parts differ even though the two fractions themselves are the same size. Use this principle to recognize and generate equivalent fractions.
- Compare two fractions with different numerators and different denominators, e.g., by creating common denominators or numerators, or by comparing to a benchmark fraction such as $\frac{1}{2}$. Recognize that comparisons are valid only when the two fractions refer to the same whole. Record the results of comparisons with symbols $>$, $=$, or $<$, and justify the conclusions, e.g., by using a visual fraction model.

Build fractions from unit fractions by applying and extending previous understandings of operations on whole numbers.

- Understand a fraction $\frac{a}{b}$ with $a > 1$ as a sum of fractions $\frac{1}{b}$.
 - Understand addition and subtraction of fractions as joining and separating parts referring to the same whole.
 - Decompose a fraction into a sum of fractions with the same denominator in more than one way, recording each decomposition by an equation. Justify decompositions, e.g., by using a visual fraction model. *Examples:*
 $\frac{3}{8} = \frac{1}{8} + \frac{1}{8} + \frac{1}{8}$; $\frac{3}{8} = \frac{1}{8} + \frac{2}{8}$; $2\frac{1}{8} = 1 + 1 + \frac{1}{8} = \frac{8}{8} + \frac{8}{8} + \frac{1}{8}$.
 - Add and subtract mixed numbers with like denominators, e.g., by replacing each mixed number with an equivalent fraction, and/or by using properties of operations and the relationship between addition and subtraction.
 - Solve word problems involving addition and subtraction of fractions referring to the same whole and having like denominators, e.g., by using visual fraction models and equations to represent the problem.
- Apply and extend previous understandings of multiplication to multiply a fraction by a whole number.
 - Understand a fraction $\frac{a}{b}$ as a multiple of $\frac{1}{b}$. *For example, use a visual fraction model to represent $\frac{5}{4}$ as the product $5 \times (\frac{1}{4})$, recording the conclusion by the equation $\frac{5}{4} = 5 \times (\frac{1}{4})$.*
 - Understand a multiple of $\frac{a}{b}$ as a multiple of $\frac{1}{b}$, and use this understanding to multiply a fraction by a whole number. *For example, use a visual fraction model to express $3 \times (\frac{2}{5})$ as $6 \times (\frac{1}{5})$, recognizing this product as $\frac{6}{5}$. (In general, $n \times (\frac{a}{b}) = (\frac{n \times a}{b})$.)*

⁹ Grade-four expectations in this domain are limited to fractions with denominators 2, 3, 4, 5, 6, 8, 10, 12, and 100.

- c. Solve word problems involving multiplication of a fraction by a whole number, e.g., by using visual fraction models and equations to represent the problem. *For example, if each person at a party will eat $\frac{3}{8}$ of a pound of roast beef, and there will be 5 people at the party, how many pounds of roast beef will be needed? Between what two whole numbers does your answer lie?*

Understand decimal notation for fractions, and compare decimal fractions.

5. Express a fraction with denominator 10 as an equivalent fraction with denominator 100, and use this technique to add two fractions with respective denominators 10 and 100.¹⁰ *For example, express $\frac{3}{10}$ as $\frac{30}{100}$, and add $\frac{3}{10} + \frac{4}{100} = \frac{34}{100}$.*
6. Use decimal notation for fractions with denominators 10 or 100. *For example, rewrite 0.62 as $\frac{62}{100}$; describe a length as 0.62 meters; locate 0.62 on a number line diagram.*
7. Compare two decimals to hundredths by reasoning about their size. Recognize that comparisons are valid only when the two decimals refer to the same whole. Record the results of comparisons with the symbols $>$, $=$, or $<$, and justify the conclusions, e.g., by using the number line or another visual model. CA

Measurement and Data

4.MD

Solve problems involving measurement and conversion of measurements from a larger unit to a smaller unit.

1. Know relative sizes of measurement units within one system of units including km, m, cm; kg, g; lb, oz.; l, ml; hr, min, sec. Within a single system of measurement, express measurements in a larger unit in terms of a smaller unit. Record measurement equivalents in a two-column table. *For example, know that 1 ft is 12 times as long as 1 in. Express the length of a 4 ft snake as 48 in. Generate a conversion table for feet and inches listing the number pairs (1, 12), (2, 24), (3, 36), . . .*
2. Use the four operations to solve word problems involving distances, intervals of time, liquid volumes, masses of objects, and money, including problems involving simple fractions or decimals, and problems that require expressing measurements given in a larger unit in terms of a smaller unit. Represent measurement quantities using diagrams such as number line diagrams that feature a measurement scale.
3. Apply the area and perimeter formulas for rectangles in real-world and mathematical problems. *For example, find the width of a rectangular room given the area of the flooring and the length, by viewing the area formula as a multiplication equation with an unknown factor.*

Represent and interpret data.

4. Make a line plot to display a data set of measurements in fractions of a unit ($\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$). Solve problems involving addition and subtraction of fractions by using information presented in line plots. *For example, from a line plot find and interpret the difference in length between the longest and shortest specimens in an insect collection.*

¹⁰ Students who can generate equivalent fractions can develop strategies for adding fractions with unlike denominators in general. But addition and subtraction with unlike denominators in general is not a requirement at this grade.

Geometric measurement: understand concepts of angle and measure angles.

5. Recognize angles as geometric shapes that are formed wherever two rays share a common endpoint, and understand concepts of angle measurement:
 - a. An angle is measured with reference to a circle with its center at the common endpoint of the rays, by considering the fraction of the circular arc between the points where the two rays intersect the circle. An angle that turns through $\frac{1}{360}$ of a circle is called a “one-degree angle,” and can be used to measure angles.
 - b. An angle that turns through n one-degree angles is said to have an angle measure of n degrees.
6. Measure angles in whole-number degrees using a protractor. Sketch angles of specified measure.
7. Recognize angle measure as additive. When an angle is decomposed into non-overlapping parts, the angle measure of the whole is the sum of the angle measures of the parts. Solve addition and subtraction problems to find unknown angles on a diagram in real-world and mathematical problems, e.g., by using an equation with a symbol for the unknown angle measure.

Geometry**4.G****Draw and identify lines and angles, and classify shapes by properties of their lines and angles.**

1. Draw points, lines, line segments, rays, angles (right, acute, obtuse), and perpendicular and parallel lines. Identify these in two-dimensional figures.
2. Classify two-dimensional figures based on the presence or absence of parallel or perpendicular lines, or the presence or absence of angles of a specified size. Recognize right triangles as a category, and identify right triangles. (Two-dimensional shapes should include special triangles, e.g., equilateral, isosceles, scalene, and special quadrilaterals, e.g., rhombus, square, rectangle, parallelogram, trapezoid.) CA
3. Recognize a line of symmetry for a two-dimensional figure as a line across the figure such that the figure can be folded along the line into matching parts. Identify line-symmetric figures and draw lines of symmetry.

Table 1. Common addition and subtraction situations.³

	Result Unknown	Change Unknown	Start Unknown
Add to	Two bunnies sat on the grass. Three more bunnies hopped there. How many bunnies are on the grass now? $2 + 3 = ?$	Two bunnies were sitting on the grass. Some more bunnies hopped there. Then there were five bunnies. How many bunnies hopped over to the first two? $2 + ? = 5$	Some bunnies were sitting on the grass. Three more bunnies hopped there. Then there were five bunnies. How many bunnies were on the grass before? $? + 3 = 5$
Take from	Five apples were on the table. I ate two apples. How many apples are on the table now? $5 - 2 = ?$	Five apples were on the table. I ate some apples. Then there were three apples. How many apples did I eat? $5 - ? = 3$	Some apples were on the table. I ate two apples. Then there were three apples. How many apples were on the table before? $? - 2 = 3$
	Total Unknown	Addend Unknown	Both Addends Unknown ⁴
Put Together/ Take Apart⁵	Three red apples and two green apples are on the table. How many apples are on the table? $3 + 2 = ?$	Five apples are on the table. Three are red and the rest are green. How many apples are green? $3 + ? = 5, 5 - 3 = ?$	Grandma has five flowers. How many can she put in her red vase and how many in her blue vase? $5 = 0 + 5, 5 = 5 + 0$ $5 = 1 + 4, 5 = 4 + 1$ $5 = 2 + 3, 5 = 3 + 2$
	Difference Unknown	Bigger Unknown	Smaller Unknown
Compare⁶	("How many more?" version): Lucy has two apples. Julie has five apples. How many more apples does Julie have than Lucy? ("How many fewer?" version): Lucy has two apples. Julie has five apples. How many fewer apples does Lucy have than Julie? $2 + ? = 5, 5 - 2 = ?$	(Version with "more"): Julie has three more apples than Lucy. Lucy has two apples. How many apples does Julie have? (Version with "fewer"): Lucy has 3 fewer apples than Julie. Lucy has two apples. How many apples does Julie have? $2 + 3 = ?, 3 + 2 = ?$	(Version with "more"): Julie has three more apples than Lucy. Julie has five apples. How many apples does Lucy have? (Version with "fewer"): Lucy has 3 fewer apples than Julie. Julie has five apples. How many apples does Lucy have? $5 - 3 = ?, ? + 3 = 5$

3. Adapted from Boxes 2–4 of *Mathematics Learning in Early Childhood*, National Research Council (2009, pp. 32–33).

4. These take apart situations can be used to show all the decompositions of a given number. The associated equations, which have the total on the left of the equal sign, help children understand that the = sign does not always mean *makes or results in* but always does mean *is the same number as*.

5. Either addend can be unknown, so there are three variations of these problem situations. Both Addends Unknown is a productive extension of this basic situation, especially for small numbers less than or equal to 10.

6. For the Bigger Unknown or Smaller Unknown situations, one version directs the correct operation (the version using *more* for the bigger unknown and using *less* for the smaller unknown). The other versions are more difficult.



Table 2. Common multiplication and division situations.⁷

	Unknown Product $3 \times 6 = ?$	Group Size Unknown ("How many in each group?" Division) $3 \times ? = 18$ and $18 \div 3 = ?$	Number of Groups Unknown ("How many groups?" Division) $? \times 6 = 18$ and $18 \div 6 = ?$
Equal Groups	<p>There are 3 bags with 6 plums in each bag. How many plums are there in all?</p> <p><i>Measurement example.</i> You need 3 lengths of string, each 6 inches long. How much string will you need altogether?</p>	<p>If 18 plums are shared equally into 3 bags, then how many plums will be in each bag?</p> <p><i>Measurement example.</i> You have 18 inches of string, which you will cut into 3 equal pieces. How long will each piece of string be?</p>	<p>If 18 plums are to be packed 6 to a bag, then how many bags are needed?</p> <p><i>Measurement example.</i> You have 18 inches of string, which you will cut into pieces that are 6 inches long. How many pieces of string will you have?</p>
Arrays,⁸ Area⁹	<p>There are 3 rows of apples with 6 apples in each row. How many apples are there?</p> <p><i>Area example.</i> What is the area of a 3 cm by 6 cm rectangle?</p>	<p>If 18 apples are arranged into 3 equal rows, how many apples will be in each row?</p> <p><i>Area example.</i> A rectangle has area 18 square centimeters. If one side is 3 cm long, how long is a side next to it?</p>	<p>If 18 apples are arranged into equal rows of 6 apples, how many rows will there be?</p> <p><i>Area example.</i> A rectangle has area 18 square centimeters. If one side is 6 cm long, how long is a side next to it?</p>
Compare	<p>A blue hat costs \$6. A red hat costs 3 times as much as the blue hat. How much does the red hat cost?</p> <p><i>Measurement example.</i> A rubber band is 6 cm long. How long will the rubber band be when it is stretched to be 3 times as long?</p>	<p>A red hat costs \$18 and that is 3 times as much as a blue hat costs. How much does a blue hat cost?</p> <p><i>Measurement example.</i> A rubber band is stretched to be 18 cm long and that is 3 times as long as it was at first. How long was the rubber band at first?</p>	<p>A red hat costs \$18 and a blue hat costs \$6. How many times as much does the red hat cost as the blue hat?</p> <p><i>Measurement example.</i> A rubber band was 6 cm long at first. Now it is stretched to be 18 cm long. How many times as long is the rubber band now as it was at first?</p>
General	$a \times b = ?$	$a \times ? = p$ and $p \div a = ?$	$? \times b = p$ and $p \div b = ?$

7. The first examples in each cell are examples of discrete things. These are easier for students and should be given before the measurement examples.

8. The language in the array examples shows the easiest form of array problems. A harder form is to use the terms rows and columns: The apples in the grocery window are in 3 rows and 6 columns. How many apples are in there? Both forms are valuable.

9. Area involves arrays of squares that have been pushed together so that there are no gaps or overlaps, so array problems include these especially important measurement situations.

Fourth Grade Math Vocabulary

Operations and Algebraic Thinking (OA)	Number and Operations in Base Ten (NBT)	Number and Operations-Fractions (NF)
<p><u>Use the four operations with whole numbers to solve problems.</u></p> <ul style="list-style-type: none"> • multiply • multiplicative comparison • add • additive comparison • divide/division • dividend • divisor • equations • unknown • remainders • reasonableness • mental computation • estimation • rounding <p><u>Gain familiarity with factors and multiples.</u></p> <ul style="list-style-type: none"> • factor • factor pairs • multiple • prime • composite 	<p><u>Generate and analyze patterns.</u></p> <ul style="list-style-type: none"> • pattern (number or shape) • pattern rule 	<ul style="list-style-type: none"> • fraction • unit fraction • equivalent • reason • denominator • numerator • decomposing • mixed number • properties (rules about how numbers work) • multiple • <u>Understand decimal notation for fractions, and compare decimal fractions.</u> • fraction • numerator/denominator • equivalent • reasoning • decimals • tenths • hundredths • comparisons/comparisons • $< > =$
<p><u>Use the four operations with whole numbers to solve problems.</u></p> <ul style="list-style-type: none"> • multiply • multiplicative comparison • add • additive comparison • divide/division • dividend • divisor • equations • unknown • remainders • reasonableness • mental computation • estimation • rounding <p><u>Gain familiarity with factors and multiples.</u></p> <ul style="list-style-type: none"> • factor • factor pairs • multiple • prime • composite 	<p><u>Generalize place value understanding for multi-digit whole numbers.</u></p> <ul style="list-style-type: none"> • place value • greater than > • less than < • equal to = • comparisons/compare • are • round <p><u>Use place value understanding and properties of operations to perform multi-digit arithmetic.</u></p> <ul style="list-style-type: none"> • add • addend • sum • subtract 	<p><u>Extend understanding of fraction equivalence and ordering.</u></p> <ul style="list-style-type: none"> • partition(ed) fraction • unit fraction • equivalent • expression • multiple • reason • denominator • numerator • comparison/comparison • $< > =$ • benchmark fraction <p><u>Build fractions from unit fractions by applying and extending previous understanding of operations on whole numbers.</u></p> <ul style="list-style-type: none"> • operations • addition/joining • subtraction/separation

Measurement and Data (MD)	Geometry (G)		
<p><u>Solve problems involving measurement and conversion of measurements from a larger unit to a smaller unit.</u></p> <ul style="list-style-type: none"> • Measure • Metric • Customary/standard • convert/conversion • relative size • liquid volume • mass • length • distance • kilometer(km) • meter (m) • centimeter (cm) • kilogram (kg) • gram (g) • liter (l) • milliliter (ml) • inch (in) • foot (ft) • yard (yd) • mile (mi) • ounce (oz) • pound(lb) • cup (c) • pint (pt) • quart (qt) • gallon (gal) • time • a.m., p.m. • hour/minute/second • equivalent 	<ul style="list-style-type: none"> • operations—add, subtract, multiply, divide • fractions • decimals • area • perimeter <p><u>Represent and interpret data.</u></p> <ul style="list-style-type: none"> • Data • line plot • length • fractions <p><u>Geometric measurement: understand concepts of angles and measure angles.</u></p> <ul style="list-style-type: none"> • measure • point • end point • geometric shapes • ray • angle • circle • fraction • intersect • one-degree angle • protractor • decomposed • addition • subtraction • unknown • obtuse • acute 	<p><u>Draw and identify lines and angles, and classify shapes by properties of their lines and angles.</u></p> <ul style="list-style-type: none"> • Classify shapes/figures • Properties (attributes, features) • Defining characteristic • Point • Line • Line segment • Ray • Angle • Vertex/vertices • Right angle • Acute • Obtuse • Perpendicular • Parallel • Right triangle • Isosceles triangle • Equilateral triangle • Scalene triangle • Line of symmetry • Symmetric figures • Two dimensional • Regular and irregular 	<p><u>From previous grades:</u></p> <ul style="list-style-type: none"> • Polygon • Rhombus/rhombi • Rectangle • Square • Triangle • Quadrilateral • Pentagon • Hexagon • Cube • Trapezoid • Half quarter circle • Circle • Cone • Cylinder • Sphere

PUSD Universal Problem Solving Strategy

1) Read the whole problem. Read it again.

2) Understand the problem by restating it.

3) Underline the question. _____?
(What do you need to know?)

4) Circle the information.
(What do you know?)

5) Determine a strategy to use:

- Identify the math action
- Identify the operation
- Write a number sentence
- Draw a picture
- Make a table
- Another strategy

6) Solve.

7) Is the answer reasonable?


✓ Check your work.



Extension: Can you solve the problem a different way?

5 Principles for Effective Questioning

1. Plan to use questions that encourage thinking and reasoning.



Really effective questions are planned beforehand. It is helpful to plan sequences of questions that build on and extend students' thinking. A good questioner, of course, remains flexible and allows time to follow up on responses.



2. Ask questions in ways that include everyone.

It is very important that everyone is included in thinking about the questions asked.



3. Give students time to think.

When teachers increase the wait time between asking the question and supplying the answer, students respond at greater length and with greater confidence; offer more unsolicited, but appropriate responses; offer more diverse, alternative explanations; and relate responses to those from other students.

4. Avoid judging students' responses.



Studies have found that if a teacher makes judgmental comments, even positive ones such as "Well done!", then this negatively affected students' verbal performance even with the lengthened wait times. Task performance was greatest where verbal rewards were fewer.

5. Follow up students' responses in ways that encourage deeper thinking.



By using pushing comments or follow up questions, teachers are able to get students to think above and beyond the answers they have formulated and build on that knowledge.

The Five Principles : How does this look in the classroom?

1. Plan to use questions that encourage thinking and reasoning.

Really effective questions are *planned beforehand*. It is helpful to plan sequences of questions that build on and extend students' thinking. A good questioner, of course, remains flexible and allows time for follow up responses.



2. Ask questions in ways that include everyone.

It is very important that everyone is included in thinking about the questions asked. Here are three ways that teachers have tried to achieve this.



- Use a no hands rule.
- Ask questions that encourage a range of responses.
- Avoid teacher-student-teacher-student 'ping-pong'. Instead use teacher-Student A-Student B-Student C-Teacher.
- Arrange the room to encourage participation.

3. Give students time to think. The interval of time between a teacher asking a question and supplying the answer herself, or following up with an additional question or comment, is commonly called "wait time" or 'think time'. Increase your wait time to between three and five seconds.



- Talk to students about wait time.
- Use "think-pair-share"
- Use mini whiteboards to increase think time.

4. Avoid judging students' responses. Whether positive or negative, a judgmental responses affects students' verbal performance.



- Ask open questions that allow for a greater variety of responses
- Reply with comments that do not close off alternative ideas
- A non-judgmental response could be: "Thank you for that, that is really interesting. What other ideas do people have?"

5. Follow up students' responses in ways that encourage deeper thinking.

Examples:



- Can you just say that again?
- Can you just say a little more about that...?
- Can you explain why that works?
- Can you suggest another way of doing this?
- Nod head, rotate hand to indicate that you want more.
- What would happen if...?
- Someone in this group said..... Were they right?
- Try out the answer on your partner first.
- Would anyone like to ask Pat a question about that?
- Can you go through that step by step?
- Can you remember something else we did like this?

Make sense of problems and persevere in solving them.

Mathematical Practice 1



When presented with a problem, I can make a plan, carry out my plan, and check its success.

BEFORE...

EXPLAIN the problem to myself.

MAKE A PLAN to solve the problem

- What is the question?
- What do I know?
- What do I need to find out?
- What tools/strategies will I use?

DURING...

PERSEVERE (Stick to it!)

MONITOR my work

ASK myself, "Does this make sense?"

CHANGE my plan if it isn't working out

AFTER...

CHECK

- Is my answer correct?
- How do my representations connect to my solution?

EVALUATE

- What worked/didn't work?
- How was my solution similar or different from my classmates'?

Clip art licensed from the Clip Art Gallery on DiscoverySchool.com

Jordan School District 2012, Grades 4-5

Reason abstractly and quantitatively.

Mathematical Practice 2




I can use numbers, words, and reasoning habits to help me make sense of problems.

Contextualize (Numbers to Words)


$$\frac{1}{2} \times 6 = 3 \text{ or } 6 \times \frac{1}{2} = 3$$

Mary practices the piano $\frac{1}{2}$ hour a day for 6 days.
How many total hours does she practice?



Decontextualize (Words to Numbers)

Mary practices the piano $\frac{1}{2}$ hour a day for 6 days.
How many total hours does she practice?



$$\frac{1}{2} \times 6 = 3 \text{ or } 6 \times \frac{1}{2} = 3$$

Reasoning Habits

- 1) Make an understandable representation of the problem.
- 2) Think about the units involved.
- 3) Pay attention to the meaning of the numbers.
- 4) Use the properties of operations or objects.

Clip art licensed from the Clip Art Gallery on DiscoverySchool.com

Jordan School District 2012, Grades 4-5

Construct viable arguments and critique the reasoning of others.

Mathematical Practice 3



I can make logical arguments and respond to the mathematical thinking of others.

I can **make and present arguments** by...

- using objects, drawings, diagrams and actions
- using examples and non-examples
- relating to contexts

I can **analyze the reasoning of others** by...

- listening
- asking and answering questions
- comparing strategies and arguments

Clip art licensed from the Clip Art Gallery on DiscoverySchool.com

Jordan School District 2012, Grades 4-5

Model with mathematics.

Mathematical Practice 4



I can recognize math in everyday life and use math I know to solve problems.

I can...

My box turtle is getting a new tank. He is $5\frac{1}{2}$ " long and 3" tall. One side length of the tank needs to be 5 times his length. How long will the length of the tank need to be?

Use estimates to make the problem simpler.

I will round $5\frac{1}{2}$ " to 6".

Find important numbers.

Turtle: About 6" long
Tank: 5 times the length of the turtle

Consider my answer – Does it make sense?
I thought about the problem again and a 30" side length on the tank makes sense!

Think about the relationship to find an answer.
The tank (30") is 5 times bigger than the turtle length (6").

Turtle Length (inches)	Tank Length (inches)
4	20
5	25
6	30
7	35
8	40

Use tools to show relationships.

...to solve everyday problems.

Clip art licensed from the Clip Art Gallery on DiscoverySchool.com

Jordan School District 2012, Grades 4-5


Use appropriate tools strategically.

Mathematical Practice 5



I can use certain tools to help me explore and deepen my math understanding.

- I know **HOW** and **WHEN** to use math tools.
- I can reason: "Did the tool I used give me an answer that makes sense?"



Clip art licensed from the Clip Art Gallery on DiscoverySchool.com

Jordan School District 2012, Grades 4-5

Attend to precision.

Mathematical practice 6



I can be precise when solving problems and clear when communicating my ideas.

Mathematicians communicate with others using...

symbol: equal
(the same as)

$$48 \text{ inches} = 4 \text{ feet}$$

units of measure

- math vocabulary with clear definitions
- symbols that have meaning
- context labels
- units of measure
- calculations that are accurate and efficient

Clip art licensed from the Clip Art Gallery on DiscoverySchool.com

Jordan School District 2012, Grades 4-5

Look for and make use of structure.


Mathematical Practice 7



I can see and understand how numbers and spaces are organized and put together as parts and wholes.

Numbers


For Example:



Equivalent Fractions

Spaces

For Example:



Clip art licensed from the Clip Art Gallery on DiscoverySchool.com

Jordan School District 2012, Grades 4-5

Look for and express regularity in repeated reasoning.

Mathematical Practice 8



I can notice when calculations are repeated. Then, I can find more general methods and short cuts.

As I work...

...I think about what I'm trying to figure out while I pay attention to the details

...I evaluate if my results are reasonable.

There are many ways to decompose $\frac{3}{8}$ because it is composed of repeated $\frac{1}{8}$'s.

I CAN....

...draw a whole and shade in three $\frac{1}{8}$'s parts.




...add eighths.

$$\frac{3}{8} = \frac{1}{8} + \frac{1}{8} + \frac{1}{8}$$

...count by eighths. (one-eighth, two eighths, three eighths)

$$\frac{3}{8} = \frac{1}{8}, \frac{1}{8}, \frac{1}{8}$$

...jump three $\frac{1}{8}$ size jumps on a number line.



Summary of the Standards for Mathematical Practice	Questions to Develop Mathematical Thinking
<p>MP1 Make sense of problems and persevere in solving them</p> <ul style="list-style-type: none"> • Interpret and make meaning of the problem to find a starting point. • Analyze what is given in order to explain to themselves the meaning of the problem. • Plan a solution pathway instead of jumping to a solution. • Monitor their own progress and change the approach if necessary. • See relationships between various representations. • Relate current situations to concepts or skills previously learned and connect mathematical ideas to one another. • Continually ask themselves, “Does this make sense?” • Can understand various approaches to solutions. 	<ul style="list-style-type: none"> • How would you describe the problems in your own words? • How would you describe what you are trying to find? • What do you notice about...? • What information is given in the problem? • Describe the relationship between the quantities. • Describe what you have already tried. What might you change? • Talk me through the steps you’ve used to this point. • What steps in the process are you most confident about? • What are some other strategies you might try? • What are some other problems that are similar to this one? • How might you use one of your previous problems to help you begin? • How else might you organize...represent... show...?
<p>MP2 Reason abstractly and quantitatively</p> <ul style="list-style-type: none"> • Make sense of quantities and their relationships. • Decontextualize (represent a situation symbolically and manipulate the symbols) and contextualize (make meaning of the symbols in a problem) quantitative relationships. • Understand the meaning of quantities and flexibly use operations and their properties. • Create a logical representation of the problem. • Attend to the meaning of quantities, not just how to compute them. 	<ul style="list-style-type: none"> • What do the numbers used in the problem represent? • What is the relationship of the quantities? • How is _____ related to _____? • What is the relationship between _____ and _____? • What does _____ mean to you? (e.g. symbol, quantity, diagram) • What properties might we use to find a solution? • How did you decide in this task that you needed to use...? • Could we have used another operation or property to solve this task? Why or why not?
<p>MP3 Construct viable arguments and critique the reasoning of others</p> <ul style="list-style-type: none"> • Analyze problems and use stated mathematical assumptions, definitions, and established results in constructing arguments. • Justify conclusions with mathematical ideas. • Listen to the arguments of others and ask useful questions to determine if an argument makes sense. • Ask clarifying questions or suggest ideas to improve/revise the argument. • Compare two arguments and determine correct or flawed logic. 	<ul style="list-style-type: none"> • What mathematical evidence would support your solution? • How can we be sure that...? or How could you prove that...? • Will it still work if...? • What were you considering when...? • How did you decide to try that strategy? • How did you test whether your approach worked? • How did you decide what the problem was asking you to find? (What was unknown?) • Did you try a method that did not work? Why didn’t it work? Would it ever work? Why or why not? • What is the same and what is different about...? • How could you demonstrate a counter-example? • I think it might be clearer if you said ... Is that what you meant • Is your method like Shawna’s method or how is it different?
<p>MP4 Model with Mathematics</p> <ul style="list-style-type: none"> • Understand this is a way to reason quantitatively and abstractly (able to decontextualize and contextualize). • Apply the mathematics they know to solve everyday problems. • Simplify a complex problem and identify important quantities to look at relationships. • Represent mathematics to describe a situation either with an equation or a diagram and interpret the results of a mathematical situation. • Reflect on whether the results make sense, possibly improving/revising the model. • Ask themselves, “How can I represent this mathematically?” 	<ul style="list-style-type: none"> • What math drawing or diagram could you make and label to represent the problem? • What are some ways to represent the quantities? • What is an equation or expression that matches the diagram, number line, chart, table..? • Where did you see one of the quantities in the task in your equation or expression? • How would it help to create a diagram, graph, table...? • What are some ways to visually represent...? • What formula might apply in this situation?

<p>MP5 Use Appropriate Tools Strategically</p> <ul style="list-style-type: none"> • Use available tools including visual models, recognizing the strengths and limitations of each. • Use estimation and other mathematical knowledge to detect possible errors. • Identify relevant external mathematical resources to pose and solve problems. • Use technological tools to deepen their understanding of mathematics. 	<ul style="list-style-type: none"> • What mathematical tools could we use to visualize and represent the situation? • What information do you have? • What do you know that is not stated in the problem? • What approach are you considering trying first? • What estimate did you make for the solution? • In this situation would it be helpful to use a graph, number line, ruler, diagram, calculator, manipulative...? • Why was it helpful to use...? • What can using a _____ show us that _____ may not? • In what situations might it be more informative or helpful to use...?
<p>MP6 Attend to Precision</p> <ul style="list-style-type: none"> • Communicate precisely with others and try to use clear mathematical language when discussing their reasoning. • Understand the meanings of symbols used in mathematics and can label quantities appropriately. • Express numerical answers with a degree of precision appropriate for the problem context. • Calculate efficiently and accurately. 	<ul style="list-style-type: none"> • What mathematical terms apply in this situation? • How did you know your solution was reasonable? • Explain how you might show that your solution answers the problem. • What would be a more efficient strategy? • How are you showing the meaning of the quantities? • What symbols or mathematical notations are important in this problem? • What mathematical language, definitions, properties...can you use to explain...? • Can you say it in a different way? • Can you say it in your own words? And now say it in math words. • How could you test your solution to see if it answers the problem?
<p>MP7 Look for and make use of structure</p> <ul style="list-style-type: none"> • Look for the overall structures and patterns in mathematics. Think about how to describe these in words, math symbols, or visual models. • See complicated things as single objects or as being composed of several objects. Compose and decompose conceptually. • Apply general mathematical patterns, rules, or procedures to specific situations. 	<ul style="list-style-type: none"> • What observations can you make about...? • What do you notice when...? • What parts of the problem might you eliminate, simplify...? • What patterns do you find in...? • How do you know if something is a pattern? • What ideas that we have learned before were useful in solving this problem? • What are some other problems that are similar to this one? • How does this relate to...? • In what ways does this problem connect to other mathematical concepts?
<p>MP8 Look for and express regularity in repeated reasoning</p> <ul style="list-style-type: none"> • See repeated calculations and look for generalizations and shortcuts. • See the overall process of the problem and still attend to the details in the problem solving steps. • Understand the broader application of patterns and see the structure in similar situations. • Continually evaluate the reasonableness of their intermediate results 	<ul style="list-style-type: none"> • Explain how this strategy works in other situations. • Is this always true, sometimes true or never true? • How would we prove that...? • What do you notice about...? • What is happening in this situation? • What would happen if...? • Is there a mathematical rule for...? • What predictions or generalizations can this pattern support? • What mathematical consistencies do you notice? • How is this situation like and different from other situations using this operation?
<p>The Mathematics Framework - California State Board of Education, Overview of Standards Chapters : page 14-16</p>	

Blackline Masters


For digital copies and more, go to Teacher Share:


<http://www.pittsburg.k12.ca.us//site/Default.aspx?PageID=2170>

Hundred Chart

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60
61	62	63	64	65	66	67	68	69	70
71	72	73	74	75	76	77	78	79	80
81	82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99	100


Centimeter Paper






One Inch Paper

Hundreds Chart for Rounding to the Nearest Ten





Round Down

0	0-4	5-10	10
10	10-14	15-20	20
20	20-24	25-30	30
30	30-34	35-40	40
40	40-44	45-50	50
50	50-54	55-60	60
60	60-64	65-70	70
70	70-74	75-80	80
80	80-84	85-90	90
90	90-94	95-100	100





Round Up

Thousands Chart for Rounding to the Nearest Hundred




0	0-49	50-100	100
100	100-149	150-200	200
200	200-249	250-300	300
300	300-349	350-400	400
400	400-449	450-500	500
500	500-549	550-600	600
600	600-649	650-700	700
700	700-749	750-800	800
800	800-849	850-900	900
900	900-949	950-1000	1000



Number Bonds

whole & parts




$$\bigcirc + \bigcirc = \bigcirc$$

$$\bigcirc \times \bigcirc = \bigcirc$$

$$\bigcirc - \bigcirc = \bigcirc$$

$$\bigcirc \div \bigcirc = \bigcirc$$

add & subtract




$$3 + 4 = 7$$

$$4 + 3 = 7$$

$$7 - 3 = 4$$

$$7 - 4 = 3$$

multiply & divide



$$3 \times 5 = 15$$

$$5 \times 3 = 15$$


$$15 \div 3 = 5$$

$$15 \div 5 = 3$$

Example Word Problems


part → Jack has \$11. Jill has \$3 more than Jack. part

How much money does Jill have? ← whole









whole → Jack spent \$21 to buy 3 basketballs for his friends. part





How much did each basketball cost? ← part




1											
$\frac{1}{2}$						$\frac{1}{2}$					
$\frac{1}{3}$				$\frac{1}{3}$				$\frac{1}{3}$			
$\frac{1}{4}$			$\frac{1}{4}$			$\frac{1}{4}$			$\frac{1}{4}$		
$\frac{1}{5}$		$\frac{1}{5}$		$\frac{1}{5}$		$\frac{1}{5}$		$\frac{1}{5}$		$\frac{1}{5}$	
$\frac{1}{6}$		$\frac{1}{6}$		$\frac{1}{6}$		$\frac{1}{6}$		$\frac{1}{6}$		$\frac{1}{6}$	
$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$	$\frac{1}{8}$
$\frac{1}{10}$	$\frac{1}{10}$	$\frac{1}{10}$	$\frac{1}{10}$	$\frac{1}{10}$	$\frac{1}{10}$	$\frac{1}{10}$	$\frac{1}{10}$	$\frac{1}{10}$	$\frac{1}{10}$	$\frac{1}{10}$	$\frac{1}{10}$
$\frac{1}{12}$	$\frac{1}{12}$	$\frac{1}{12}$	$\frac{1}{12}$	$\frac{1}{12}$	$\frac{1}{12}$	$\frac{1}{12}$	$\frac{1}{12}$	$\frac{1}{12}$	$\frac{1}{12}$	$\frac{1}{12}$	$\frac{1}{12}$



























Base 10 Blocks (all)









Virtual Manipulatives

Source	Site	Grades
Manipulatives (Glencoe/McGraw Hill)	http://www.glencoe.com/sites/common_assets/mathematics/ebook_assets/vmf/VMF-Interface.html	PreK-8
Math Playground	http://www.mathplayground.com/math_manipulatives.html	K-5

Number Talks

Source	Site	Grades
Pittsburg USD – Teacher Share	http://www.pittsburg.k12.ca.us//site/Default.aspx?PageID=2090	PreK - 5
Oakland Elementary School	http://schoolwires.henry.k12.ga.us/Page/43245	K-5
Math Solutions	http://mathsolutions.com/common-core-support/math-talk/ Videos: http://mathsolutions.wistia.com/projects/7191d658c1 Book: Number Talks: Helping Children Build Mental Math and Computation Strategies, Updated with Common Core Connections, Grades K-5 Resource: http://store.mathsolutions.com/product-info.php?Number-Talks-Reusable-Ten-Frame-DotCards-pid726.html	K-5
InsideMathematics	Videos: http://www.insidemathematics.org/index.php/number-talks	2-7

Lesson Resources

Source	Site	Grades
Pittsburg USD – Teacher Share	http://www.pittsburg.k12.ca.us/domain/631	K-5
K-5 Math Teaching Resources	http://www.k-5mathteachingresources.com/	K-5
University of Austin, Texas - Dana Center	http://www.pittsburg.k12.ca.us//site/Default.aspx?PageID=2090 (See Early Mathematics – Dana Center, under TK – Grade 2 Resources)	TK-2
Common Core Sheets	www.commoncoresheets.com	K-5
Illuminations	http://illuminations.nctm.org/	K-12
LearnZillion	https://learnzillion.com/	K-12
Math-Aids	http://www.math-aids.com/	K-5
The Teaching Channel	www.teachingchannel.com	PreK-12
WorksheetWorks	http://www.worksheetworks.com/	K-5

Performance Tasks

Source	Site	Grades
SVMI	www.svmimac.org http://www.scoe.org/pub/htdocs/ccss-mathematics.html (public tasks)	K-12
Georgia Dept of Ed	https://www.georgiastandards.org/Common-Core/Pages/Math-K-5.aspx	K-5
Illustrative Mathematics	https://www.illustrativemathematics.org	K-5

Black Line Masters

Source	Site	Grades
Survival Kit	See Kit for Common Templates	K-5
Pittsburg USD Teacher Share	http://www.pittsburg.k12.ca.us//site/Default.aspx?PageID=2170 (more PUSD created BLM and website resources)	K-5

